

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- . 1.1 Product identifier
- . Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT
- . 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- . Application of the substance / the mixture Sealant
- . 1.3 Details of the supplier of the safety data sheet
- . Manufacturer(1)/Supplier(2):

1

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- . Further information obtainable from: Bison QESH
- . 1.4 Emergency telephone number: +31 88 3235700

SECTION 2: Hazards identification

- . 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Sens. 1

H317 May cause an allergic skin reaction.

Aguatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- . 2.2 Label elements
- . Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

. Hazard pictograms



GHS07

- . Signal word Warning
- . Hazard-determining components of labelling:

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Dioctyltinbis(acetylacetonate)

A mixture of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

N-[3-(dimethoxymethylsilyl)propyl]ethylenediamine

. Hazard statements

H317 May cause an allergic skin reaction.

(Contd. on page 2)

EU-EN

www.bostik.it 1/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT

(Contd. of page 1)

H412 Harmful to aquatic life with long lasting effects.

. Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

- . 2.3 Other hazards
- . Results of PBT and vPvB assessment
- . **PBT:** Not applicable. . **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- . 3.2 Mixtures
- . Description: Sealant

. Description: Ocalant		
. Dangerous components:		
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane Flam. Liq. 3, H226; Acute Tox. 4, H332	1-2.5%
CAS: 1760-24-3 EINECS: 217-164-6 Reg.nr.: 01-2119970215-39	N-(3-(trimethoxysilyl)propyl)ethylenediamine Eye Dam. 1, H318; Aquatic Chronic 2, H411; Acute Tox. 4, H332; Skin Sens. 1, H317	<1%
CAS: 54068-28-9 ELINCS: 483-270-6 Reg.nr.: 01-0000020199-67	Dioctyltinbis(acetylacetonate) STOT SE 2, H371; Skin Sens. 1, H317	<1%
EC number: 915-687-0 Reg.nr.: 01-2119491304-40	A mixture of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317	<1%
CAS: 3069-29-2 EINECS: 221-336-6 Reg.nr.: 01-2119963926-21 05-2114308637-47	N-[3-(dimethoxymethylsilyl)propyl]ethylenediamine Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	<1%

. Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- . 4.1 Description of first aid measures
- . General information: No special measures required.
- . After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stable in side position for transportation.

- . After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eye contact: Rinse opened eye for several minutes under running water.
- . After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

EU-EN

www.bostik.it 2/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT

(Contd. of page 2)

. 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- . 5.1 Extinguishing media
- . Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- . 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- . 5.3 Advice for firefighters
- . Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- . 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- . 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

. 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- . **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- . Information about fire and explosion protection: No special measures required.
- . 7.2 Conditions for safe storage, including any incompatibilities
- . Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.
- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions: None.
- . 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

. Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

EU-EN

www.bostik.it 3/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT

(Contd. of page 3)

. 8.1 Control parameters

. Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

. Additional information: The lists valid during the making were used as basis.

. 8.2 Exposure controls

- . Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- . Respiratory protection: Not required.
- . Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

. Material of gloves

Recommended thickness of the material: > 0,12 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

. Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

. Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

. Appearance:

Form: Fluid

Colour: According to product specification

. **Odour:** Characteristic . **Odour threshold:** Not determined.

. **pH-value:** Not determined.

. Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

. Flash point: Not applicable.

(Contd. on page 5)

EU-EN

www.bostik.it 4/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT

	(Contd. of page
. Flammability (solid, gas):	Not applicable.
. Decomposition temperature:	Not determined.
. Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
. Vapour pressure:	Not determined.
Density at 20 °C: Relative density Vapour density Evaporation rate	1.48 g/cm³ Not determined. Not determined. Not determined.
. Solubility in / Miscibility with water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
. Viscosity: Dynamic: Kinematic: . 9.2 Other information	Not determined. Not determined. All relevant physical data were determined for the mixture. All non-determined data are not measurable on the relevant for the characterization of the mixture.

SECTION 10: Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- . Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- . **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- . 10.4 Conditions to avoid No further relevant information available.
- . 10.5 Incompatible materials: No further relevant information available.
- . 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- . 11.1 Information on toxicological effects
- . Acute toxicity Based on available data, the classification criteria are not met.
- . Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- . Serious eye damage/irritation Based on available data, the classification criteria are not met.
- . Respiratory or skin sensitisation
- May cause an allergic skin reaction.

(Contd. on page 6)

- EU-EN

www.bostik.it 5/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT

(Contd. of page 5)

- . CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.
- . STOT-single exposure Based on available data, the classification criteria are not met.
- . STOT-repeated exposure Based on available data, the classification criteria are not met.
- . Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- . 12.1 Toxicity
- . Aquatic toxicity: No further relevant information available.
- . 12.2 Persistence and degradability No further relevant information available.
- . 12.3 Bioaccumulative potential No further relevant information available.
- . 12.4 Mobility in soil No further relevant information available.
- . Ecotoxical effects:
- . Remark: Harmful to fish
- . Additional ecological information:
- . General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- . 13.1 Waste treatment methods
- . Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- . Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

. 14.1 UN-Number

. ADR/ADN, ADN, IMDG, IATA Void

. 14.2 UN proper shipping name

. ADR/ADN, ADN, IMDG, IATA Void

(Contd. on page 7)

EU-EN

www.bostik.it 6/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT

	(Contd. of page 6
. 14.3 Transport hazard class(es)	
. ADR/ADN, ADN, IMDG, IATA . Class	Void
. 14.4 Packing group . ADR/ADN, IMDG, IATA	Void
. 14.5 Environmental hazards: . Marine pollutant:	No
. 14.6 Special precautions for user	Not applicable.
. 14.7 Transport in bulk according to Anne of Marpol and the IBC Code	x II Not applicable.
. Transport/Additional information:	
. IMDG . Remarks:	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
. UN "Model Regulation":	Void

SECTION 15: Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Directive 2012/18/EU
- . Named dangerous substances ANNEX I None of the ingredients is listed.
- . REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- . 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H371 May cause damage to organs.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

. Department issuing SDS: Bison QESH

(Contd. on page 8)

EU-EN

www.bostik.it 7/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.10.2018 Version number 34 Revision: 06.02.2018

Trade name: BOSTIK MS-PRO SEAL GRIGIO (HARDWARE) CRT 290ML*12 IT

(Contd. of page 7)

. Contact: Reach coördinator

. Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

FU-FN

8/8 www.bostik.it