

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

UHU GmbH & Co.KG

Herrmannstraße 7

D-77815 Bühl (Baden)

Tel.:0049-(0)7223-284-0

E-mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: +49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @

https://poisoncentres.echa.europa.eu/appointed-bodies

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: +49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

Fax: 0049-(0)7223-284-245

EU -

www.bostik.it 1/10



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

(Contd. of page 1)

· vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Adhesive

· Dangerous components:		
CAS: 2768-02-7 EINECS: 220-449-8 Index number: 014-049-00-0 Reg.nr.: 01-2119513215-52- XXXX	trimethoxyvinylsilane  Flam. Liq. 3, H226;  Acute Tox. 4, H332; Skin Sens. 1B, H317	2.5-10%
CAS: 13822-56-5 EINECS: 237-511-5 Reg.nr.: 01-2119510159-45- XXXX	3-(trimethoxysilyl)propylamine	1-2.5%
CAS: 52829-07-9 EINECS: 258-207-9 Reg.nr.: 01-2119537297-32- XXXX	bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate  ❖ Repr. 2, H361f; ❖ Eye Dam. 1, H318; ❖ Aquatic Acute 1, H400; Aquatic Chronic 2, H411	<0.25%

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- $^{\cdot}$  4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

~ 2/

(Contd. on page 3)

www.bostik.it 2/10



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

(Contd. of page 2)

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
2768-02-7	trimethoxyvinylsilane	
Oral	Consumer, oral, longterm exposition	0.3 mg/kg bw/day
Dermal	Worker, dermal, longterm exposition	3.9 mg/kg bw/day (rat)
	Consumer, dermal, longterm exposition	7.8 mg/kg bw/day (rat)
Inhalative	Worker, inhalative, longterm exposition	27.6 mg/m³ (rat)
	Consumer, inhalative, longterm exposition	6.7 mg/m³ (rat)
		18.9 mg/m³ (rabbit)
13822-56-	5 3-(trimethoxysilyl)propylamine	
Dermal	Worker, dermal, longterm exposition	1 mg/kg bw/day
	Consumer, dermal, longterm exposition	0.5 mg/kg bw/day
Inhalative	Worker, inhalative, longterm exposition	7.1 mg/m³
	Consumer, inhalative, longterm exposition	1.7 mg/m³
		(Contd. on page



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

			(Conto	l. of p
	* * * *	etramethyl-4-piperidyl) seb		
		al, longterm exposition	0.18 mg/kg bw/day	
	Worker, dermal, longterm exposition		1.8 mg/kg bw/day	
	Consumer, dermal, longterm exposition		0.9 mg/kg bw/day	
	Worker, inhalative, longterm exposition		1.27 mg/m³	
	Consumer, inhalative, longterm exposition		0.31 mg/m³	
PNECs				
2768-02-7	trimethoxyvi	nylsilane		
Fresh wate	er	0.4 mg/l		
Fresh water	er sediment	1.5 mg/kg dry weight		
Marine wat	er	0.04 mg/l		
Marine sed	liment	0.15 mg/kg dry weight		
Soil		0.06 mg/kg		
Sewage tre	eatment plant	6.6 mg/l		
Sporadic re	poradic release 2.4 mg/l			
13822-56-	5 3-(trimetho	kysilyl)propylamine		
Fresh wate	er	0.5 mg/l		
Fresh water	er sediment	1.8 mg/kg dry weight		
Marine wat	er	0.05 mg/l		
Marine sed	liment	0.18 mg/kg dry weight		
Soil		0.069 mg/kg		
Sewage tre	eatment plant	0.81 mg/l		
	• • • •	etramethyl-4-piperidyl) seb	acate	
Fresh wate		0.018 mg/l		
Fresh water	er sediment	29 mg/kg dry weight		
Marine wat	er	0.0018 mg/l		
Marine sed	liment	2.9 mg/kg dry weight		
Soil		5.9 mg/kg		
Sewage tre	eatment plant	1 mg/l		
Sporadic re	elease	0.007 mg/l		

- $\cdot$  Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

*□)* 

www.bostik.it 4/10



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 20.03.2025 Version number 33 (replaces version 32) Printing date 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

(Contd. of page 4)

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber. NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eve/face protection Goggles recommended during refilling

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined. Undetermined.

· Melting point/freezing point:

· Boiling point or initial boiling point and

boiling range Undetermined. · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. · Decomposition temperature: Not determined. Not determined. · pH

· Viscosity:

Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined. Not determined. · Vapour pressure:

· Density and/or relative density

· Density: Not determined. · Relative density Not determined. Not determined. · Vapour density

· 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. **Explosive properties:** 

(Contd. on page 6)

5/10 www.bostik.it



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

(Contd. of page 5)

Only and annihilate		
· Solvent content:		
Organic solvents:	0.0 %	
· VOC (EC)	0.01 %	
Solids content:	83.2 %	
· Change in condition		
· Evaporation rate	Not determined.	
Information with regard to physic	al hazard	
<ul> <li>Information with regard to physic classes</li> </ul>	al hazard	
	al hazard Void	
classes		
classes Explosives	Void	
classes · Explosives · Flammable gases	Void Void	

Oxidising gases
 Gases under pressure
 Flammable liquids
 Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures
 Substances and mixtures, which emit

flammable gases in contact with water
Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.
- Additional information: During curing methanol (CAS 67-56-1) is produced.

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

Tions toxicity Buccu of available data, the diagonication officing are not men
· LD/LC50 values relevant for classification:
2768-02-7 trimethoxyvinylsilane

Oral LD50 6899 mg/kg (rat)

(Contd. on page 7

www.bostik.it 6/10



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

		(Contd. of page 6)
Dermal	LD50	3158 mg/kg (rabbit)
Inhalative	LC50/4 h	16.8 mg/l (rat)
13822-56-	5 3-(trime	thoxysilyl)propylamine
Oral	LD50	3030 mg/kg (rat)
Dermal	LD50	10000 mg/kg (rabbit)
52829-07-	9 bis(2,2,6	6,6-tetramethyl-4-piperidyl) sebacate
Oral	LD50	3700 mg/kg (rat)
Dermal	LD50	>3170 mg/kg (rat)
Inhalative	LC50/4 h	7.7 mg/l (rat)

### · Primary irritant effect:

### · Skin corrosion/irritation

Component CAS No. Method Species Conclusion Vinyltrimethoxysilane 2768-02-7 OECD No. 429 mouse, dermal no sensitisation

· Serious eye damage/irritation

Component CAS No. Method Species Conclusion
3-Aminopropyl 13822-56-5 BCOP OECD 437 cattle, eye no ocular irritation trimethoxysilane

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards

### Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

- FII -

www.bostik.it 7/10



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

(Contd. of page 7)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number	
ADR/ADN, IMDG, IATA	not regulated
· ADN	- not regulated
· 14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
UN "Model Regulation":	not regulated

(Contd. on page 9)

www.bostik.it 8/10



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

(Contd. of page 8)

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

## Department issuing SDS:

**PSRA** 

**PSRA** 

· Contact:

**PSRA** 

**PSRA** 

- Date of previous version: 16.01.2025
- · Version number of previous version: 32
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)

LO

www.bostik.it 9/10



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 20.03.2025 Version number 33 (replaces version 32) Revision: 20.03.2025

Trade name: BTK PM HIGH TACK EXP WH SA 900G\*12 IT

(Contd. of page 9)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

www.bostik.it 10/10