

Printing date 25.07.2024 V

Version number 39 (replaces version 38)

Revision: 25.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Adhesive

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160

NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800

e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Carc. 2 H351 Suspected of causing cancer.
STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

Acute Tox. 4	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.

(Contd. on page 2)



Version number 39 (replaces version 38) Printing date 25.07.2024 Revision: 25.07.2024 Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT (Contd. of page 1) STOT SE 3 H335 May cause respiratory irritation. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 GHS08 GHS09 · Signal word Danger · Hazard-determining components of labelling: Aromatic polyisocyanate based prepolymer 4,4'-methylenediphenyl diisocyanate o-(p-isocyanatobenzyl)phenyl isocyanate Hazard statements H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. P260 Do not breathe vapours. Wear protective gloves/protective clothing/eye protection/face protection. P280 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with national regulations. P501 Additional information: EUH204 Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use. · 2.3 Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Adhesive

(Contd. on page 3)

EU



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

(Contd of page 2)

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

CAS: 99784-49-3	Aromatic polyisocyanate based prepolymer	50-100%
	Resp. Sens. 1, H334; STOT RE 2, H373; () Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	
CAS: 101-68-8	4,4'-methylenediphenyl diisocyanate	10-25%
EINECS: 202-966-0 Index number: 615-005-00-9 Reg.nr.: 01-2119457014-47		
CAS: 5873-54-1 EINECS: 227-534-9 Index number: 615-005-00-9 Reg.nr.: 01-2119480143-45	 o-(p-isocyanatobenzyl)phenyl isocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; H335: C ≥ 5 % 	10-25%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

(Contd. of page 3)

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

• 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- 6.2 Environmental precautions:
- Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
 Send for recovery or disposal in suitable receptacles.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.

(Contd. on page 5)




Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT



Fluid	
Light brown	
Characteristic	
Not determined.	
Undetermined.	
208 °C	
Not applicable.	
0.4 Vol %	
0.0 Vol %	
	(Contd. on page 6)
	Light brown Characteristic Not determined. Undetermined. 208 °C Not applicable. 0.4 Vol %

EU



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

	(Contd. of page
Flash point:	201 °C
Auto-ignition temperature:	520 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	Not dotominod.
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
	Not determined.
value) Vapour pressure at 20 °C:	0 hPa
	UTIFA
Density and/or relative density	4.440
Density at 20 °C:	1.146 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Liquid
Important information on protection of hea	
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	······································
Solids content:	96.7 %
Change in condition	
Evaporation rate	N = 4 = 4 = mm in = al
	Not determined
•	Not determined.
Information with regard to physical haza	
Information with regard to physical haza classes	ard
Information with regard to physical haza classes Explosives	ard Void
Information with regard to physical haza classes Explosives Flammable gases	ard Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols	ard Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases	ard Void Void
Information with regard to physical haza classes Explosives Flammable gases	ard Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	ard Void Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases	ard Void Void Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	ard Void Void Void Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	ard Void Void Void Void Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	ard Void Void Void Void Void Void Void Voi
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void Void Void Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	ard Void Void Void Void Void Void Void Voi
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Ard Void Void Void Void Void Void Void Voi
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void Void Void Void Void
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Ard Void Void Void Void Void Void Void Voi
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Ard Void Void Void Void Void Void Void Voi
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Ard Void Void Void Void Void Void Void Voi



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

(Contd. of page 6)

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with alcohols.
- Reacts with water.

Reacts with alkali, amines and strong acids.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Harmful if inhaled.
- · LD/LC50 values relevant for classification:

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 2200 mg/kg (mouse)

Skin corrosion/irritation

- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- · Germ cell mutagenicity
- Not applicable.
- Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.

(Contd. on page 8)



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

(Contd. of page 7)

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA

UN3082

· 14.2 UN proper shipping name

(Contd. on page 9)



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

	(Contd. of page
· ADR/ADN · IMDG, IATA	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (o-(p isocyanatobenzyl)phenyl isocyanate, 4,4' methylenediphenyl diisocyanate) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (o-(p isocyanatobenzyl)phenyl isocyanate, 4,4' methylenediphenyl diisocyanate)
14.3 Transport hazard class(es)	
· ADR/ADN	
Class	9 (M6) Miscellaneous dangerous substances and articles.
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances an articles.
·Label	9
14.4 Packing group ADR/ADN, IMDG, IATA	111
• 14.5 Environmental hazards: • Marine pollutant:	No Symbol (fish and tree)
· Special marking (ADR/ADN): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.
 Hazard identification number (Kemler code): EMS Number: Stowage Category 	90 F-A,S-F A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
 Transport/Additional information: Quantity limitations 	On passenger aircraft/rail: 450 L On cargo aircraft only: 450 L
	č
ADR/ADN	
	5L Code: E1 Maximum net quantity per inner packaging: 30 ml



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

	(Contd. of page 9
· · Transport category · Tunnel restriction code	Maximum net quantity per outer packaging: 1000 ml 3 (-)
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (O-(P ISOCYANATOBENZYL)PHENYL ISOCYANATE 4,4'-METHYLENEDIPHENYL DIISOCYANATE) 9, III

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56a, 56b, 74
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)



Printing date 25.07.2024

Version number 39 (replaces version 38)

Revision: 25.07.2024

Trade name: BTK PU CONSTRUCT TIX TR CQ 340G*12 IT

(Contd. of page 10)

SECTION 16: Other information	
This information is based on our present knowle for any specific product features and shall not e	edge. However, this shall not constitute a guarant stablish a legally valid contractual relationship.
Relevant phrasesH315Causes skin irritation.H317May cause an allergic skin reaction.H319Causes serious eye irritation.H322Harmful if inhaled.H334May cause allergy or asthma symptomH335May cause respiratory irritation.H351Suspected of causing cancer.H373May cause damage to organs throughEUH204Contains isocyanates. May produce ar	prolonged or repeated exposure. n allergic reaction.
Classification according to Regulation (EC) I	No 1272/2008
Acute toxicity - inhalation Skin corrosion/irritation Serious eye damage/irritation Respiratory sensitisation Skin sensitisation Carcinogenicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is generall based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Department issuing SDS: PSRA Contact: PSRA Date of previous version: 23.02.2022 Version number of previous version: 38 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchan the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Lal EINECS: European Inventory of Existing Commercial Chem ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Respiratory sensitisation – Category 1	nical Substances