

6314944 - BTK UNBLOCKER BO 1L*6 IT

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: BTK UNBLOCKER BO 1L*6 IT

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: **Bison International** Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling: sodium hydroxide
- · Hazard statements

H314 Causes severe skin burns and eye damage.

(Contd. on page 2) EU



Printing date 29.07.2024 Version number 12 (replaces version 11) Revision: 29.07.2024

Trade name: BTK UNBLOCKER BO 1L*6 IT

(Contd. of page 1)

 Precautionary state 	Itements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with national regulations.
· Additional inform	ation:
Contains biocidal p	products: sodium hypochlorite, solution
· 2.3 Other hazards	6
· Results of PBT a	nd vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Cleansing agent

sodium hydroxide	≥5-≤	10%
📀 Skin Corr. 1A, H314		
Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	≥2.5-	<10%
Skin Irrit. 2, H315; Eye Irrit. 2, H319		
sodium hypochlorite, solution	≥0.25	5-<1%
📀 Skin Corr. 1B, H314; Eye Dam. 1, H318; 🚯 Aquatic		
Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1),		
EUH031		
Specific concentration limit:		
EUH031: C ≥ 5 %		
04 on detergents / Labelling for contents		
based bleaching agents		<5%
	Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5 \%$ Skin Corr. 1B; H314: $2 \% \le C < 5 \%$ Skin Irrit. 2; H315: $0.5 \% \le C < 2 \%$ Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$ Alcohols, C12-14, ethoxylated, sulfates, sodium salts Skin Irrit. 2, H315; Eye Irrit. 2, H319 sodium hypochlorite, solution Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1), EUH031 Specific concentration limit:	Skin Corr. 1A, H314Specific concentration limits: Skin Corr. 1A; H314: $C \ge 5 \%$ Skin Corr. 1B; H314: $2 \% \le C < 5 \%$ Skin Irrit. 2; H315: $0.5 \% \le C < 2 \%$ Alcohols, C12-14, ethoxylated, sulfates, sodium salts Sodium hypochlorite, solutionSkin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1), EUH031 Specific concentration limit: EUH031: $C \ge 5 \%$ O4 on detergents / Labelling for contents

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

· After inhalation:

Call a doctor immediately.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK UNBLOCKER BO 1L*6 IT

• After eye contact:

(Contd. of page 2)

Rinse opened eye for several minutes under running water. Then consult a doctor. • After swallowing:

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

- Dispose contaminated material as waste according to section 13.
- Ensure adequate ventilation. 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 7 for information on sale handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 8 B

(Contd. on page 4)

EU -



Printing date 29.07.2024 Version number 12 (replaces version 11) References of the second sec

Revision: 29.07.2024

Trade name: BTK UNBLOCKER BO 1L*6 IT

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Respiratory protection: Not required.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves** Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR
- · Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

SECTION 9: Physical and chemical properties

- \cdot 9.1 Information on basic physical and chemical properties
- General Information
 Physical state

Fluid

(Contd. on page 5)



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK UNBLOCKER BO 1L*6 IT

	(Contd. of page
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	100 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH at 20 °C	14
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log	,
value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
Density at 20 °C:	1.039 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
• •	
9.2 Other information	All relevant physical data were determined for th mixture. All non-determined data are no measurable or not relevant for th characterization of the mixture.
Appearance:	
	Fluid
Form:	
Appearance: Form: Important information on protection of healt and environment, and on safety.	
Form: Important information on protection of health and environment, and on safety.	n
Form: Important information on protection of health and environment, and on safety. Ignition temperature:	Product is not selfigniting.
Form: Important information on protection of health and environment, and on safety.	n
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content:	Product is not selfigniting.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water:	Product is not selfigniting. Product does not present an explosion hazard. 89.1 %
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content:	Product is not selfigniting. Product does not present an explosion hazard.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition	Product is not selfigniting. Product does not present an explosion hazard. 89.1 %
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties:	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined.
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined. d Void Void Void Void Void Void
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined. d Void Void Void Void Void Void Void
Form: Important information on protection of health and environment, and on safety. Ignition temperature: Explosive properties: Solvent content: Water: Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases Aerosols Oxidising gases	Product is not selfigniting. Product does not present an explosion hazard. 89.1 % 10.5 % Not determined. d Void Void Void Void Void



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK UNBLOCKER BO 1L*6 IT

		(Contd. of page 5)
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Corrosive action on metals.

- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

7681-52-9 sodium hypochlorite, solution

Oral LD50 5800 mg/kg (mouse)

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not applicable.

- Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

• Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

(Contd. on page 7)

(Contribution of more



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

(Contd. of page 6)

Trade name: BTK UNBLOCKER BO 1L*6 IT

· Sensitisation Not applicable.

· Repeated dose toxicity Not applicable.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR/ADN, IMDG, IATA

UN3266

(Contd. on page 8)



Printing date 29.07.2024 Version number 12 (replaces version 11) Revisio

Revision: 29.07.2024

Trade name: BTK UNBLOCKER BO 1L*6 IT

	(Contd. of page
· 14.2 UN proper shipping name · ADR/ADN · IMDG, IATA	3266 CORROSIVE LIQUID, BASIC, INORGANI N.O.S. (SODIUM HYDROXIDE) CORROSIVE LIQUID, BASIC, INORGANI
	N.O.S. (SODIUM HYDROXIDE)
· 14.3 Transport hazard class(es)	
· ADR/ADN	
a and a second s	
· Class	8 (C5) Corrosive substances.
	8
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR/ADN, IMDG, IATA	11
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups 	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis
· Stowage Category	B SW/2 Clear of living quarters
 Stowage Code Segregation Code 	SW2 Clear of living quarters. SG35 Stow "separated from" SGG1-acids
 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
 Transport/Additional information: Quantity limitations 	On passenger aircraft/rail: 1 L On cargo aircraft only: 30 L
· ADR/ADN	
 Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 50 ml
 Transport category Tunnel restriction code 	2 E
	(Contd. on pag



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

(Contd of page Q)

Trade name: BTK UNBLOCKER BO 1L*6 IT

	(Contd. of page 8
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 3266 CORROSIVE LIQUID, BASIC INORGANIC, N.O.S. (SODIUM HYDROXIDE), 8 II

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

· Classification according to Regulation (EC) No 1272/2008

_	- · · ·
Skin corrosion/irritation	The classification of the mixture is generally based on the
Serious eye damage/irritation	calculation method using substance data according to Regulation
	(EC) No 1272/2008.

(Contd. on page 10)



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK UNBLOCKER BO 1L*6 IT

		(Contd. of page
Departme	nt issuing SDS: PSRA	
Contact:		
	revious version: 12.05.2022	
	umber of previous version: 11	
 Abbreviat 	tions and acronyms:	
	l relatif au transport international des marchandises dangereuses par route (European Ag	greement Concern
	onal Carriage of Dangerous Goods by Road)	
	ational Maritime Code for Dangerous Goods	
	ational Air Transport Association	
	ly Harmonised System of Classification and Labelling of Chemicals	
	ropean Inventory of Existing Commercial Chemical Substances	
	opean List of Notified Chemical Substances	
	cal Abstracts Service (division of the American Chemical Society)	
	concentration, 50 percent	
	dose, 50 percent	
	ent, Bioaccumulative and Toxic	
	ersistent and very Bioaccumulative A: Skin corrosion/irritation – Category 1A	
	3: Skin corrosion/irritation – Category 18 3: Skin corrosion/irritation – Category 18	
	Skin corrosion/irritation – Category 2	
	Serious eye damage/eye irritation – Category 1	
	erious eye damage/eye irritation – Category 2	
	e 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
	nic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	