

Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

• Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Adhesive

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

Further information obtainable from: Bison QESH

· 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. **GHS09** environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. GHS07 Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness. 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page 2)

IE-EN




Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT



	 Dangerous components: 		
- [CAS: 115-10-6	dimethyl ether	25-50%
	EINECS: 204-065-8 Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37	🔗 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
		(C	ontd. on page 3)

IE-EN



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

	10	contra of porce of
EC number: 927-510-4 Reg.nr.: 01-2119475515-33	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	ontd. of page 2 25-50%
CAS: 64742-49-0 EC number: 931-254-9 Index number: 649-328-00-1 Reg.nr.: 01-2119484651-34	Hydrocarbons, C6, isoalkanes, <5% n-hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<25%
CAS: 64742-49-0 EC number: 926-605-8 Index number: 649-328-00-1 Reg.nr.: 01-2119486291-36	Naphtha (petroleum), hydrotreated light Flam. Liq. 2, H225; S Asp. Tox. 1, H304; Aquatic Chronic 2, H411; 🔿 Skin Irrit. 2, H315; STOT SE 3, H336	≥1-<2.5%
CAS: 110-54-3 EINECS: 203-777-6 Index number: 601-037-00-0 Reg.nr.: 01-2119480412-44	n-hexane	≥1-<2.5%
CAS: 110-82-7 EINECS: 203-806-2 Index number: 601-017-00-1 Reg.nr.: 01-2119463273-41	cyclohexane Flam. Liq. 2, H225; & Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; STOT SE 3, H336	≥0.25-<1%
CAS: 68610-51-5 EINECS: 271-867-2 Reg.nr.: 01-2119496062-39- 0000	phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene & Repr. 2, H361d; Aquatic Chronic 4, H413	<1%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation:
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 4)



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

(Contd. of page 3)

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

- \cdot 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:
- Do not spray onto a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
115-10-6 dimethyl ether		
OEL (Ireland)	Long-term value: 1920 mg/m³, 1000 ppm IOELV	
IOELV (EU)	Long-term value: 1920 mg/m³, 1000 ppm	
	(Contd. on page 5)	



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

	(Contd. of page xane	
OEL (Ireland)	Long-term value: 72 mg/m³, 20 ppm IOELV, Sk	
IOELV (EU)	Long-term value: 72 mg/m³, 20 ppm	
110-82-7 cyclohexane		
OEL (Ireland) Long-term value: 700 mg/m³, 200 ppm IOELV		
IOELV (EU)	Long-term value: 700 mg/m³, 200 ppm	
· Additional inf	ormation: The lists valid during the making were used as basis.	
 General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the skin. Avoid contact with the eyes and skin. Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. Recommended filter device for short term use: Filter A 		
Prot	ective gloves	
The glove ma preparation.	aterial has to be impermeable and resistant to the product/ the substance/ t	
	e glove material on consideration of the penetration times, rates of diffusion and t	
· Material of glo		
Recommende Nitrile rubber,	d thickness of the material: > 0,12 mm NBR	
Recommender Nitrile rubber, • Penetration ti For the mixtur (Permeation a	d thickness of the material: > 0,12 mm NBR me of glove material e of chemicals mentioned below the penetration time has to be at least 10 minut ccording to EN 374 Part 3: Level 1).	
Recommender Nitrile rubber, Penetration ti For the mixtur (Permeation a by /face prote	d thickness of the material: > 0,12 mm NBR me of glove material e of chemicals mentioned below the penetration time has to be at least 10 minut	
Recommender Nitrile rubber, • Penetration ti For the mixtur (Permeation a • Eye/face prot • Body protecti	d thickness of the material: > 0,12 mm NBR me of glove material e of chemicals mentioned below the penetration time has to be at least 10 minut ccording to EN 374 Part 3: Level 1). ection Not required.	
Recommender Nitrile rubber, • Penetration ti For the mixtur (Permeation a • Eye/face prot • Body protecti SECTION 9	d thickness of the material: > 0,12 mm NBR me of glove material e of chemicals mentioned below the penetration time has to be at least 10 minut ccording to EN 374 Part 3: Level 1). ection Not required. on: Use protective suit.	

· Physical state

Aerosol

(Contd. on page 6)



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

	(Contd. of page
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	60 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	0.7 Vol %
Upper:	18.6 Vol %
Flash point:	-42 °C
Ignition temperature:	235 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	5200 hPa
Density and/or relative density	
Density at 20 °C:	~0.773 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Aerosol
Important information on protection of health	1
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	89.4 %
	89 43 %
VOC (EC) Solids content:	89.43 % 13.5 %
Solids content:	89.43 % 13.5 %
Solids content: Change in condition	13.5 %
Solids content:	
Solids content: Change in condition Evaporation rate	13.5 % Not applicable.
Solids content: Change in condition Evaporation rate	13.5 % Not applicable.
Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes	13.5 % Not applicable.
Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives	13.5 % Not applicable.
Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Flammable gases	13.5 % Not applicable.
Solids content: Change in condition Evaporation rate Information with regard to physical hazard classes Explosives	13.5 % Not applicable.



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

		(Contd. of page 6
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

115-10-6 dimethyl ether

Inhalative LC50/4 h 308 mg/l (rat)

110-82-7 cyclohexane

Oral LD50 12705 mg/kg (rat)

Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met. • **Germ cell mutagenicity**

Not applicable.

Based on available data, the classification criteria are not met.

- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

(Contd. of page 7)

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

• Aspiration hazard Based on available data, the classification criteria are not met.

- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 9)

IE-EN



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

(Contd. of page 8)

14.1 UN number or ID number ADR/ADN, IMDG, IATA	UN1950
14.2 UN proper shipping name ADR/ADN IMDG IATA	1950 AEROSOLS AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR/ADN	
Class Label	2 5F Gases. 2.1
Class Label	2.1 Gases. 2.1
Class Label	2.1 Gases. 2.1
14.4 Packing group ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards:	Product contains environmentally hazardous substances: Naphtha (petroleum), hydrotreated light
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR/ADN):	Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler cod	Warning: Gases.



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

	(Contd. of page S
Stowage Code Segregation Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacit of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTI AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacit of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category	1L Code: E0 Not permitted as Excepted Quantity 2
Tunnel restriction code	D
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified i packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALL HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P3a FLAMMABLE AEROSOLS
- E2 Hazardous to the Aquatic Environment

(Contd. on page 11)

IE-EN



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

(Contd. of page 10)

• Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 57
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H361d Suspected of damaging the unborn child.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

Classification according to Regulation (EC) No 1272/2008

Aerosols, Section 2.3.1	Bridging principles
	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: Bison QESH

· Contact: Reach coordinator

• Date of previous version: 16.06.2021

· Version number of previous version: 40

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 12)



Printing date 11.02.2023

Version number 41 (replaces version 40)

Revision: 11.02.2023

Trade name: BIS SPRAY ADHESIVE AE 200ML*12 ENIT

(Contd. of page 11) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 ** Data compared to the previous version altered. IE-EN