

Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

- · Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner

# $\cdot$ 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

#### · Further information obtainable from: Bison QESH

#### · 1.4 Emergency telephone number:


National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

# **SECTION 2: Hazards identification**

# • 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

👋 🖌 GHS02 flame





Eye Irrit. 2H319Causes serious eye irritation.STOT SE 3H336May cause drowsiness or dizziness.

## 2.2 Label elements

## - Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



#### · Signal word Danger

• Hazard-determining components of labelling: acetone

(Contd. on page 2)



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

(Contd. of page 1)

#### Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P261 Avoid breathing spray.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- P501 Dispose of contents/container in accordance with national regulations.
- · 2.3 Other hazards

#### Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

· **Description:** Cleansing agent

· Dangerous components:			
acetone	50-100%		
propane	10-25%		
n-Butan � Flam. Gas 1A, H220; Press. Gas (Comp.), H280	2.5-10%		
isobutane	2.5-10%		
	<ul> <li>Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336</li> <li>propane</li> <li>Flam. Gas 1A, H220; Press. Gas (Comp.), H280</li> <li>n-Butan</li> <li>Flam. Gas 1A, H220; Press. Gas (Comp.), H280</li> <li>isobutane</li> </ul>		

ditional information: For the wording of the listed hazard phrases refer

# **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information: No special measures required.

(Contd. on page 3)

IE-EN



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

(Contd. of page 2)

#### Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

· After skin contact: Generally the product does not irritate the skin.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

 $\cdot$  6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

· Information about storage in one common storage facility: Not required.

 $\cdot$  Further information about storage conditions: Keep container tightly sealed.

• Storage class: 2 B

(Contd. on page 4)

<sup>-</sup> IE-EN



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

(Contd. of page 3)

Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

• 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 67-64-1 acetone OEL (Ireland) Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm IOELV IOELV (EU) Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm 74-98-6 propane OEL (Ireland) Asphx 106-97-8 n-Butan OEL (Ireland) Short-term value: 1000 ppm 75-28-5 isobutane OEL (Ireland) Short-term value: 1000 ppm DNELs 67-64-1 acetone

Oral Consumer, oral, longterm exposition 62 mg/kg	bw/day
Dermal Consumer, dermal, longterm exposition 62 mg/kg	
Inhalative Consumer, inhalation, longterm exposition 200 mg/m	3

## · PNECs 67-64-1 acetone

Fresh water 10.6 mg/l

Marine water 1.06 mg/l

Soil 29.5 mg/kg

Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

• General protective and hygienic measures:

- The usual precautionary measures are to be adhered to when handling chemicals.
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

- Recommended filter device for short term use: Filter AX
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

## Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

(Contd. of page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves** Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR
- Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

- · Eye/face protection
- Safety glasses



Tightly sealed goggles

# **SECTION 9: Physical and chemical properties**

General Information Physical state	Aerosol
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined.
	Undetermined.
Melting point/freezing point:	• • • • • • • • • • • • • • • • • • • •
Boiling point or initial boiling point and	
boiling range	55.8-56.6 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.7 Vol %
Upper:	13 Vol %
Flash point:	-97 °C
Ignition temperature:	365 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (lo	
value)	Not determined.
Vapour pressure at 20 °C:	8300 hPa
Density and/or relative density	
Density at 20 °C:	0.669 g/cm³
Relative density	Not determined.



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

## Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

	(Contd. of page
· Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are no measurable or not relevant for the characterization of the mixture.
Appearance:	
Form:	Aerosol
Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	93.0 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not applicable.
<ul> <li>Information with regard to physical haza classes</li> </ul>	
- Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurise
	container: May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

• **10.1 Reactivity** No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 7)



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

## Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

(Contd. of page 6)

10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.						
	SECTIO	N 11: To	xicological information			
	· 11.1 Infor	mation on	hazard classes as defined in Regulation (EC) No 1272/2008			
• Acute toxicity Based on available data, the classification criteria are not met.						
· LD/LC50 values relevant for classification:						
	67-64-1 ad	cetone				
	Oral	LD50	5800 mg/kg (rat)			
	Dermal	LD50	20000 mg/kg (rabbit)			
	106-97-8 r	n-Butan				
	Inhalative	LC50/4 h	658 mg/l (rat)			
			ation Based on available data, the classification criteria are not met.			
			e/irritation			
	Causes se		sensitisation Based on available data, the classification criteria are not met.			
	· Germ cell					
	Not applica					
			lata, the classification criteria are not met.			
			sed on available data, the classification criteria are not met.			
			ity Based on available data, the classification criteria are not met.			
			ure May cause drowsiness or dizziness.			
			<b>osure</b> Based on available data, the classification criteria are not met.			
• Aspiration hazard Based on available data, the classification criteria are not met.						
<ul> <li>Additional toxicological information:</li> <li>Acute effects (acute toxicity, irritation and corrosivity) Not applicable.</li> </ul>						
• Sensitisation Not applicable.						
• Repeated dose toxicity Not applicable.						
	11.2 Infor	mation on	other hazards			
	· Endocrine	e disruptir	ng properties			
None of the ingredients is listed.						
	SECTIO	N 12: Ec	ological information			

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

IE-EN



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

(Contd. of page 7)

## Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

#### 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods


#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.





Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

#### Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

	(Contd. of page 8
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code)</li> <li>EMS Number:</li> <li>Stowage Code</li> </ul>	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
• 14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
• Transport/Additional information: • Quantity limitations	Not applicable. On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
<ul> <li>Transport/Additional information:</li> <li>Quantity limitations</li> <li>ADR/ADN</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Transport category</li> </ul>	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg 1L Code: E0 Not permitted as Excepted Quantity 2
<ul> <li>Transport/Additional information:</li> <li>Quantity limitations</li> <li>ADR/ADN</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> <li>IMDG</li> <li>Limited quantities (LQ)</li> </ul>	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg 1L Code: E0 Not permitted as Excepted Quantity 2 D
<ul> <li>Transport/Additional information:</li> <li>Quantity limitations</li> <li>ADR/ADN</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Transport category</li> <li>Tunnel restriction code</li> <li>IMDG</li> </ul>	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg 1L Code: E0 Not permitted as Excepted Quantity 2 D

(Contd. on page 10)



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

#### Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

(Contd. of page 9)

3

3

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $500\ t$
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- · Regulation (EC) No 273/2004 on drug precursors
- 67-64-1 acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Aerosols, Section 2.3.1	Bridging principles
	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

- · Department issuing SDS: Bison QESH
- · Contact: Reach coordinator
- Date of previous version: 22.01.2022
- · Version number of previous version: 25
- · Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

(Contd. on page 11)



Printing date 11.02.2023

Version number 26 (replaces version 25)

Revision: 11.02.2023

#### Trade name: BIS GUN FOAM CLEANER AE 500ML\*12 L143

(Contd. of page 10) GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 \*\* Data compared to the previous version altered. IE-EN