

Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: BIS PVC KIT BO 250ML*24 ENFR

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Adhesive

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com Further information obtainable from: Bison QESH

• 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

(Contd. on page 2) GB-EN



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

Trade name: BIS PVC KIT BO 250ML*24 ENFR

· 2.2 Label elem	(Contd. of page 1)		
	ording to Regulation (EC) No 1272/2008		
	classified and labelled according to the GB CLP regulation.		
Hazard pictog	rams		
GHS02 GHS	05 GHS07 GHS08		
GH302 GH3	00 9000 9000		
· Signal word D	anger		
· Hazard-determ	nining components of labelling:		
cyclohexanone			
tetrahydrofuran	1		
	· Hazard statements		
	H225 Highly flammable liquid and vapour.		
	H315 Causes skin irritation.		
	H318 Causes serious eye damage.		
	H351 Suspected of causing cancer.		
	se respiratory irritation.		
 Precautionary P101 	If medical advice is needed, have product container or label at hand.		
P102	Keep out of reach of children.		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition		
	sources. No smoking.		
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor.		
P501	Dispose of contents/container in accordance with national regulations.		
2.3 Other haza			
	T and vPvB assessment		
• PBT: Not applie			
· vPvB: Not appl	licadie.		

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Adhesive

 Dangerous components: 		
CAS: 108-94-1	cyclohexanone	25-50%
EINECS: 203-631-1	🚳 Flam. Liq. 3, H226; 🔶 Eye Dam. 1, H318; 🕚 Acute	
Index number: 606-010-00-7		
Reg.nr.: 01-2119453616-35	Skin Irrit. 2, H315	
CAS: 109-99-9	tetrahydrofuran	25-50%
EINECS: 203-726-8	📀 Flam. Liq. 2, H225; 💊 Carc. 2, H351; 🚸 Eye Irrit. 2,	
Index number: 603-025-00-0		
Reg.nr.: 01-2119444314-46	Specific concentration limits: Eye Irrit. 2; H319: $C \ge 25 \%$	
-	STOT SE 3; H335: C ≥ 25 %	
	Self-react. A; H240: C ≥ 80 %	
	(Contd	. on page 3)
		GB-EN



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

Trade name: BIS PVC KIT BO 250ML*24 ENFR

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- Call a doctor immediately.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

- Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water haze

Alcohol resistant foam

Fire-extinguishing powder

Carbon dioxide

· For safety reasons unsuitable extinguishing agents: Water with full jet

- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

(Contd. on page 4)



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

(Contd. of page 3)

Trade name: BIS PVC KIT BO 250ML*24 ENFR

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). • Information about fire - and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

108-94-1 cyclohexanone

WEL Short-term value: 82 mg/m³, 20 ppm Long-term value: 41 mg/m³, 10 ppm Sk, BMGV

109-99-9 tetrahydrofuran

WEL Short-term value: 300 mg/m³, 100 ppm Long-term value: 150 mg/m³, 50 ppm Sk

· Ingredients with biological limit values:

108-94-1 cyclohexanone

BMGV 2 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: cyclohexanol

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

(Contd. on page 5)

www.bison.net



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

(Contd. of page 4)

Trade name: BIS PVC KIT BO 250ML*24 ENFR

Wash hands before breaks and at the end of work. Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection:
- Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device in case of insufficient ventilation.

- Recommended filter device for short term use: Filter A
- · Hand protection

Solvent resistant gloves



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

• Eye/face protection

Tightly sealed goggles

Goggles recommended during refilling **Body protection:** Use protective suit. Solvent resistant protective clothing

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · Physical state
- · Odour:
- Odour threshold:
- Melting point/freezing point:
- Boiling point or initial boiling point and
- boiling range · Flammability

Fluid According to product specification Characteristic Not determined. Undetermined.

65.5 °C Highly flammable.

(Contd. on page 6)



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

Trade name: BIS PVC KIT BO 250ML*24 ENFR

	(Contd. of page
Lower and upper explosion limit	
Lower:	1.3 Vol %
Upper:	12 Vol %
Flash point:	-21 °C
Ignition temperature:	230 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	1325 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	200 hPa
Density and/or relative density	
Density at 20 °C:	0.998 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of health	1
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	78.7 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	1
classes	a
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
	Void Highly flammable liquid and vanour
Gases under pressure Flammable liquids Flammable solids	Highly flammable liquid and vapour.
Flammable liquids Flammable solids	Highly flammable liquid and vapour. Void
Flammable liquids Flammable solids Self-reactive substances and mixtures	Highly flammable liquid and vapour. Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Highly flammable liquid and vapour. Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Highly flammable liquid and vapour. Void Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Highly flammable liquid and vapour. Void Void Void
Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Highly flammable liquid and vapour. Void Void Void Void

GB-EN



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

Trade name: BIS PVC KIT BO 250ML*24 ENFR

		(Contd. of page 6)
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Corrosive action on metals.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

108-94-1 cyclohexanone		
Oral	LD50	1535 mg/kg (rat)
Dermal	LD50	948 mg/kg (rabbit)

Inhalative LC50/4 h 8000 mg/l (rat)

109-99-9 tetrahydrofuran

Oral LD50 2500 mg/kg (rat)

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- Germ cell mutagenicity
- Not applicable.

Based on available data, the classification criteria are not met.

· Carcinogenicity Suspected of causing cancer.

· Reproductive toxicity Based on available data, the classification criteria are not met.

- · STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.

(Contd. on page 8)



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

(Contd. of page 7)

Trade name: BIS PVC KIT BO 250ML*24 ENFR

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number		
ADR/ADN, IMDG, IATA	UN1133	
14.2 UN proper shipping name		
ADR/ADN	1133 ADHESIVES	
IMDG, IATA	ADHESIVES	



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

Trade name: BIS PVC KIT BO 250ML*24 ENFR

	(Contd. of page
 14.3 Transport hazard class(es) 	
· ADR/ADN	
· Class	3 (F1) Flammable liquids.
	3
· Class · Label	3 Flammable liquids. 3
14.4 Packing group	
· ADR/ADN, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): EMS Number:	- F-E,S-D
Stowage Category	A
14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
Transport/Additional information:	
Quantity limitations	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
· ADR/ADN · Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 100 ml
Transport category	3
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1
Exception quantities (Ex)	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 100
Remarks:	ml Under certain conditions substances in Class
Nontaino.	(flammable liquids) can be classified
	packinggroup III.
	(Contd. on page



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

Trade name: BIS PVC KIT BO 250ML*24 ENFR

(Contd. of page 9)

See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2

· UN "Model Regulation":

UN 1133 ADHESIVES, 3, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- EUH019 May form explosive peroxides.

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 11)



Printing date 12.02.2023

Version number 29 (replaces version 28)

Revision: 12.02.2023

Trade name: BIS PVC KIT BO 250ML*24 ENFR

	(Contd. of page 10						
Flammable liquids	Bridging principles						
Skin corrosion/irritation	The classification of the mixture is generally based						
Serious eye damage/irritation	on the calculation method using substance data						
Carcinogenicity	according to Regulation (EC) No 1272/2008.						
Specific target organ toxicity (single exposure)							
· Department issuing SDS: Bison QESH							
· Contact: Reach coordinator							
· Date of previous version: 19.08.2022							
 Version number of previous version: 28 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerni the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods 							
			IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic				
					vPvB: very Persistent and very Bioaccumulative		
					Flam. Liq. 2: Flammable liquids – Category 2		
					Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4		
Skin Irrit. 2: Skin corrosion/irritation – Category 2							
Eye Dam. 1: Serious eye damage/eye irritation – Category 2	1						
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2							
Carc. 2: Carcinogenicity – Category 2							
STOT SE 3: Specific target organ toxicity (single exposure)							
* * Data compared to the previous version alter							
	GB						