

Printing date 25.07.2024 Version nur

Version number 31 (replaces version 30)

Revision: 25.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

· Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Adhesive

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH208 Contains trimethoxyvinylsilane, N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide). May produce an allergic reaction.
- EUH210 Safety data sheet available on request.
- 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Adhesive

(Contd. on page 2)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

trimethoxyvinylsilane	
trimethoxyvinylsilane	
Flam. Liq. 3, H226; () Acute Tox. 4, H332	2.5-10%
3-(trimethoxysilyl)propylamine � Eye Dam. 1, H318; � Skin Irrit. 2, H315	1-2.5%
titanium dioxide � Carc. 2, H351, EUH212	<1%
trimethoxyvinylsilane Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	≥0.1-<1%
N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide)	≥0.1-<1%
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate ♦ Repr. 2, H361f; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400; Aquatic Chronic 2, H411	<0.25%
	 3-(trimethoxysilyl)propylamine ♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315 titanium dioxide ♦ Carc. 2, H351, EUH212 trimethoxyvinylsilane ♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H332; Skin Sens. 1B, H317 N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1-amide) ♦ Skin Sens. 1B, H317; Aquatic Chronic 3, H412 bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate ♦ Repr. 2, H361f; ♦ Eye Dam. 1, H318; ♦ Aquatic

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.

(Contd. on page 3)

www.bostik.it

EU



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

· 5.3 Advice for firefighters

 \cdot **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

• Information about fire - and explosion protection: No special measures required.

 \cdot 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.

• Storage class: 12

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELS			
2768-02-7 trimethoxyvinylsilane			
Oral	Consumer, oral, longterm exposition	0.3 mg/kg bw/day (rat)	
Dermal	Worker, dermal, longterm exposition	3.9 mg/kg bw/day (rat)	
	Consumer, dermal, longterm exposition	7.8 mg/kg bw/day (rat)	
Inhalative	Worker, inhalative, longterm exposition	27.6 mg/m³ (rat)	
	Consumer, inhalative, longterm exposition	6.7 mg/m³ (rat)	
		18.9 mg/m³ (rabbit)	
2768-02-7	trimethoxyvinylsilane		
Oral	Consumer, oral, longterm exposition	0.3 mg/kg bw/day (rat)	
Dermal	Worker, dermal, longterm exposition	3.9 mg/kg bw/day (rat)	
	•	(Contd on page 4	

(Contd. of page 2)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

	Consumer d	ermal, longterm exposition	7.8 mg/kg bw/day (rat)	(Contd. of page
Inhalative Worker, inhal		e .	27.6 mg/m ³ (rat)	
		halative, longterm exposition	6.7 mg/m³ (rat)	
		nalative, longtern exposition	18.9 mg/m³ (rabbit)	
	<u> </u>			
· PNECs	′ trimethoxyvi	nyloilono		
		0.4 mg/l (rat)		
Fresh water		U ()		
Fresh water sediment		1.5 mg/kg dry weight (rat)		
Marine wa		0.04 mg/l (rat)		
Marine se	aiment	0.15 mg/kg dry weight (rat)		
Soil		0.06 mg/kg (rat)		
-	eatment plant	- , ,		
Sporadic I		2.4 mg/l (rat)		
	' trimethoxyvi	-		
Fresh wat		0.4 mg/l (rat)		
	er sediment	1.5 mg/kg dry weight (rat)		
		0.04 mg/l (rat)		
Marine sediment 0.15 mg/kg dry weight (rat)				
Soil 0.06 mg/kg (rat)				
Sewage treatment plant 6.6 mg/l (rat)				
Sporadic release 2.4		2.4 mg/l (rat)		
· Additiona	I information	: The lists valid during the ma	king were used as basis.	
	sure controls			
		ng controls No further data; s neasures, such as personal		
		hygienic measures:	protective equipment	
			to when handling chemicals	
	precautionary	measures are to be adhered	to when nanuling chemicals.	
Wash han	ds before brea	measures are to be adhered aks and at the end of work.	-	
Wash han • Respirato	ids before bread		-	
Wash han • Respirato • Hand pro	ds before brea ory protection tection	aks and at the end of work. : Not necessary if room is we	ll-ventilated.	substance/ t
Wash han • Respirato • Hand pro The glove	ds before brea bry protection tection e material has	aks and at the end of work. : Not necessary if room is we	-	substance/ tl
Wash han • Respirato • Hand pro The glove preparatio	ds before brea bry protection tection e material has on.	aks and at the end of work. : Not necessary if room is we s to be impermeable and re	ll-ventilated.	
Wash han • Respirato • Hand pro The glove preparatio Selection degradatio	ds before brea bry protection tection e material has on. of the glove m on	aks and at the end of work. : Not necessary if room is we s to be impermeable and re	ll-ventilated. esistant to the product/ the	
Wash han • Respirato • Hand pro The glove preparatio Selection degradatio • Material of	ds before brea bry protection tection e material has on. of the glove m on of gloves	aks and at the end of work. : Not necessary if room is we s to be impermeable and re naterial on consideration of th	ll-ventilated. esistant to the product/ the	
Wash han • Respirato • Hand pro The glove preparatio Selection degradatio • Material o Recomment	ds before brea bry protection tection e material has on. of the glove m on bf gloves ended thicknes	aks and at the end of work. : Not necessary if room is we s to be impermeable and re	ll-ventilated. esistant to the product/ the	
Wash han • Respirato • Hand pro The glove preparatio Selection degradatio • Material of Recommen Nitrile rubb	ds before brea bry protection tection e material has on of the glove m on of gloves ended thicknes ber, NBR	aks and at the end of work. : Not necessary if room is we s to be impermeable and re naterial on consideration of th s of the material: > 0,12 mm	ll-ventilated. esistant to the product/ the	
Wash han • Respirato • Hand pro The glove preparatio Selection degradatio • Material of Recommen Nitrile rubl • Penetratio	ds before brea bry protection tection e material has of the glove m of gloves ended thicknes ber, NBR on time of glo	aks and at the end of work. : Not necessary if room is we s to be impermeable and re naterial on consideration of th s of the material: > 0,12 mm	ll-ventilated. esistant to the product/ the	diffusion and tl
Wash han • Respirato • Hand pro The glove preparatio Selection degradatio • Material of Recommen Nitrile rubl • Penetratio For the m (Permeation	ds before brea bry protection tection e material has on of the glove m of gloves ended thicknes ber, NBR on time of glo ixture of chem on according to	aks and at the end of work. : Not necessary if room is we s to be impermeable and re naterial on consideration of th s of the material: > 0,12 mm	ll-ventilated. esistant to the product/ the e penetration times, rates of o enetration time has to be at l	diffusion and tl

(Contd. on page 5)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

(Contd. of page 4)

SECTION 9: Physical and chemical	properties
9.1 Information on basic physical and che	mical properties
General Information	
Physical state	
Colour:	White
Odour:	Recognisable
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	the defense in a d
boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	Net determined
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	4.000 / 3
Density at 20 °C:	~1.963 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Pasty
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	· · ·
Organic solvents:	0.0 %
Solids content:	83.3 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
1 Iannable gabeb	

5/10



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

		(Contd. of page 5)
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
• Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

10.6 Hazardous decomposition products: Possible in traces.

• Additional information: During curing methanol (CAS 67-56-1) is produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 ۱	· LD/LC50 values relevant for classification:		
2768-02-7	2768-02-7 trimethoxyvinylsilane		
Oral	LD50	6899 mg/kg (rat)	
Dermal	LD50	3158 mg/kg (rat)	
Inhalative	LC50/4 h	16.8 mg/l (rat)	
13463-67-	13463-67-7 titanium dioxide		
Oral	LD50	>20000 mg/kg (rat)	
Dermal	LD50	>10000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>6.82 mg/l (rat)	
2768-02-7	trimethox	kyvinylsilane	
Oral	LD50	6899 mg/kg (rat)	
Dermal	LD50	3158 mg/kg (rat)	
·		(Contd. on page 7)	



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

(Contd. of page 6) Inhalative LC50/4 h 16.8 mg/l (rat) Skin corrosion/irritation Component CAS No. Conclusion Method Species Vinyltrimethoxysilane 2768-02-7 OECD No. 429 mouse, dermal no sensitisation Serious eye damage/irritation Component Conclusion CAS No. Method Species 3-Aminopropyl 13822-56-5 BCOP OECD 437 cattle, eye no ocular irritation trimethoxysilane Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Not applicable. Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • **Reproductive toxicity** Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: · Acute effects (acute toxicity, irritation and corrosivity) Not applicable. · Sensitisation Not applicable. · Repeated dose toxicity Not applicable. 11.2 Information on other hazards Endocrine disrupting properties None of the ingredients is listed. SECTION 12: Ecological information · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 8)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

(Contd. of page 7)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informatio	n
· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA	not regulated
ADN	- not regulated
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
• 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	l to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 9)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

(Contd. of page 8)

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

- · Department issuing SDS: PSRA
- Contact: PSRA
- Date of previous version: 26.01.2022
- · Version number of previous version: 30
- Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

EU



6300462 - BTK PM HIGH TACK EXP WH CQ 425G*12 IT

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

(Contd. of page 9)

Trade name: BTK PM HIGH TACK EXP WH CQ 425G*12 IT

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B Carc. 2: Carcinogenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Euconometry - Category 3