

6303099 - BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.04.2020

Version number 18

Revision: 18.04.2020

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- · Trade name: BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture Adhesive
- Sealant

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160

- NL-4460 AD Goes tel. +31 88 3235700
- fax. +31 88 3235800
- e mail: sds@boltonadhesives.com
- Further information obtainable from: Bison QESH
- 1.4 Emergency telephone number: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction. Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Sealant

Dangerous components:		
EC number: 932-078-5	Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, <	25-50%
Reg.nr.: 01-2119552497-29	0.03% aromatics	
	😵 Asp. Tox. 1, H304	
(Contd. on page 2		

EU-EN



Printing date 18.04.2020

Version number 18

Revision: 18.04.2020

(Contd. of page 1)

Trade name: BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT

· Additional information:

As the product vulcanises acetic acid (CAS 64-19-7) is produced. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information: No special measures required.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.

(Contd. on page 3)



Printing date 18.04.2020

Version number 18

Revision: 18.04.2020

Trade name: BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT

(Contd. of page 2)

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

- · Further information about storage conditions: None.
- Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

- **Respiratory protection:** Not required.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR
- · Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

• Eye protection: Goggles recommended during refilling

9.1 Information on basic physical and chemical properties General Information			
Appearance:			
Form:	Fluid		
Colour:	According to product specification		
· Odour:	Characteristic		
Odour threshold:	Not determined.		
· pH-value:	Not determined.		



Printing date 18.04.2020

Version number 18

Revision: 18.04.2020

Trade name: BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT

	(Contd. of page 3)
 Change in condition Melting point/freezing point: Initial boiling point and boiling range 	Undetermined. 2230 °C
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>370 °C
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0.97 g/cm ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with water: 	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content:	
Solids content: • 9.2 Other information	59.0 % All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- \cdot 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

EU-EN



Printing date 18.04.2020

Version number 18

Revision: 18.04.2020

Trade name: BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT

(Contd. of page 4)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

· Sensitisation Not applicable.

· Repeated dose toxicity Not applicable.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Not applicable.

• Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

(Contd. on page 6)



Printing date 18.04.2020

Version number 18

Revision: 18.04.2020

Trade name: BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT

(Contd. of page 5)

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informat	ion
· 14.1 UN-Number · ADR/ADN, IMDG, IATA	not regulated
ADN	not regulated
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
 14.4 Packing group ADR/ADN, IMDG, IATA 	not regulated
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· IMDG · Remarks:	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

EU-EN



Printing date 18.04.2020

Version number 18

Revision: 18.04.2020

Trade name: BOSTIK SILICONE UNIVERSALE NERO (DIY) CRT 280ML*12 IT

(Contd. of page 6)

SECTION 16: Othe	r information
	ed on our present knowledge. However, this shall not constitute a guarant features and shall not establish a legally valid contractual relationship.
Relevant phrases H304 May be fatal if sw	allowed and enters airways.
Department issuing S	
Contact: Reach coordi	
Abbreviations and ac	onyms:
	e transport des marchandises dangereuses par Route (European Agreement concerning
International Carriage of Dan	
IMDG: International Maritime IATA: International Air Transp	
	ystem of Classification and Labelling of Chemicals
	of Existing Commercial Chemical Substances
ELINCS: European List of No	tified Chemical Substances
	rvice (division of the American Chemical Society)
PBT: Persistent, Bioaccumula	
vPvB: very Persistent and ver	
Asp. Tox. 1: Aspiration hazar	
" Data compared to th	e previous version altered.