

Printing date 26.07.2024

Version number 32 (replaces version 31)

Revision: 26.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

• Trade name: BTK SK AUTO BK TUB 60ML*12 IT

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one, Dimethylbis[(1-oxoneodecyl)oxy] stannane. May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)



Printing date 26.07.2024

Version number 32 (replaces version 31)

Revision: 26.07.2024

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

(Contd. of page 1)

• 3.2 Mixtures • Description: Sealant				
 Dangerous components: 				
EC number: 934-956-3 Reg.nr.: 01-2119827000-58	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	25-50%		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17	titanium dioxide	<1%		
CAS: 556-67-2 EINECS: 209-136-7 Index number: 014-018-00-1 Reg.nr.: 01-2119529238-36	octamethylcyclotetrasiloxane Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.025-<0.25%		
CAS: 64359-81-5 EINECS: 264-843-8 Index number: 613-335-00-8 Reg.nr.: 01-2119822700-58	 4,5-dichloro-2-octyl-2H-isothiazol-3-one Skin Corr. 1B, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limits: Skin Sens. 1; H317: C≥ 0.03 % Skin Sens. 1A; H317: 0.03 % ≤ C < 0.03 % Skin Sens. 1B; H317: 0.03 % ≤ C < 0.03 % 	<0.03%		
CAS: 68928-76-7 EINECS: 273-028-6 Reg.nr.: 01-2120770324-57	Dimethylbis[(1-oxoneodecyl)oxy]stannane Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	<0.1%		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

EU



Printing date 26.07.2024 Version number 32 (replaces version 31) Revis

Revision: 26.07.2024

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required. • 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

EU



Printing date 26.07.2024 Version number 32 (replaces version 31) Re

Revision: 26.07.2024

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

(Contd. of page 3) · Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. · Respiratory protection: Not required. · Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR Penetration time of glove material For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1). Eye/face protection Goggles recommended during refilling **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification · Odour: Characteristic · Odour threshold: Not determined. • Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range 2230 °C · Flammability Not applicable. · Lower and upper explosion limit Not determined. · Lower: · Upper: Not determined.

- Flash point:
- Auto-ignition temperature:
- · Decomposition temperature:
- · pH
- · Viscosity:
- · Kinematic viscosity
- · Dynamic:
- · Solubility
- · water:
- Partition coefficient n-octanol/water (log value)
- · Vapour pressure:
- Density and/or relative density
- Density at 20 °C:
- · Relative density

Not determined. Not determined. >370 °C Not determined. Not determined.

Not determined. Not determined.

Not miscible or difficult to mix.

Not determined. Not determined.

0.97 g/cm³ Not determined.

(Contd. on page 5)



Printing date 26.07.2024

Version number 32 (replaces version 31)

Revision: 26.07.2024

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

	(Contd. of page 4
· Vapour density	Not determined.
· 9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.
· Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	62.0 %
Change in condition	
· Evaporation rate	Not determined.
· Explosives · Flammable gases	Void Void
· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void Void
· Organic peroxides	
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 26.07.2024

Version number 32 (replaces version 31)

Revision: 26.07.2024

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

(Contd. of page 5) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Oral	LD50	>20000 mg/kg (rat)		
Dermal	LD50	>10000 mg/kg (rabbit)		

Inhalative LC50/4 h >6.82 mg/l (rat)

64359-81-5 4,5-dichloro-2-octyl-2H-isothiazol-3-one

Oral LD50 567 mg/kg (ATE)

Inhalative LC50/4 h 0.16 mg/l (ATE)

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards

· Endocrine disrupting properties

556-67-2 octamethylcyclotetrasiloxane

List II; III

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 7)

FU



Printing date 26.07.2024

Version number 32 (replaces version 31)

Revision: 26.07.2024

(Contd. of page 6)

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

12.7 Other adverse effects

· Remark: Harmful to fish

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number		
· ADR/ADN, IMDG, IATA	not regulated	
	-	
· ADN	not regulated	
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated	
· 14.3 Transport hazard class(es)		
· ADR/ADN, ADN, IMDG, IATA		
· Class	not regulated	
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi	ing to	
IMO instruments	Not applicable.	
· Transport/Additional information:	Not dangerous according to the abo specifications.	sv
· UN "Model Regulation":	not regulated	

(Contd. on page 8)



Printing date 26.07.2024 Version num

Version number 32 (replaces version 31)

Revision: 26.07.2024

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 70
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

(Contd. on page 9)



Printing date 26.07.2024 Version number 32 (replaces version 31)

Revision: 26.07.2024

Trade name: BTK SK AUTO BK TUB 60ML*12 IT

according to Regulation (EC) No 1272/2008.	The classification of the mixture is generally based on the calculation method using substance da according to Regulation (EC) No 1272/2008.				
Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is general based on the calculation method usin substance data according to Regulation (EC) N 1272/2008.				
 Department issuing SDS: PSRA Contact: PSRA Date of previous version: 20.01.2022 Version number of previous version: 31 Abbreviations and acronyms: ADR: Accord relatif au transport international des marcha the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods IDS: Globally Harmonised System of Classification and Late INCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the Americar LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin sensitisation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure Asp. Tox. 1: Aspirati	nical Substances 1 Chemical Society)) – Category 3 cute aquatic hazard – Category 1 long-term aquatic hazard – Category 1				