

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025 Version number 25 (replaces version 24) Revision: 14.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BTK SG PREC FPB 3G*12 IT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

UHU GmbH & Co.KG

Herrmannstraße 7

D-77815 Bühl (Baden)

Tel.:0049-(0)7223-284-0

Fax: 0049-(0)7223-284-245

- E-mail: sds@boltonadhesives.com
- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: +49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling: ethyl 2-cyanoacrylate
- Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

(Contd. on page 2)

EU

www.bostik.it 1/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025 Version number 25 (replaces version 24) Revision: 14.03.2025

Trade name: BTK SG PREC FPB 3G*12 IT

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P261 Avoid breathing vapours.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

Additional information:

EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Adhesive

· Dangerous components:		
CAS: 7085-85-0	ethyl 2-cyanoacrylate	50-100%
EINECS: 230-391-5 Index number: 607-236-00-9	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335, EUH202	
Reg.nr.: 01-2119527766-29-	Specific concentration limit:	
XXXX	STOT SE 3; H335: C ≥ 10%	
CAS: 123-31-9	hydroquinone	<0.025%
EINECS: 204-617-8	♦ Muta. 2, H341; Carc. 2, H351; ♦ Eye Dam. 1, H318; ♦ Aquatic Acute 1, H400 (M=10); Aquatic	
Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-	Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin	
XXXX	Sens. 1, H317	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment neededNo further relevant information available.

(Contd. on page 3)

www.bostik.it 2/9

ΕU



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

2025 Version number 25 (replaces version 24)

Trade name: BTK SG PREC FPB 3G*12 IT

(Contd. of page 2)

Revision: 14.03.2025

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Printing date 19.03.2025

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 4)

- FII

www.bostik.it 3/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025 Version number 25 (replaces version 24) Revision: 14.03.2025

Trade name: BTK SG PREC FPB 3G*12 IT

(Contd. of page 3)

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile gloves with a material thickness of > 0.1 mm (penetration time < 30s).

Protective nitrile rubber gloves according to EN 374 are recommended for prolonged contact.

Material thickness > 0.4 mm

Breakthrough time > 30 minutes

Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection

Safety glasses



Tightly sealed goggles

Goggles recommended during refilling

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range 60 °C

· Flammability Not applicable.

(Contd. on page 5)

EU

www.bostik.it 4/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 25 (replaces version 24) Printing date 19.03.2025 Revision: 14.03.2025

Trade name: BTK SG PREC FPB 3G*12 IT

(Contd. of page
Not determined.
Not determined.
95 °C
Not determined.
Not determined.
Not determined.
70 mPas
Not miscible or difficult to mix.
Not determined.
Not determined.
Trot dotorrimiod.
1.044 g/cm³
Not determined.
Not determined.
All relevant physical data were determined for the
mixture. All non-determined data are n
measurable or not relevant for th
characterization of the mixture.
Fluid
1
Product is not selfigniting.
Product does not present an explosion hazard.
' '
6.0 %
6.0 %
6.0 % 125.13 g/mol
6.0 % 125.13 g/mol Not determined.
6.0 % 125.13 g/mol
6.0 % 125.13 g/mol Not determined.
6.0 % 125.13 g/mol Not determined.
6.0 % 125.13 g/mol Not determined. Void Void Void
6.0 % 125.13 g/mol Not determined. Void Void Void Void
6.0 % 125.13 g/mol Not determined. Void Void Void Void Void Void
6.0 % 125.13 g/mol Not determined. Void Void Void Void
6.0 % 125.13 g/mol Not determined. Void Void Void Void Void Void
6.0 % 125.13 g/mol Not determined. Void Void Void Void Void Void Void Void Void
6.0 % 125.13 g/mol Not determined. d Void
6.0 % 125.13 g/mol Not determined. Void
6.0 % 125.13 g/mol Not determined. Void
6.0 % 125.13 g/mol Not determined. d Void Void
6.0 % 125.13 g/mol Not determined. Void
6.0 % 125.13 g/mol Not determined. d Void Void

(Contd. on page 6)

www.bostik.it 5/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025 Version number 25 (replaces version 24) Revision: 14.03.2025

Trade name: BTK SG PREC FPB 3G*12 IT

(Contd. of page 5)

· Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

123-31-9 hydroquinone

Oral LD50 367.3 mg/kg (rat)
Dermal LD50 >2000 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · **Aspiration hazard** Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.

(Contd. on page 7)

EU

www.bostik.it 6/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025 Version number 25 (replaces version 24) Revision: 14.03.2025

Trade name: BTK SG PREC FPB 3G*12 IT

(Contd. of page 6)

- · 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information - 14.1 UN number or ID number - ADR/ADN, IMDG, IATA - not regulated - 14.2 UN proper shipping name - ADR/ADN, ADN, IMDG, IATA - not regulated - 14.3 Transport hazard class(es) - ADR/ADN, ADN, IMDG, IATA - Class - not regulated

(Contd. on page 8)

EU

www.bostik.it 7/9



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 19.03.2025 Version number 25 (replaces version 24) Revision: 14.03.2025

Trade name: BTK SG PREC FPB 3G*12 IT

	(Contd. of page 7)
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

(Contd. on page 9)

- EU

www.bostik.it 8/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 25 (replaces version 24) Printing date 19.03.2025 Revision: 14.03.2025

Trade name: BTK SG PREC FPB 3G*12 IT

		(Contd. of page 8)
H319	Causes serious eye irritation.	, , ,
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
EUH202	P. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out o	of the reach of
	children.	

· Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation	The classification of the mixture is generally based
Serious eye damage/irritation	on the calculation method using substance data
Specific target organ toxicity (single exposure)	according to Regulation (EC) No 1272/2008.

Department issuing SDS: PSRA

· Contact: PSRA

Date of previous version: 20.02.2025 · Version number of previous version: 24

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

www.bostik.it 9/9