

Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT · CAS Number: 9016-87-9 · EINECS Number:

- Polymer
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive

#### · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: **Bison International** Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

#### · Further information obtainable from: PSRA

· 1.4 Emergency telephone number: Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

## **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 2

H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

# GHS07

Acute Tox. 4	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.

(Contd. on page 2)

EU



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

(Contd. of page 1) · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: Isocyanic acid, polymethylenepolyphenylene ester Hazard statements H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. Wear protective gloves/protective clothing/eye protection/face protection. P280 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with national regulations. P501 · Additional information: EUH204 Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use. · Labelling of packages where the contents do not exceed 125 ml · Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: Isocyanic acid, polymethylenepolyphenylene ester · Hazard statements H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

(Contd. on page 3)

<sup>-</sup> E



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

(Contd. of page 2)

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

H373 May cause damage to organs through prolonged or repeated exposure.

#### · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P260 Do not breathe vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

- P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with national regulations.
- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.1 Substances
- · CAS No. Description
- 9016-87-9 Isocyanic acid, polymethylenepolyphenylene ester
- · Identification number(s)
- · EC number: Polymer
- Specific concentration limits Skin Irrit. 2; H315:  $C \ge 5$  % Eye Irrit. 2; H319:  $C \ge 5$  % Resp. Sens. 1; H334:  $C \ge 0.1$  % STOT SE 3; H335:  $C \ge 5$  %

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

(Contd. of page 3)

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

- Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 5)




Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT



· 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification · Odour: Characteristic · Odour threshold: Not determined. • Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 200 °C · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. Not determined. · Upper:

EU

(Contd. on page 6)



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

## Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

	(Contd. of page
Flash point:	Not applicable.
Decomposition temperature:	Not determined.
рН	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	4500 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.13 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Liquid
Important information on protection of hea	lth
and environment, and on safety.	
Ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Solids content:	100.0 %
Molecular weight	250.25 g/mol
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
	Void
Flammable solids	
Self-reactive substances and mixtures	Void
Self-reactive substances and mixtures Pyrophoric liquids	Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Void Void Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Void Void Void Void Void Void Void Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void Void Void Void Void Void



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

Desensitised explosives

Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with alcohols.
- Reacts with water.

Reacts with alkali, amines and strong acids.

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Harmful if inhaled.

## · LD/LC50 values relevant for classification:

9016-87-9 Isocyanic acid, polymethylenepolyphenylene ester

Oral LD50 >10000 mg/kg (rat)

Dermal LD50 >9400 mg/kg (rabbit)

Inhalative LC50/4 h 0.493 mg/l (rat)

## Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

- May cause an allergic skin reaction.
- Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Suspected of causing cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.

(Contd. on page 8)

EU

(Contd. of page 6)



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

(Contd. of page 7)

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

#### · 11.2 Information on other hazards

· Endocrine disrupting properties

Substance is not listed.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number		
ADR/ADN, IMDG, IATA	not regulated	
	-	
ADN	not regulated	
14.2 UN proper shipping name		
ADR/ADN, ADN, IMDG, ĬATA	not regulated	
14.3 Transport hazard class(es)		
ADR/ADN, ADN, IMDG, IATA		
Class	not regulated	



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

	(Contd. of page 8)
<ul> <li>14.4 Packing group</li> <li>ADR/ADN, IMDG, IATA</li> </ul>	not regulated
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

Substance is not listed.

Regulation (EC) No 273/2004 on drug precursors

Substance is not listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 10)

EU -



Printing date 22.03.2025

Version number 35 (replaces version 34)

Revision: 22.03.2025

#### Trade name: BTK TIMBER ADHESIVE BO 750G\*6 IT

	(Contd. of page
· De	epartment issuing SDS: PSRA
	ontact: PSRA
· Da	ate of previous version: 12.01.2023
	ersion number of previous version: 34
	bbreviations and acronyms:
ADI the	R: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concern I International Carriage of Dangerous Goods by Road) DG: International Maritime Code for Dangerous Goods
	FA: International Air Transport Association
	IS: Globally Harmonised System of Classification and Labelling of Chemicals
EIN	NECS: European Inventory of Existing Commercial Chemical Substances
	S: Chemical Abstracts Service (division of the American Chemical Society)
	50: Lethal concentration, 50 percent
	50: Lethal dose, 50 percent
	T: Persistent, Bioaccumulative and Toxic
	vB: very Persistent and very Bioaccumulative ute Tox. 4: Acute toxicity – Category 4
	in Irrit. 2: Skin corrosion/irritation – Category 2
	e Irrit. 2: Serious eye damage/eye irritation – Category 2
	sp. Sens. 1: Respiratory sensitisation – Category 1
	n Sens. 1: Skin sensitisation – Category 1
	rc. 2: Carcinogenicity – Category 2
	OT SE 3: Specific target organ toxicity (single exposure) – Category 3
	OT RE 2: Specific target organ toxicity (repeated exposure) – Category 2