

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

UHU BOSTIK S.p.A. - Via G.B. Pirelli, 19 - 20124 Milano Tel. +39.02.6775.08 Fax +39.02.6775.481 mail@uhubostik.it

- · Further information obtainable from: PSRA
- 1.4 Emergency telephone number: Centro Antiveleni di Milano: 0266101029

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS07 GHS09

- · Signal word Warning
- · Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq$  700)

2-Propenoic acid, reaction products with dipentaerythritol reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

(Contd. on page 2)

ΕU

www.bostik.it 1/23



# Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 1)

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

#### · Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

### Labelling of packages where the contents do not exceed 125 ml

#### · Hazard pictograms





GHS07 GHS09

#### · Signal word Warning

#### · Hazard-determining components of labelling:

reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

2-Propenoic acid, reaction products with dipentaerythritol

reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight  $\leq$  700)

### · Hazard statements

H317 May cause an allergic skin reaction.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing vapours.

P280 Wear protective gloves / eye protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

#### · 2.3 Other hazards

### · Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

FII

(Contd. on page 3)

www.bostik.it 2/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 2)

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Adhesive

<ul> <li>Dangerous components:</li> </ul>		
CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26- XXXX	bis-[4-(2,3-epoxipropoxi)phenyl]propane  Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH205 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 5% Eye Irrit. 2; H319: C ≥ 5 %	25-50%
CAS: 1384855-91-7 EC number: 800-838-4	2-Propenoic acid, reaction products with dipentaerythritol  © Eye Irrit. 2, H319; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	≥10-<25%
EC number: 701-263-0 Reg.nr.: 01-2119454392-40- xxxx	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥10-<25%

<sup>•</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- $^{\cdot}$  5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

EU

(Contd. on page 4)



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 3)

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs			
1675-54-3	bis-[4-(2,3-epoxipropoxi)phenyl]propane	)	
Oral	Consumer, oral, longterm exposition	0.5 mg/kg bw/day (rat)	
Dermal	Worker, dermal, longterm exposition	0.75 mg/kg bw/day (rat)	
	Consumer, dermal, longterm exposition	0.0893 mg/kg bw/day (rat)	
Inhalative	Worker, inhalative, longterm exposition	4.93 mg/m³ (rat)	
	Consumer, inhalative, longterm exposition	0.87 mg/m³ (rat)	
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol			
Oral	Consumer, oral, longterm exposition	6.25 mg/kg bw/day	
Dermal	Worker, dermal, longterm exposition	104.15 mg/kg bw/day	
		(Contd. on page 5	

www.bostik.it 4/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

			(Contd. of page 4)
	Consumer, dermal,	longterm exposition	62.5 mg/kg bw/day
Inhal	ative Worker, inhalative,	longterm exposition	29.39 mg/m³
	Consumer, inhalati	ve, longterm exposition	8.7 mg/m³
· PNE	Cs		
1675	5-54-3 bis-[4-(2,3-epoxip	ropoxi)phenyl]propan	9
Oral	Secondary Poisoning	11 mg/kg (rat)	
	Fresh water	0.006 mg/l (rat)	
	Fresh water sediment	0.341 mg/kg dry weigh	t (rat)
	Marine water	0.001 mg/l (rat)	
	Marine sediment	0.034 mg/kg dry weigh	t (rat)
	Soil	0.065 mg/kg (rat)	
	Sewage treatment plant	10 mg/l (rat)	
Forn	naldehyde, oligomeric r	eaction products with	1-chloro-2,3-epoxypropane and phenol
	Fresh water	0.003 mg/l	
	Fresh water sediment	0.294 mg/kg dry weigh	t
	Marine water	0 mg/l	
	Marine sediment	0.0294 mg/kg dry weig	ht
	Soil	0.237 mg/kg	
		•	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber. NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

(Contd. on page 6)

FII

www.bostik.it 5/23



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Version number 13 (replaces version 12) Printing date 13.08.2024 Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 5)

· Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling **Body protection:** Use protective suit.

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

· Odour: Characteristic Not determined. · Odour threshold:

• Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined. Not applicable. · Flammability

· Lower and upper explosion limit

Not determined. · Lower: Not determined. · Upper:

>150 °C · Flash point:

 Decomposition temperature: Not determined. · pH Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility

· water:

Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined. Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: 1.221 g/cm<sup>3</sup> · Relative density Not determined. Not determined. · Vapour density

· 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

(Contd. on page 7)

6/23 www.bostik.it



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 6)

٠	So	lvent	conte	nt:
---	----	-------	-------	-----

· Solids content:

27.0 %

· Change in condition

• Evaporation rate Not determined.

# · Information with regard to physical hazard

classes

ExplosivesFlammable gases

Void Void

Aerosols

Void Void

· Oxidising gases

Void

· Gases under pressure · Flammable liquids

Void

Flammable solids

Void Void

Self-reactive substances and mixturesPyrophoric liquids

Void

· Pyrophoric solids

Void

· Self-heating substances and mixtures

Void

Substances and mixtures, which emit flammable gases in contact with water

Void

Oxidising liquids

Void

Oxidising solids

Void

· Organic peroxides · Corrosive to metals

Void

· Desensitised explosives

Void Void

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

### 1675-54-3 bis-[4-(2,3-epoxipropoxi)phenyl]propane

Oral LD50 >2000 mg/kg (rat)
Dermal LD50 >2000 mg/kg (rat)

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Oral LD50 >5000 mg/kg (rat)

(Contd. on page 8)

– EU



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 7)

### Dermal LD50 >2000 mg/kg (rat)

Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

=11.

(Contd. on page 9)

www.bostik.it 8/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 8)

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

4441111 1 15 1	
14.1 UN number or ID number ADR/ADN, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR/ADN	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product
	bisphenol-A-(epichlorhydrin); epoxy resin (numbe average molecular weight ≤ 700), reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product bisphenol-A-(epichlorhydrin); epoxy resin (numbe average molecular weight ≤ 700), reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)) MARINE POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product bisphenol-A-(epichlorhydrin); epoxy resin (numbe average molecular weight ≤ 700), reaction product: bisphenol-F-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700))
14.3 Transport hazard class(es)	
ADR/ADN	
**************************************	
Class	9 (M6) Miscellaneous dangerous substances and articles.

www.bostik.it 9/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

	(Contd. of page
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances ar articles.
Label	9
· 14.4 Packing group · ADR/ADN, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous ubstances: 1,4-dihydroxybenzene
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR/ADN): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substance and articles.
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-A,S-F A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 100 ml
Transport category Tunnel restriction code	3 (-)
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 100 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (REACTIO
	PRODUCT: BISPHENOL-A (EPICHLORHYDRIN); EPOXY RESIN (NUMBE AVERAGE MOLECULAR WEIGHT ≤ 700 REACTION PRODUCT: BISPHENOL-I (EPICHLORHYDRIN) EPOXY RESIN (NUMBER

www.bostik.it 10/23



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 10)

AVERAGE MOLECULAR WEIGHT ≤ 700)), 9, III

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

(Contd. on page 12)

EU

www.bostik.it \_\_\_\_\_\_\_\_11/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 13 (replaces version 12) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 11)

### Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Skin sensitisation

Hazardous to the aquatic environment - long-

term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: PSRA

Contact: PSRA

· Date of previous version: 17.05.2024 · Version number of previous version: 12

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

www.bostik.it 12/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

UHU BOSTIK S.p.A. - Via G.B. Pirelli, 19 - 20124 Milano Tel. +39.02.6775.08 Fax +39.02.6775.481 mail@uhubostik.it

- · Further information obtainable from: PSRA
- 1.4 Emergency telephone number: Centro Antiveleni di Milano: 0266101029

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

2,4,6-tris(dimethylaminomethyl)phenol

Amines, polyethylenepoly-, triethylenetetramine fraction

Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P261 Avoid breathing vapours.

(Contd. on page 2)

– EU

www.bostik.it 13/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 1)

P280 Wear protective gloves / eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· **Description:** Adhesive

· Dangerous components:		
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 Reg.nr.: 01-2119492630-38- XXXX	Benzyl alcohol  Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319	10-25%
CAS: 90-72-2 EINECS: 202-013-9 Index number: 603-069-00-0 Reg.nr.: 01-2119560597-27- XXXX	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1C, H314; Eye Dam. 1, H318;	≥5-≤10%
CAS: 90640-67-8 EINECS: 292-588-2 Reg.nr.: 01-2119487919-13- XXXX	Amines, polyethylenepoly-, triethylenetetramine fraction  Skin Corr. 1B, H314; Eye Dam. 1, H318;  Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	≥3-<5%

<sup>•</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Call a doctor immediately.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Rinse out mouth and then drink plenty of water.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

EU

www.bostik.it 14/23



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Version number 12 (replaces version 11) Revision: 13.08.2024 Printing date 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 2)

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

15/23 www.bostik.it



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 3)

# **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs				
	Benzyl alcoho			
Oral		al, longterm exposition	4 mg/kg bw/day	
Dermal		al, shortterm exposition	40 mg/kg bw/day	
		al, longterm exposition	8 mg/kg bw/day	
		ermal, shortterm exposition	20 mg/kg bw/day	
	· ·	ermal, longterm exposition	4 mg/kg bw/day	
Inhalative		ative, shortterm exposition	110 mg/m³	
	·	ative, longterm exposition	22 mg/m³	
		NEL, acute inhalation	27 mg/m³	
		halative, longterm exposition	5.4 mg/m³	
	•	hylaminomethyl)phenol		
Oral		al, longterm exposition	0.075 mg/kg bw/day	
Dermal		al, shortterm exposition	0.6 mg/kg bw/day	
		al, longterm exposition	0.15 mg/kg bw/day	
		ermal, shortterm exposition	0.075 mg/kg bw/day	
	Consumer, de	ermal, longterm exposition	0.075 mg/kg bw/day	
Inhalative	Worker, inhal	ative, shortterm exposition	2.1 mg/m³	
	Worker, inhal	ative, longterm exposition	0.53 mg/m³	
	Consumer DN	NEL, acute inhalation	0.13 mg/m³	
	*	halative, longterm exposition	•	
		lyethylenepoly-, triethylene		
Oral		al, longterm exposition	14 mg/kg bw/day (rat)	
Inhalative		ative, longterm exposition	0.54 mg/m³ (rat)	
	Consumer, in	halative, longterm exposition	0.096 mg/m³ (rat)	
PNECs				
100-51-6 I	Benzyl alcoho	)l		
Fresh wate	er	1 mg/l		
Fresh wat	er sediment	5.27 mg/kg dry weight		
Marine water (		0.1 mg/l		
Marine se	diment	0.527 mg/kg dry weight		
Soil		0.456 mg/kg		
Sewage tr	eatment plant	39 mg/l		
90-72-2 2,	4,6-tris(dimet	hylaminomethyl)phenol		
Fresh wate	er	0.046 mg/l		

www.bostik.it 16/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 13.08.2024 Printing date 13.08.2024 Version number 12 (replaces version 11)

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Cc	ntd.	of	page	4
-----	------	----	------	---

	(Contd. of page 4)
Fresh water sediment	0.262 mg/kg dry weight
Marine water	0.005 mg/l
Marine sediment	0.026 mg/kg dry weight
Soil	0.025 mg/kg
Sewage treatment plant	0.2 mg/l
90640-67-8 Amines, po	lyethylenepoly-, triethylenetetramine fraction
Fresh water	0.027 mg/l (rat)
Fresh water sediment	8.572 mg/kg dry weight (rat)
Marine water	0.003 mg/l (rat)
Marine sediment	0.857 mg/kg dry weight (rat)
Soil	1.25 mg/kg (rat)
Sewage treatment plant	0.13 mg/l (rat)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves**

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

### Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

Eye/face protection



Tightly sealed goggles

(Contd. on page 6)

www.bostik.it 17/23



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 5)

Goggles recommended during refilling

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.

Melting point/freezing point:

Boiling point or initial boiling point and

boiling range 205.4 °C (100-51-6 Benzyl alcohol)

Undetermined.

· Flammability Not applicable.

· Lower and upper explosion limit

• **Lower:** 1.3 Vol % (100-51-6 Benzyl alcohol) • **Upper:** 13 Vol % (100-51-6 Benzyl alcohol)

· Flash point: 101 °C · Auto-ignition temperature: 435 °C

Decomposition temperature: Not determined. pH Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure at 20 °C: 0.1 hPa (100-51-6 Benzyl alcohol) • Vapour pressure at 50 °C: 0.7 hPa

Density and/or relative density

Density: Not determined.
Relative density Not determined.
Vapour density Not determined.

• 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

**Explosive properties:** Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: 14.0 % · VOC (EC) 14.00 % · Solids content: 81.5 %

(Contd. on page 7)

- EU

www.bostik.it 18/23



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 6)

•	Change in c	condition
	Eveneration	roto

**Evaporation rate** Not determined.

# Information with regard to physical hazard classes

Classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

· Corrosive to metals

· Desensitised explosives

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Corrosive action on metals.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

Void

Void

# **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification
--

### 100-51-6 Benzyl alcohol

Oral LD50 1620 mg/kg (rat)
Dermal LD50 2000 mg/kg (rabbit)

### 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral LD50 500 mg/kg (rat)

(Contd. on page 8)

- EU

www.bostik.it 19/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 7)

### 90640-67-8 Amines, polyethylenepoly-, triethylenetetramine fraction

Oral LD50 1716.2 mg/kg (rat)
Dermal LD50 1465.4 mg/kg (rabbit)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

=11.

(Contd. on page 9)

www.bostik.it 20/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 8)

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

### European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number	
ADR/ADN, IMDG, IATA	not regulated
ADN	not regulated
14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR/ADN, ADN, IMDG, IATA Class	not regulated
Class	not regulated
14.4 Packing group ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	not regulated

(Contd. on page 10)

www.bostik.it 21/23



# Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 9)

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H412 Harmful to aquatic life with long lasting effects.

# · Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation The classification of the mixture is generally based on the Skin sensitisation calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: PSRA

· Contact: PSRA

Date of previous version: 17.05.2024
Version number of previous version: 11

(Contd. on page 11)

- El

www.bostik.it 22/23



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024 Version number 12 (replaces version 11) Revision: 13.08.2024

Trade name: BK ACCRAP FPB 2X15ML A1\*12 IT

(Contd. of page 10)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

23/23 www.bostik.it