

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: +49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315

315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

ΕU

www.bostik.it 1/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 1)

Hazard pictograms







GHS02 GHS07 GHS09

· Signal word Danger

· Hazard-determining components of labelling:

Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P302+P352 IF ON SKIN: Wash with plenty of water.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with national regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

CAS: 115-10-6

· Description: Adhesive

· Dangerous components:

EINECS: 204-065-8

Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37 dimethyl ether

🏇 Flam. Gas 1A, H220; Press. Gas (Comp.), H280

25-50%

(Contd. on page 3)

- EL

www.bostik.it 2/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 43 (replaces version 42) Printing date 22.03.2025 Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

EC number: 926-605-8	(C Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-	ontd. of page 2
Reg.nr.: 01-2119486291-36- XXXX	hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336, EUH066	210-42370
EC number: 931-254-9 Reg.nr.: 01-2119484651-34- XXXX	Hydrocarbons, C6, isoalkanes, <5% n-hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<25%
EC number: 921-024-6 Reg.nr.: 01-2119475514-35- XXXX	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<25%
EC number: 927-510-4 Reg.nr.: 01-2119475515-33- XXXX	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥2.5-<10%
CAS: 110-82-7 EINECS: 203-806-2 Index number: 601-017-00-1 Reg.nr.: 01-2119463273-41- XXXX	cyclohexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; STOT SE 3, H336	≥2.5-<10%
CAS: 110-54-3 EINECS: 203-777-6 Index number: 601-037-00-0 Reg.nr.: 01-2119480412-44- XXXX	n-hexane	≥1-<2.5%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

3/13 www.bostik.it



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 3)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

115-10-6 dimethyl ether

IOELV Long-term value: 1920 mg/m³, 1000 ppm

(Contd. on page 5)

FII.

www.bostik.it 4/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

110-82-7	cyclohexane			(Contd. of p
	-	700 mg/m³, 200 ppm		
110-54-3 r		3. 711		
		72 mg/m³, 20 ppm		
DNELs		0 / 11		
	nons C6-C7	isoalkanes, cyclics, <5% n-	heyane	
Oral		al, longterm exposition	1301 mg/kg bw/day (rat)	
Dermal		al, longterm exposition	13964 mg/kg bw/day (rat)	
2 0 1 1 1 1 1 1		ermal, longterm exposition	1377 mg/kg bw/day (rat)	
Inhalative	-	ative, longterm exposition	5306 mg/m³ (rat)	
		halative, longterm exposition	• ' '	
Hvdrocarl		alkanes, <5% n-hexane	(, (,)	
Oral		al, longterm exposition	1301 mg/kg bw/day (rat)	
Dermal		al, longterm exposition	13964 mg/kg bw/day (rat)	
		ermal, longterm exposition	1377 mg/kg bw/day (rat)	
Inhalative		ative, longterm exposition	5306 mg/m³ (rat)	
		halative, longterm exposition	• '	
Hydrocarl		n-alkanes, isoalkanes, cycl	• ,	
Oral		al, longterm exposition	699 mg/kg bw/day (rat)	
Dermal	Worker, derm	al, longterm exposition	773 mg/kg bw/day (rat)	
	Consumer, de	ermal, longterm exposition	699 mg/kg bw/day (rat)	
Inhalative	Worker, inhal	ative, longterm exposition	2035 mg/m³ (rat)	
	Consumer, in	halative, longterm exposition	608 mg/m³ (rat)	
Hydrocarl	oons, C7, n-al	kanes, isoalkanes, cyclics	<u> </u>	
Oral	Consumer, or	al, longterm exposition	149 mg/kg bw/day (rat)	
Dermal	Worker, derm	al, longterm exposition	300 mg/kg bw/day (rat)	
	Consumer, de	ermal, longterm exposition	149 mg/kg bw/day (rat)	
Inhalative	Worker, inhal	ative, longterm exposition	2085 mg/m³ (rat)	
	Consumer, in	halative, longterm exposition	477 mg/m³ (rat)	
110-82-7	cyclohexane			
Oral	Consumer, or	al, longterm exposition	59.4 mg/kg bw/day (rat)	
Dermal	Worker, derm	al, longterm exposition	2016 mg/kg bw/day (rat)	
	Consumer, de	ermal, longterm exposition	1186 mg/kg bw/day (rat)	
Inhalative	Worker, inhal	ative, shortterm exposition	700 mg/m³ (rat)	
	Worker, inhal	ative, longterm exposition	700 mg/m³ (rat)	
		IEL, acute inhalation	412 mg/m³ (rat)	
	Consumer, inhalative, longterm exposition		206 mg/m³ (rat)	
PNECs				
	cyclohexane			
Fresh water		0.207 mg/l (rat)		
Fresh water	er sediment	3.627 mg/kg dry weight (rat)		

www.bostik.it 5/13



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31
2025 Version number 43 (replaces version 42) Reference (Page 1997)

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 5)

Revision: 22.03.2025

Marine water	0.207 mg/l (rat)
Marine sediment	3.627 mg/kg dry weight (rat)
Soil	2.99 mg/kg (rat)
Sewage treatment plant	3.24 mg/l (rat)
Sporadic release	0.207 mg/l

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls

Printing date 22.03.2025

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

- Recommended filter device for short term use: Filter A
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

- · Eye/face protection Not required.
- · Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Aerosol

· Colour: According to product specification

Odour: CharacteristicOdour threshold: Not determined.

(Contd. on page 7)

- El

www.bostik.it 6/13



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 6)

· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range 60 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: 0.7 Vol %
Upper: 18.6 Vol %
Flash point: -42 °C
Auto-ignition temperature: 235 °C

Decomposition temperature: Not determined.

pH Mixture is a gas.

· Viscosity:

Kinematic viscosityDynamic:SolubilityNot determined.

· water:

Partition coefficient n-octanol/water (log

value) Not determined. • Vapour pressure at 20 °C: 5200 hPa

· Density and/or relative density

Density at 20 °C: ~0.773 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

• 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

Not miscible or difficult to mix.

· Appearance:

· Form: Aerosol

Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

Organic solvents: 89.4 %
 VOC (EC) 89.43 %
 Solids content: 13.5 %

Change in condition

• Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

Explosives VoidFlammable gases Void

• Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

· Oxidising gases Void · Gases under pressure Void · Flammable liquids Void

(Contd. on page 8)

- EU

www.bostik.it 7/13



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 7)

		, , ,
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
115-10-6	115-10-6 dimethyl ether		
Inhalative	LC50/4 h	308 mg/l (rat)	
Hydrocarl	Hydrocarbons, C6-C7, isoalkanes, cyclics, <5% n-hexane		
Oral	LD50	>3350 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	>20 mg/l (rat)	
Hydrocarl	Hydrocarbons, C6, isoalkanes, <5% n-hexane		
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>3000 mg/kg (rat)	
Inhalative	LC50/4 h	>20 mg/l (rat)	
Hydrocarl	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	>20 mg/l (rat)	
		(Contd. on page 9)	

www.bostik.it 8/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 43 (replaces version 42) Revision: 22.03.2025 Printing date 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd.	ΟŤ	page	8

		(Contid. of page of	
Hydrocarl	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		
Oral	LD50	>5840 mg/kg (rat)	
Dermal	LD50	>2920 mg/kg (rat)	
Inhalative	LC50/4 h	>23.3 mg/l (rat)	
110-82-7	110-82-7 cyclohexane		
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rabbit)	
Inhalative	LC50/4 h	32.88 mg/l (rat)	
110-54-3 r	110-54-3 n-hexane		
Oral	LD50	16000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	172 mg/l (rat)	

- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 10)

www.bostik.it 9/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 9)

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- **Uncleaned packaging:**
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR/ADN, IMDG, IATA UN1950

· 14.2 UN proper shipping name

· ADR/ADN 1950 AEROSOLS

· IMDG AEROSOLS, MARINE POLLUTANT

· IATA AEROSOLS, flammable

- · 14.3 Transport hazard class(es)
- · ADR/ADN





· Class 2 5F Gases. · Label 2.1

·IMDG





· Class 2.1 Gases.

(Contd. on page 11)

' '*)*

www.bostik.it 10/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

	(Contd. of page
Label	2.1
IATA	
Class Label	2.1 Gases. 2.1
14.4 Packing group ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards:	Product contains environmentally hazardo substances: Naphtha (petroleum), hydrotreat light
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR/ADN):	Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler of	
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capac
	of 1 litre: Category A. For AEROSOLS with capacity above 1 litre: Category B. For WAS
	AEROSOLS: Category C, Clear of living quarter
Segregation Code	SG69 For AEROSOLS with a maximum capac
	of 1 litre:
	Segregation as for class 9. Stow "separated fro
	class 1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision
	class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision
	class 2.
14.7 Maritime transport in bulk accordi	ing to
IMO instruments	
IMO instruments Transport/Additional information:	ing to Not applicable.
IMO instruments	ing to Not applicable. On passenger aircraft/rail: 75 kg
IMO instruments Transport/Additional information: Quantity limitations	ing to Not applicable.
IMO instruments Transport/Additional information: Quantity limitations ADR/ADN	ing to Not applicable. On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
IMO instruments Transport/Additional information: Quantity limitations ADR/ADN Limited quantities (LQ)	ing to Not applicable. On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
IMO instruments Transport/Additional information: Quantity limitations ADR/ADN	ing to Not applicable. On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg 1L Code: E0
IMO instruments Transport/Additional information: Quantity limitations ADR/ADN Limited quantities (LQ)	ing to Not applicable. On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg

www.bostik.it 11/13



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.03.2025 Version number 43 (replaces version 42) Revision: 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 11)

· IMDG	1L
· Limited quantities (LQ)	Code: E0
· Excepted quantities (EQ)	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

P3a FLAMMABLE AEROSOLS

E2 Hazardous to the Aquatic Environment

- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 57
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

(Contd. on page 13)

- EU

www.bostik.it 12/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 43 (replaces version 42) Revision: 22.03.2025 Printing date 22.03.2025

Trade name: BTK SUPERCHIARO SPRAY AE 200ML*12 IT

(Contd. of page 12)

Toxic to aquatic life with long lasting effects. H411

EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008		
Aerosols, Section 2.3.1	Bridging principles	
Skin corrosion/irritation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.	

· Department issuing SDS: PSRA

· Contact: PSRA

· Date of previous version: 13.09.2022 · Version number of previous version: 42

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases – Category 1A Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

www.bostik.it 13/13