

Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one, Dimethylbis[(1-oxoneodecyl)oxy] stannane. May produce an allergic reaction.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 2)



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

(Contd. of page 1)

· 3.2 Mixtures · Description: Sealant				
· Dangerous components:				
EC number: 934-956-3 Reg.nr.: 01-2119827000-58	Hydrocarbons, C15-C20, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	25-50%		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17	titanium dioxide	<1%		
CAS: 556-67-2 EINECS: 209-136-7 Index number: 014-018-00-1 Reg.nr.: 01-2119529238-36	octamethylcyclotetrasiloxane Flam. Liq. 3, H226;	≥0.025-<0.25%		
CAS: 64359-81-5 EINECS: 264-843-8 Index number: 613-335-00-8 Reg.nr.: 01-2119822700-58	 4,5-dichloro-2-octyl-2H-isothiazol-3-one Skin Corr. 1B, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limits: Skin Sens. 1; H317: C≥ 0.03 % Skin Sens. 1A; H317: 0.03 % ≤ C < 0.03 % Skin Sens. 1B; H317: 0.03 % ≤ C < 0.03 % 	<0.03%		
CAS: 68928-76-7 EINECS: 273-028-6 Reg.nr.: 01-2120770324-57	Dimethylbis[(1-oxoneodecyl)oxy]stannane Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	<0.1%		

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- \cdot General information: No special measures required.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

EU



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required. • 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

• Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

EU



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

· Individual protection measures, such as	(Contd. of page 3				
General protective and hygienic measures					
The usual precautionary measures are to be adhered to when handling chemicals.					
Wash hands before breaks and at the end					
• Respiratory protection: Not required.					
• Hand protection					
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves					
				Recommended thickness of the material: >	> 0,12 mm
				Nitrile rubber, NBR	
				 Penetration time of glove material 	
				For the mixture of chemicals mentioned b	pelow the penetration time has to be at least 10 minute
(Permeation according to EN 374 Part 3: L	.evel 1).				
· Eye/face protection Goggles recommend	led during refilling				
SECTION 9: Physical and chemic	al properties				
-	• •				
9.1 Information on basic physical and c	hemical properties				
 General Information 					
· Dhysical state	Fluid				
· Physical state	Fluid				
· Colour:	According to product specification				
· Colour: · Odour:					
· Colour:	According to product specification				
· Colour: · Odour:	According to product specification Characteristic				
 Colour: Odour: Odour threshold: 	According to product specification Characteristic Not determined. Undetermined.				
 Colour: Odour: Odour threshold: Melting point/freezing point: 	According to product specification Characteristic Not determined. Undetermined.				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and 	According to product specification Characteristic Not determined. Undetermined.				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability 	According to product specification Characteristic Not determined. Undetermined. 2230 °C				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range 	According to product specification Characteristic Not determined. Undetermined. 2230 °C				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable.				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined. Not applicable.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined. Not applicable. >370 °C Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined. Not applicable. >370 °C				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined. Not determined. Not applicable. >370 °C Not determined. Not determined. Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: pH Viscosity: Kinematic viscosity 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined. Not determined. Not applicable. >370 °C Not determined. Not determined. Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined.				
 Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined.				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined.				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) Vapour pressure: 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined.				
 Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity: Kinematic viscosity Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) 	According to product specification Characteristic Not determined. Undetermined. 2230 °C Not applicable. Not determined. Not determined.				

(Contd. on page 5)



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

	(Contd. of page 4
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are no measurable or not relevant for the characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	62.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haze classes	
Explosives	Void
Flammable gases Aerosols	Void Void
	Void
Oxidising gases Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

 \cdot 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

(Contd. of page 5) • **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values relevant for classification: 13463-67-7 titanium dioxide >20000 mg/kg (rat) Oral LD50 LD50 >10000 mg/kg (rabbit) Dermal Inhalative LC50/4 h >6.82 mg/l (rat) 64359-81-5 4,5-dichloro-2-octyl-2H-isothiazol-3-one LD50 567 mg/kg (ATE) Oral Inhalative LC50/4 h 0.16 mg/l (ATE) • Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Not applicable. Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. • Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information: · Acute effects (acute toxicity, irritation and corrosivity) Not applicable. · Sensitisation Not applicable. · Repeated dose toxicity Not applicable. · 11.2 Information on other hazards Endocrine disrupting properties 556-67-2 octamethylcyclotetrasiloxane List II; III **SECTION 12: Ecological information**

- 12.1 Toxicity
- \cdot Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 7)

FU



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

(Contd. of page 6)

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

12.7 Other adverse effects

· Remark: Harmful to fish

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number	
ADR/ADN, IMDG, IATA	not regulated
ADN	not regulated
14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR/ADN, ADN, IMDG, IATA	
Class	not regulated
14.4 Packing group ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the abo specifications.
UN "Model Regulation":	not regulated

(Contd. on page 8)



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 70
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

(Contd. on page 9)



Printing date 16.04.2024

Version number 30 (replaces version 29)

Revision: 16.04.2024

Trade name: GRF SILICONE S-100 TR CQ 300ML*12 L298

cording to Regulation (EC) No 1272/2008. zardous to the aquatic environment - long- m (chronic) aquatic hazard	
	The classification of the mixture is general based on the calculation method usir
	substance data according to Regulation (EC) N 1272/2008.
partment issuing SDS: PSRA ntact: PSRA	
te of previous version: 20.01.2022	
rsion number of previous version: 29	
breviations and acronyms:	
R: Accord relatif au transport international des marchan	ndises dangereuses par route (European Agreement Concerr
International Carriage of Dangerous Goods by Road)	
G: International Maritime Code for Dangerous Goods A: International Air Transport Association	
S: Globally Harmonised System of Classification and La	belling of Chemicals
ECS: European Inventory of Existing Commercial Chem	
NCS: European List of Notified Chemical Substances	
S: Chemical Abstracts Service (division of the American i0: Lethal concentration, 50 percent	Chemical Society)
60: Lethal dose, 50 percent	
: Persistent. Bioaccumulative and Toxic	
B: very Persistent and very Bioaccumulative	
n. Liq. 3: Flammable liquids – Category 3	
te Tox. 4: Acute toxicity – Category 4	
n Corr. 1B: Skin corrosion/irritation – Category 1B n Irrit. 2: Skin corrosion/irritation – Category 2	
Sens. 1: Skin sensitisation – Category 1	
Sens. 1A: Skin sensitisation – Category 1A	
c. 2: Carcinogenicity – Category 2	
r. 2: Reproductive toxicity – Category 2	
DT SE 3: Specific target organ toxicity (single exposure)	– Category 3
. Tox. 1: Aspiration hazard – Category 1 atic Acute 1: Hazardous to the aquatic environment - ac	sute aquatic hazard – Category 1
atic Acute 1. Hazardous to the aquatic environment - ac	
atic Chronic 3: Hazardous to the aquatic environment -	