

Printing date 29.07.2024

Version number 24 (replaces version 23)

Revision: 26.07.2024

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

· Trade name: BTK SK PRO WH CQ 300ML\*24 IT

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

#### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)



Printing date 29.07.2024

Version number 24 (replaces version 23)

Revision: 26.07.2024

#### Trade name: BTK SK PRO WH CQ 300ML\*24 IT

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Sealant

#### · Dangerous components:

Dangerous components.		
CAS: 64359-81-5	4,5-dichloro-2-octyl-2H-isothiazol-3-one	<0.03%
EINECS: 264-843-8	Skin Corr. 1B, H314; (4) Aquatic Acute 1, H400;	
Index number: 613-335-00-8		
Reg.nr.: 01-2119822700-58	H335	
-	Specific concentration limits: Skin Sens. 1; H317: C ≥ 0.03	
	%	
	Skin Sens. 1A; H317: 0.03 %	
	≤ C < 0.03 %	
	Skin Sens. 1B; H317: 0.03 %	
	≤ C < 0.03 %	
· Additional information: For	the wording of the listed hazard phrases refer to section 16	

dditional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required. 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3) EU



Printing date 29.07.2024 Version number 24 (replaces version 23)

Revision: 26.07.2024

#### Trade name: BTK SK PRO WH CQ 300ML\*24 IT

Do not allow to enter sewers/ surface or ground water.

(Contd. of page 2)

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- Respiratory protection: Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

(Contd. on page 4)



Printing date 29.07.2024

Version number 24 (replaces version 23)

Revision: 26.07.2024

Trade name: BTK SK PRO WH CQ 300ML\*24 IT

• Eye/face protection Goggles recommended during refilling

(Contd. of page 3)

#### **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification · Odour: Pungent · Odour threshold: Not determined. Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 2230 °C · Flammability Not applicable. · Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. >370 °C • Auto-ignition temperature: · Decomposition temperature: Not determined. · pH Not determined. · Viscosity: · Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility · water: Not miscible or difficult to mix. · Partition coefficient n-octanol/water (log Not determined. value) Vapour pressure: Not determined. Density and/or relative density · Density at 20 °C: 1.04 g/cm<sup>3</sup> · Relative density Not determined. · Vapour density Not determined. · 9.2 Other information All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture. · Appearance: · Form: Pasty · Important information on protection of health and environment, and on safety. · Ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. · Solvent content: · Solids content: 62.2 % · Change in condition · Evaporation rate Not determined.

(Contd. on page 5)

EU -



Printing date 29.07.2024

Version number 24 (replaces version 23)

Revision: 26.07.2024

Trade name: BTK SK PRO WH CQ 300ML\*24 IT

		(Contd. of pag
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTIO	N 11: To	xicological information
		hazard classes as defined in Regulation (EC) No 1272/2008 d on available data, the classification criteria are not met.
· LD/LC50	values rele	evant for classification:
64359-81-	-5 4,5-dich	loro-2-octyl-2H-isothiazol-3-one
Oral	LD50	567 mg/kg (ATE)
Inhalative	LC50/4 h	0.16 mg/l (ATE)
<ul> <li>Serious e</li> <li>Respirato</li> <li>Germ cell</li> <li>Not applic</li> </ul>	ye damag ory or skin I mutagen able.	ation Based on available data, the classification criteria are not met. e/irritation Based on available data, the classification criteria are not met. sensitisation Based on available data, the classification criteria are not met. icity

Based on available data, the classification criteria are not met.

(Contd. on page 6)

EU -



Printing date 29.07.2024

Version number 24 (replaces version 23)

Revision: 26.07.2024

#### Trade name: BTK SK PRO WH CQ 300ML\*24 IT

(Contd. of page 5)

· Carcinogenicity Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 7)



Printing date 29.07.2024

Version number 24 (replaces version 23)

Revision: 26.07.2024

Trade name: BTK SK PRO WH CQ 300ML\*24 IT

(Contd. of page 6)

SECTION 14: Transport informat	tion
<ul> <li>14.1 UN number or ID number</li> <li>ADR/ADN, IMDG, IATA</li> </ul>	not regulated
ADN	not regulated
<ul> <li>14.2 UN proper shipping name</li> <li>ADR/ADN, ADN, IMDG, IATA</li> </ul>	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	i <b>ng to</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

FU



Printing date 29.07.2024 Version number 24 (replaces version 23)

Revision: 26.07.2024

#### Trade name: BTK SK PRO WH CQ 300ML\*24 IT

(Contd. of page 7)

for any specific product features and shall not e	edge. However, this shall not constitute a guarante stablish a legally valid contractual relationship.
<b>Relevant phrases</b> H302 Harmful if swallowed. H314 Causes severe skin burns and eye damag H317 May cause an allergic skin reaction. H335 May cause respiratory irritation. H400 Very toxic to aquatic life.	ge.
Classification according to Regulation (EC)	No 1272/2008
Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
Department issuing SDS: PSRA Contact: PSRA Date of previous version: 21.01.2022 Version number of previous version: 23 Abbreviations and acronyms:	