

Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

• Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Sealant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- Precautionary statements
- P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH208 Contains 2-octyl-2H-isothiazol-3-one, trimethoxyvinylsilane. May produce an allergic reaction.

- 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

(Contd. of page 1)

List II

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

· Determination of endocrine-disrupting properties

870-08-6 dioctyltin oxide

Description: Sealant		
Dangerous components:		
CAS: 64742-46-7 EINECS: 265-148-2 Index number: 649-221-00-X Reg.nr.: 01-2119827000-58	Distillates (petroleum), hydtrotreated middle	2.5-10%
CAS: 3087-39-6	titanium(4)-2-methylpropane-2-oleate Skin Irrit. 2, H315; Eye Irrit. 2, H319	1-2.5%
CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane Flam. Liq. 3, H226; � Acute Tox. 4, H332	1-2.5%
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X Reg.nr.: 01-2119433307-44	 methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370 Specific concentration limits: STOT SE 1;H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 % 	<1%
CAS: 870-08-6 EINECS: 212-791-1 Reg.nr.: 01-2119971268-27	dioctyltin oxide STOT SE 2, H371	<1%
CAS: 2768-02-7 EINECS: 220-449-8 Index number: 014-049-00-0 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane � Flam. Liq. 3, H226; � Acute Tox. 4, H332; Skin Sens. 1B, H317	≥0.1-<1%
CAS: 556-67-2 EINECS: 209-136-7 Index number: 014-018-00-1 Reg.nr.: 01-2119529238-36	octamethylcyclotetrasiloxane Flam. Liq. 3, H226; Repr. 2, H361f; Aquatic Chronic 1, H410 (M=10) PBT; vPvB	≥0.025-<0.25%
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Acute Tox. 3, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %	≥0.00025-<0.0015



Printing date 29.07.2024 Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

(Contd. of page 2)

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- $^{\circ}$ 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required. • 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

(Contd. on page 4)



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

(Contd. of page 3)

 $^{\cdot}$ 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions: None.
- Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

	ol parameters		
•		alues that require monitoring	ng at the workplace:
67-56-1 m			
		: 260 mg/m³, 200 ppm	
Sk	lin		
DNELs			
2768-02-7	trimethoxyvi	-	
Oral	Consumer, or	al, longterm exposition	0.3 mg/kg bw/day (rat)
Dermal	Worker, derm	al, longterm exposition	3.9 mg/kg bw/day (rat)
	Consumer, de	ermal, longterm exposition	7.8 mg/kg bw/day (rat)
Inhalative	Worker, inhal	ative, longterm exposition	27.6 mg/m³ (rat)
	Consumer, in	halative, longterm exposition	6.7 mg/m³ (rat)
			18.9 mg/m³ (rabbit)
2768-02-7	trimethoxyvi	nylsilane	
Oral	Consumer, oral, longterm exposition		0.3 mg/kg bw/day (rat)
Dermal	Worker, derm	al, longterm exposition	3.9 mg/kg bw/day (rat)
	Consumer, de	ermal, longterm exposition	7.8 mg/kg bw/day (rat)
Inhalative	Worker, inhal	ative, longterm exposition	27.6 mg/m³ (rat)
	Consumer, in	halative, longterm exposition	6.7 mg/m³ (rat)
			18.9 mg/m³ (rabbit)
PNECs			
	trimethoxyvi	nvlsilane	
Fresh wate		0.4 mg/l (rat)	
Fresh water sediment		1.5 mg/kg dry weight (rat)	
Marine wa		0.04 mg/l (rat)	
Marine sediment		0.15 mg/kg dry weight (rat)	
Soil		0.06 mg/kg (rat)	
Sewage tr	eatment plant	/	
Sporadic r		2.4 mg/l (rat)	
•	trimethoxyvi	– ()	
Fresh wate		0.4 mg/l (rat)	

1.5 mg/kg dry weight (rat)

Fresh water sediment



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

	(Contd. of page
Marine water 0.04 mg/	
	kg dry weight (rat)
Soil 0.06 mg/	
Sewage treatment plant 6.6 mg/l ((rat)
Sporadic release 2.4 mg/l ((rat)
Additional information: The lists	valid during the making were used as basis.
General protective and hygienic The usual precautionary measures Wash hands before breaks and at Respiratory protection: Not nece Hand protection The glove material has to be in preparation.	s are to be adhered to when handling chemicals. the end of work. essary if room is well-ventilated. npermeable and resistant to the product/ the substance/ consideration of the penetration times, rates of diffusion and naterial: > 0,12 mm
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1).
Penetration time of glove materi For the mixture of chemicals men	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and c 9.1 Information on basic physical	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and of 9.1 Information on basic physica General Information	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and c 9.1 Information on basic physical	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and c 9.1 Information on basic physica General Information Physical state	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and c 9.1 Information on basic physica General Information Physical state Colour:	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and c 9.1 Information on basic physica General Information Physical state Colour: Odour:	ntioned below the penetration time has to be at least 10 min Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and c 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. Different ad
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. bint and 2230 °C Not applicable.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. bint and 2230 °C Not applicable.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower:	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. bint and 2230 °C Not applicable.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower: Upper:	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. bint and 2230 °C Not applicable. t Not determined. Not determined. Not determined.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. bint and 2230 °C Not applicable. t Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and c 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. Undetermined. Not applicable. t Not determined. Not applicable. >370 °C
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. bint and 2230 °C Not applicable. t Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. >370 °C Not determined.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH	ntioned below the penetration time has to be at least 10 mini Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. Undetermined. Not applicable. t Not determined. Not applicable. >370 °C
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH Viscosity:	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. Undetermined. bint and 2230 °C Not applicable. t Not determined. Not determined.
Penetration time of glove materi For the mixture of chemicals men (Permeation according to EN 374 Eye/face protection Goggles reco SECTION 9: Physical and o 9.1 Information on basic physica General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling po boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature: pH	ntioned below the penetration time has to be at least 10 minu Part 3: Level 1). ommended during refilling chemical properties al and chemical properties Fluid Different according to colouring Characteristic Not determined. Undetermined. bint and 2230 °C Not applicable. t Not determined. Not determined. Not determined. Not determined. Not determined. Not applicable. >370 °C Not determined.



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

	(Contd. of page
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Pasty
Important information on protection of hea	llth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	0.3 %
Solids content:	62.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	VOIG
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void
	VUIU

(Contd. on page 7)



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

(Contd. of page 6)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Possible in traces.
- Additional information: During curing methanol (CAS 67-56-1) is produced.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rele	evant for classification:	
2768-02-7	trimethox	kyvinylsilane	
Oral	LD50	6899 mg/kg (rat)	
Dermal	LD50	3158 mg/kg (rat)	
Inhalative	LC50/4 h	16.8 mg/l (rat)	
67-56-1 m	ethanol		
Oral	LD50	5628 mg/kg (rat)	
Dermal	LD50	15800 mg/kg (rabbit)	
870-08-6	dioctyltin	oxide	
Oral	LD50	2500 mg/kg (rat)	
2768-02-7	trimetho	kyvinylsilane	
Oral	LD50	6899 mg/kg (rat)	
Dermal	LD50	3158 mg/kg (rat)	
Inhalative	LC50/4 h	16.8 mg/l (rat)	
26530-20-	1 2-octyl-	2H-isothiazol-3-one	
Oral	LD50	125 mg/kg (ATE)	
Dermal	LD50	311 mg/kg (ATE)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
· Skin corr			
Compone		CAS No. Method Species Conclusion	
	thoxysilane	e 2768-02-7 OECD No. 429 mouse, dermal no sensitisation e/irritation Based on available data, the classification criteria are not met.	
		sensitisation Based on available data, the classification criteria are not met	
	mutageni		
Not applic			
		lata, the classification criteria are not met.	
		sed on available data, the classification criteria are not met.	
		ity Based on available data, the classification criteria are not met. ure Based on available data, the classification criteria are not met.	
5101-311	gie expos	(Contd. on page	

Contd. on page 8)

Г



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

(Contd. of page 7)

List II

List II: III

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

· Sensitisation Not applicable.

· Repeated dose toxicity Not applicable.

· 11.2 Information on other hazards

· Endocrine disrupting properties

870-08-6 dioctyltin oxide

556-67-2 octamethylcyclotetrasiloxane

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 9)



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

(Contd. of page 8)

SECTION 14: Transport informat	lion
· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA	not regulated
· ADN	- not regulated
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accordi IMO instruments 	i ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 69, 70
- Regulation (EU) No 649/2012
- 870-08-6 dioctyltin oxide
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
 None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

FU

Annex I Part 1

⁽Contd. on page 10)



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

(Contd. of page 9)

	ION 16: Other information	
		edge. However, this shall not constitute a guarant stablish a legally valid contractual relationship.
Releva	nt phrases	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H301	Toxic if swallowed.	
H304	May be fatal if swallowed and enters a	irways
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye da	mage
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H361f	Suspected of damaging fertility.	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long last	ng effects.
EUH07	1 Corrosive to the respiratory tract.	
Classif	ication according to Regulation (EC)	No 1272/2008
	ous to the aquatic environment - long- nronic) aquatic hazard	The classification of the mixture is generall based on the calculation method usin substance data according to Regulation (EC) N 1272/2008.
D		1272/2006.
Contac Date of Version AbBrev ADR: Acc the Intern IMDG: Int IATA: Inte GHS: Glo EINECS: CAS: Cha DNEL: DO PNEC: PI LC50: Le PNEC: PI LC50: Le PBT: Per vPVB: ver ATE: Accu Flam. Liq Acute To	ational Carriage of Dangerous Goods by Road) ternational Maritime Code for Dangerous Goods ernational Air Transport Association bally Harmonised System of Classification and La European Inventory of Existing Commercial Cher European List of Notified Chemical Substances emical Abstracts Service (division of the American erived No-Effect Level (REACH) redicted No-Effect Concentration (REACH) thal concentration, 50 percent thal dose, 50 percent sistent, Bioaccumulative and Toxic y Persistent and very Bioaccumulative te toxicity estimate values . 2: Flammable liquids – Category 2 . 3: Flammable liquids – Category 3 k. 3: Acute toxicity – Category 3	idises dangereuses par route (European Agreement Concerr belling of Chemicals iical Substances
Contac Date of Version Abbrev ADR: Acc the Intern IMDG: Int IATA: Inte GHS: Glo EINECS: CAS: Cha DNEL: Do DNEL: DO PNEC: PI LC50: Le PNEC: PI LC50: Le PBT: Per- vPvB: ver ATE: Accu Flam. Liq Acute To: Acute To:	t: PSRA previous version: 12.04.2022 n number of previous version: 11 viations and acronyms: cord relatif au transport international des marchai ational Carriage of Dangerous Goods by Road) ternational Maritime Code for Dangerous Goods ernational Maritime Code for Dangerous Goods ternational Maritime Code for Dangerous Goods ernational Air Transport Association ibally Harmonised System of Classification and Las European Inventory of Existing Commercial Cherr European List of Notified Chemical Substances emical Abstracts Service (division of the American erived No-Effect Level (REACH) redicted No-Effect Concentration (REACH) thal concentration, 50 percent thal dose, 50 percent sistent, Bioaccumulative and Toxic y Persistent and very Bioaccumulative te toxicity estimate values . 2: Flammable liquids – Category 2 . 3: Flammable liquids – Category 3	idises dangereuses par route (European Agreement Concern belling of Chemicals iical Substances



Printing date 29.07.2024

Version number 12 (replaces version 11)

Revision: 29.07.2024

Trade name: BTK SK NEUTR BR CQ 300ML*12 IT

(Contd. of page 10) Skin Corr. 1: Skin corrosion/irritation – Category 1 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2 STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 EU