

Printing date 21.03.2025 Version number 40 (replaces version 39)

Revision: 21.03.2025

## SECTION 1: Identification of the substance/mixture and of the company undertaking · 1.1 Product identifier Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Adhesive · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: **Bison International** Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com UHU GmbH & Co.KG Herrmannstraße 7 D-77815 Bühl (Baden) Tel.:0049-(0)7223-284-0 Fax: 0049-(0)7223-284-245 E-mail: sds@boltonadhesives.com · Further information obtainable from: **PSRA PSRA** 1.4 Emergency telephone number: Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET) For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET) For detailed information contact the national Poison Centre @ https:// poisoncentres.echa.europa.eu/appointed-bodies **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. GHS07 Skin Irrit. 2 H315 Causes skin irritation.

(Contd. on page 2)

<sup>-</sup> EU



#### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31 Version number 40 (replaces version 39) Revision: 21.03.2025 Printing date 21.03.2025 Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT (Contd. of page 1) Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS07 · Signal word Danger Hazard-determining components of labelling: **Butanone** Methylcyclohexane Ethyl acetate Acetone Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. P210 No smoking. Avoid breathing vapours. P261 P370+P378 In case of fire: Use to extinguish: Water haze, Alcohol resistant foam, Fireextinguishing powder, Carbon dioxide. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with national regulations. P501 Additional information: EUH208 Contains Rosin. May produce an allergic reaction. Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9. 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · Determination of endocrine-disrupting properties 78-93-3 Butanone List II

(Contd. on page 3)



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

(Contd. of page 2)

3.2 Mixtures Description: Adhesive		
Dangerous components:		
CAS: 78-93-3 EINECS: 201-159-0 Index number: 606-002-00-3 Reg.nr.: 01-2119457290-43- XXXX	Butanone Flam. Liq. 2, H225; () Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	25-50%
CAS: 141-78-6 EINECS: 205-500-4 Index number: 607-022-00-5 Reg.nr.: 01-2119475103-46- XXXX	Ethyl acetate Flam. Liq. 2, H225; ① Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	10-25%
CAS: 108-87-2 EINECS: 203-624-3 Index number: 601-018-00-7 Reg.nr.: 01-2119556887-18- XXXX	Methylcyclohexane Flam. Liq. 2, H225; S Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<25%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49- XXXX	Acetone Flam. Liq. 2, H225; (1) Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	≥2.5-<10%
CAS: 25085-50-1 EC number: 607-533-3	p-tert-butylphenol formaldehyde resin      Skin Sens. 1, H317	2.5-10%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7 Reg.nr.: 01-2119480418-32- XXXX	Rosin Skin Sens. 1, H317	≥0.1-<1%
CAS: 123-26-2 EINECS: 204-613-6 Reg.nr.: 01-2119978265-26- XXXX	N,N'-ethane-1,2-diylbis(12-hydroxyoctadecan-1- amide) Skin Sens. 1B, H317; Aquatic Chronic 3, H412	≥0.1-<1%
CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32- XXXX	Zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.025-<0.25%

## **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

· General information: No special measures required.

(Contd. on page 4)

<sup>-</sup> EU



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

(Contd. of page 3)

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- Water haze

Alcohol resistant foam Fire-extinguishing powder

- Carbon dioxide
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
   6.3 Methods and material for containment and cleaning up:
- Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

(Contd. on page 5)

EU -



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

(Contd. of page 4)

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• Storage class: 3

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### · Ingredients with limit values that require monitoring at the workplace:

## 78-93-3 Butanone

IOELV Short-term value: 900 mg/m<sup>3</sup>, 300 ppm Long-term value: 600 mg/m<sup>3</sup>, 200 ppm

#### 141-78-6 Ethyl acetate

IOELV Short-term value: 1468 mg/m<sup>3</sup>, 400 ppm Long-term value: 734 mg/m<sup>3</sup>, 200 ppm

#### 67-64-1 Acetone

IOELV Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

IOELV Long-term value: 1210 mg/m <sup>3</sup> , 500 ppm		
utanone		
Consumer, oral, longterm exposition	31 mg/kg bw/day	
Worker, dermal, longterm exposition	1161 mg/kg bw/day	
Consumer, dermal, longterm exposition	412 mg/kg bw/day	
Worker, inhalative, shortterm exposition	900 mg/m³	
Worker, inhalative, longterm exposition	600 mg/m³	
Consumer DNEL, acute inhalation 450 mg/m <sup>3</sup>		
Consumer, inhalative, longterm exposition 106 mg/m <sup>3</sup>		
Ethyl acetate	·	
Consumer, oral, longterm exposition	4.5 mg/kg bw/day	
Worker, dermal, longterm exposition	63 mg/kg bw/day	
Consumer, dermal, longterm exposition	37 mg/kg bw/day	
Inhalative Worker, inhalative, shortterm exposition 1468 mg/m <sup>3</sup>		
Worker, inhalative, longterm exposition	734 mg/m³	
Consumer DNEL, acute inhalation	734 mg/m³	
	utanone         Consumer, oral, longterm exposition         Worker, dermal, longterm exposition         Consumer, dermal, longterm exposition         Worker, inhalative, shortterm exposition         Worker, inhalative, longterm exposition         Consumer DNEL, acute inhalation         Consumer, inhalative, longterm exposition         Ethyl acetate         Consumer, oral, longterm exposition         Worker, dermal, longterm exposition         Worker, inhalative, shortterm exposition         Worker, inhalative, shortterm exposition         Worker, inhalative, shortterm exposition         Worker, inhalative, longterm exposition	

(Contd. on page 6)

EU -



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

## Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

		Consumer, inhalative, longterm exposition 367 mg/m <sup>3</sup>		367 mg/m <sup>3</sup>	(Contd. of pa
108-	87-2 I	Methylcyclohexane			
Oral		Consumer, oral, lor		0.4 mg/kg bw/day	
Dermal Worker, dermal, lon			•	1.7 mg/kg bw/day	
Consumer, dermal,			•	0.8 mg/kg bw/day	
Inhalative Worker, inhalative, s Worker, inhalative, I Consumer DNEL, a			•	1354.6 mg/m <sup>3</sup>	
				64.3 mg/m <sup>3</sup>	
		Consumer DNEL, a	acute inhalation	1016 mg/m <sup>3</sup>	
		Consumer, inhalati	ve, longterm exposition	16 mg/m³	
67-64	4-1 A	cetone			
Oral		Consumer, oral, lor	ngterm exposition	62 mg/kg bw/day	
Derm	nal	Worker, dermal, lor	ngterm exposition	186 mg/kg bw/day	
		Consumer, dermal,	longterm exposition	62 mg/kg bw/day	
Inhal	ative	Worker, inhalative,	shortterm exposition	2420 mg/m³	
		Worker, inhalative,	longterm exposition	1210 mg/m³	
		Consumer, inhalati	ve, longterm exposition	200 mg/m³	
PNE	Cs				
78-9	3-3 B	utanone			
Oral	Seco	ndary Poisoning	1000 mg/kg		
	Fres	h water	55.8 mg/l		
	Fres	h water sediment	284.7 mg/kg dry weight		
	Marir	ne water	55.8 mg/l		
	Marir	ne sediment	284.7 mg/kg dry weight		
	Soil		22.5 mg/kg		
	Sewa	age treatment plant	709 mg/l		
	Spor	adic release	55.8 mg/l		
141-	78-6 E	Ethyl acetate			
	Fres	h water	0.24 mg/l		
	Fres	h water sediment	1.15 mg/kg dry weight		
	Marir	ne water	0.024 mg/l		
	Marir	ne sediment	0.115 mg/kg dry weigh	t	
	Soil		0.148 mg/kg		
		age treatment plant	-		
108-	87-2 N	Methylcyclohexane			
	Fres	h water	0.00134 mg/l		
	Fres	h water sediment	0.0362 mg/kg dry weig	ht	
	Marir	ne water	0.000134 mg/l		
	Marin	ne sediment	0.00362 mg/kg dry wei	ght	
	Soil		0.0097 mg/kg		
	Sewa	age treatment plant	0.273 mg/l		
					(Contd. on pa



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

## Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

67-64-1 Acetone Fresh water	
	10.6 mg/l
Fresh water sediment	30.4 mg/kg dry weight
Marine water	1.06 mg/l
Marine sediment	3.04 mg/kg dry weight
Soil	29.5 mg/kg
Sewage treatment plant	100 mg/l
Sporadic release	21 mg/l
123-26-2 N,N'-ethane-1,2-diy	lbis(12-hydroxyoctadecan-1-amide)
Sewage treatment plant	0.1 mg/l
1314-13-2 Zinc oxide	
Fresh water	0.0144 mg/l
Fresh water sediment	146.9 mg/kg dry weight
Marine water	0.0072 mg/l
Marine sediment	162.2 mg/kg dry weight
Soil	83.1 mg/kg
Sewage treatment plant	0.1 mg/l
Wash hands before breaks an	
<b>Respiratory protection:</b> Use suitable respiratory protect <b>Recommended filter device</b> Filter AX Filter A <b>Hand protection</b>	nd skin. Stive device in case of insufficient ventilation.
Avoid contact with the eyes an <b>Respiratory protection:</b> Use suitable respiratory protect <b>Recommended filter device of</b> Filter AX Filter A <b>Hand protection</b> Solvent resistant gloves Protective gloves The glove material has to b preparation.	nd skin. Stive device in case of insufficient ventilation.

(Contd. on page 8)

EU



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

(Contd. of page 7)

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

Nitrile rubber, NBR

Recommended thickness of the material: > 0,7 mm

- · Penetration time of glove material
- For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

For the mixture of chemicals mentioned below the penetration time has to be at least 120 minutes (Permeation according to EN 374 Part 3: Level 4).

• Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling **Body protection:** Use protective suit. Solvent resistant protective clothing

## **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chen	nical properties	
· Physical state	Fluid	
· Colour:	According to product specification	
· Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
· Boiling point or initial boiling point and		
boiling range	55.8-56.6 °C	
·Flammability	Highly flammable.	
· Lower and upper explosion limit	<b>U</b>	
Lower:	1.8 Vol %	
· Upper:	11.5 Vol %	
· Flash point:	-4 °C	
Auto-ignition temperature:	260 °C	
• Decomposition temperature:	Not determined.	
· pH	Not determined.	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic at 20 °C:	1000 mPas	
· Solubility		
· water:	Not miscible or difficult to mix.	
<ul> <li>Partition coefficient n-octanol/water (log</li> </ul>		
value)	Not determined.	
Vapour pressure at 20 °C:	105 hPa	
Vapour pressure at 50 °C:	360 hPa	
Density and/or relative density		
Density at 20 °C:	0.87 g/cm³	
Relative density	Not determined.	
	(Contd. on page 9	Э)



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

## Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

	(Contd. of page 8
· Vapour density	Not determined.
• 9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.
· Appearance:	
· Form:	Fluid
· Important information on protection of hea	alth
and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	80.4 %
· Water:	0.1 %
· Solids content:	19.5 %
· Change in condition	
· Evaporation rate	Not determined.
<ul> <li>Information with regard to physical haza classes</li> </ul>	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
<sup>.</sup> Oxidising gases	Void
<sup>.</sup> Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
· Corrosive to metals	Void
<ul> <li>Desensitised explosives</li> </ul>	Void

#### **SECTION 10: Stability and reactivity**

• **10.1 Reactivity** No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- $\cdot$  10.5 Incompatible materials: No further relevant information available.

(Contd. on page 10)



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

(Contd. of page 9)

· 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
78-93-3 B	utanone		
Oral	LD50	>2193 mg/kg (rat)	
Dermal	LD50	>8050 mg/kg (rat)	
141-78-6 Ethyl acetate			
Oral	LD50	4934 mg/kg (rabbit)	
Dermal	LD50	>20000 mg/kg (rabbit)	
Inhalative	LC50/4 h	29.3 mg/l (rat)	
108-87-2	Methylcyc		
Oral	LD50	4000-4500 mg/kg (rabbit)	
Dermal	LD50	>2000 mg/kg (rabbit)	
67-64-1 A	cetone		
Oral	LD50	5800 mg/kg (rat)	
Dermal	LD50	>15800 mg/kg (rat)	
Inhalative	LC50/4 h	76 mg/l (rat)	
25085-50-	1 p-tert-b	utylphenol formaldehyde resin	
Oral	LD50	>2000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
8050-09-7	Rosin		
Oral	LD50	2800 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
123-26-2	N,N'-ethan	he-1,2-diylbis(12-hydroxyoctadecan-1-amide)	
Oral	LD50	>2000 mg/kg (rat)	
1314-13-2	Zinc oxid	le	
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
<ul> <li>Serious e Causes se</li> <li>Respirato</li> <li>Germ cell</li> <li>Not applic</li> <li>Based on</li> <li>Carcinoge</li> <li>Reproduce</li> </ul>	osion/irrita in irritation ye damag erious eye ory or skin mutagen able. available c enicity Ba stive toxic	ation n. je/irritation irritation. a sensitisation Based on available data, the classification criteria are icity data, the classification criteria are not met. sed on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met.	not met. on page 11



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

(Contd. of page 10)

List II

List I; II

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

· Sensitisation Not applicable.

· Repeated dose toxicity Not applicable.

· 11.2 Information on other hazards

Endocrine disrupting properties

78-93-3 Butanone

98-54-4 4-tert-butylphenol

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 12)



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

(Contd. of page 11)

14.1 UN number or ID number ADR/ADN, IMDG, IATA	UN1133
14.2 UN proper shipping name ADR/ADN IMDG, IATA	1133 ADHESIVES ADHESIVES
14.3 Transport hazard class(es) ADR/ADN	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/ADN, IMDG, IATA	111
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code): EMS Number:	- F-E,S-D
Stowage Category	A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
ADR/ADN	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 10 ml
Transport category	3
Tunnel restriction code	E



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

(Contd. of page 12)

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

·IMDG	_
<ul> <li>Limited quantities (LQ)</li> </ul>	5L
<ul> <li>Excepted quantities (EQ)</li> </ul>	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Remarks:	For substances with class 3 according to IMDG Code chapter 2.3.2.2 packing group is classified in packing group III, as viscosity is in accordance with requirements (flow time t > 100s).
· UN "Model Regulation":	UN 1133 ADHESIVES, 3, III

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

- 78-93-3 Butanone
- 67-64-1 Acetone

# Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

78-93-3 Butanone

67-64-1 Acetone

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

- H225 Highly flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.

(Contd. on page 14)

3

3

3

3

EU



Printing date 21.03.2025

Version number 40 (replaces version 39)

Revision: 21.03.2025

#### Trade name: BTK SUPERCHIARO GEL TI 750ML\*12 IT

(Contd. of page 13) Causes serious eye irritation. H319 H336 May cause drowsiness or dizziness. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412 EUH066 Repeated exposure may cause skin dryness or cracking. Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Flammable liquids Bridging principles The classification of the mixture is generally Skin corrosion/irritation Serious eye damage/irritation based on the calculation method using Specific target organ toxicity (single exposure) substance data according to Regulation (EC) No Hazardous to the aquatic environment - long-1272/2008. term (chronic) aquatic hazard Department issuing SDS: PSRA · Contact: **PSRA PSRA**  Date of previous version: 24.07.2024 · Version number of previous version: 39 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

FII