

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: +49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

- 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

EU -

(Contd. on page 2)

www.griffon.eu 1/10



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Adhesive

· Dangerous components:		
CAS: 2768-02-7 EINECS: 220-449-8 Index number: 014-049-00-0 Reg.nr.: 01-2119513215-52- XXXX	trimethoxyvinylsilane Trimethoxyvinylsilane Trimethoxyvinylsilane Trimethoxyvinylsilane Trimethoxyvinylsilane Skin Sens. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	2.5-10%
CAS: 13822-56-5 EINECS: 237-511-5 Reg.nr.: 01-2119510159-45- XXXX	3-(trimethoxysilyl)propylamine Eye Dam. 1, H318; Skin Irrit. 2, H315	1-2.5%
CAS: 63843-89-0 EINECS: 264-513-3 Reg.nr.: 01-2119978231-37- XXXX	Bis(1,2,2,6,6-pentamethyl-4-piperidyl)-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl] butylmalonat STOT RE 1, H372; Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302	

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

=11.

(Contd. on page 3)

www.griffon.eu 2/10



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 2)

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

·DNELs					
2768-02-7 trimethoxyvinylsilane					
Oral	Consumer, oral, longterm exposition	0.3 mg/kg bw/day			
Dermal	Worker, dermal, longterm exposition	3.9 mg/kg bw/day (rat)			
	Consumer, dermal, longterm exposition	7.8 mg/kg bw/day (rat)			
Inhalative	Worker, inhalative, longterm exposition	27.6 mg/m³ (rat)			
	Consumer, inhalative, longterm exposition	6.7 mg/m³ (rat)			
		18.9 mg/m³ (rabbit)			
13822-56-	5 3-(trimethoxysilyl)propylamine				
Dermal	Worker, dermal, longterm exposition	1 mg/kg bw/day			
	Consumer, dermal, longterm exposition	0.5 mg/kg bw/day			
		(Contd. on page 4)			

(Contd. on page 4)

- EU

www.griffon.eu 3/10



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

labalativa	امطعنا معامدا	ativa langtama aynasitish	(Contd. of page 17.4, page 1923)	
innalative	·	ative, longterm exposition	7.1 mg/m³	
00040.00	Consumer, inhalative, longterm expo		_	
63843-89-		6,6-pentametnyi-4-pipe enyl]methyl]butylmalonat	ridyl)-[[3,5-bis(1,1-dimethylethyl)	
Oral		al, longterm exposition	0.003 mg/kg bw/day	
Dermal	Worker, derm	al, longterm exposition	0.07 mg/kg bw/day	
	Consumer, de	ermal, longterm exposition	0.033 mg/kg bw/day	
Inhalative	Worker, inhal	ative, longterm exposition	0.05 mg/m³	
	Consumer, in	halative, longterm exposition	0.01 mg/m³	
PNECs				
2768-02-7	trimethoxyvi	nylsilane		
Fresh wat	er	0.4 mg/l		
Fresh wat	er sediment	1.5 mg/kg dry weight		
Marine wa	iter	0.04 mg/l		
Marine se	diment	0.15 mg/kg dry weight		
Soil		0.06 mg/kg		
Sewage tr	eatment plant	6.6 mg/l		
Sporadic r	elease	2.4 mg/l		
13822-56-	5 3-(trimetho	xysilyl)propylamine		
Fresh wat	er	0.5 mg/l		
Fresh wat	er sediment	1.8 mg/kg dry weight		
Marine wa	iter	0.05 mg/l		
Marine se	diment	0.18 mg/kg dry weight		
Soil		0.069 mg/kg		
Sewage treatment plant		=		
63843-89-			ridyl)-[[3,5-bis(1,1-dimethylethyl)	
Fresh wat		enyl]methyl]butylmalonat 0.00004 mg/l		
	er sediment	504.4 mg/kg dry weight		
		50.44 mg/kg dry weight		
Marine sediment Soil		1 mg/kg		
	eatment plant			
Sporadic release		0.61 mg/l		

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 5)

- EU

www.griffon.eu 4/10



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 21.03.2025 Version number 34 (replaces version 33) Printing date 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 4)

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber. NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

· Physical state

· Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined. • Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range Undetermined. · Flammability Not applicable.

Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. · Flash point: Not applicable.

400 °C **Auto-ignition temperature:**

· Decomposition temperature: Not determined. Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · Dvnamic: Not determined.

· Solubility Not miscible or difficult to mix. · water:

· Partition coefficient n-octanol/water (log

value) Not determined. · Vapour pressure: Not determined.

· Density and/or relative density

· Density: Not determined. · Relative density Not determined. Not determined. · Vapour density

· 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

(Contd. on page 6)

5/10 www.griffon.eu



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 5)

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

Void

Void

Void

Void

· Solvent content:

· Organic solvents: 0.0 % · Solids content: 55.1 %

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard

classes
Explosives
Flammable gases
Aerosols
Oxidising gases
Gases under pressure

Gases under pressure
 Flammable liquids
 Flammable solids
 Self-reactive substances and mixtures
 Pyrophoric liquids
 Void
 Void

• Pyrophoric inquids
• Pyrophoric solids
• Self-heating substances and mixtures

Void

Void

Substances and mixtures, which emit

flammable gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.
- Additional information: During curing methanol (CAS 67-56-1) is produced.

(Contd. on page 7)

www.griffon.eu 6/10

EU -



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 6)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
2768-02-7	2768-02-7 trimethoxyvinylsilane		
Oral	LD50	6899 mg/kg (rat)	
Dermal	LD50	3158 mg/kg (rabbit)	
Inhalative	LC50/4 h	16.8 mg/l (rat)	
13822-56-	13822-56-5 3-(trimethoxysilyl)propylamine		
Oral	LD50	3030 mg/kg (rat)	
Dermal	LD50	10000 mg/kg (rabbit)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation

Component CAS No. Method Species Conclusion
3-Aminopropyl 13822-56-5 BCOP OECD 437 cattle, eye no ocular irritation trimethoxysilane

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

- EU -

www.griffon.eu 7/10



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 7)

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA	not regulated
ADN	- not regulated
· 14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	not regulated

(Contd. on page 9)

www.griffon.eu 8/10



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 8)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: PSRA

Contact: PSRA

Date of previous version: 16.05.2023
Version number of previous version: 33

(Contd. on page 10)

- EU

www.griffon.eu 9/10



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 34 (replaces version 33) Revision: 21.03.2025

Trade name: GRF PM FIX&SEAL EXP CC CQ 300G*12 L81

(Contd. of page 9)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

10/10 www.griffon.eu