

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BTK WOOD MAX TP 100G\*12 IT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: +49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

- · 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Adhesive

#### · Dangerous components:

CAS: 2996-92-1 EINECS: 221-066-9

Reg.nr.: 01-2119964479-19

trimethoxyphenylsilane

🕸 STOT RE 2, H373; 🕦 Acute Tox. 4, H302

1-2.5%

(Contd. on page 2)

\_\_\_\_ F

www.bostik.it 1/9



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

		ontd. of page 1)
CAS: 2768-02-7	trimethoxyvinylsilane	≥0.1-<1%
EINECS: 220-449-8	♦ Flam. Lig. 3, H226; ♦ Acute Tox. 4, H332; Skin	
Index number: 014-049-00-0	Sens. 1B, H317	
Reg.nr.: 01-2119513215-52		
CAS: 52829-07-9	bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	<0.25%
EINECS: 258-207-9		
Reg.nr.: 01-2119537297-32	Acute 1, H400; Aquatic Chronic 2, H411	
· Additional information: For	the wording of the listed hazard phrases refer to section 16	5.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EU -

(Contd. on page 3)

www.bostik.it 2/9



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

(Contd. of page 2)

#### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

	DNEL	s
		_

2768-02-7	trimethoxyvinylsilane
Oral	Consumer, oral, longter

Oral Consumer, oral, longterm exposition

Dermal Worker, dermal, longterm exposition

Consumer, dermal, longterm exposition

Inhalative Worker, inhalative, longterm exposition

0.3 mg/kg bw/day (rat)
3.9 mg/kg bw/day (rat)
7.8 mg/kg bw/day (rat)
27.6 mg/m³ (rat)

Consumer, inhalative, longterm exposition 6.7 mg/m³ (rat) 18.9 mg/m³ (rabbit)

·PNECs

#### 2768-02-7 trimethoxyvinylsilane

Fresh water 0.4 mg/l (rat)

Fresh water sediment 1.5 mg/kg dry weight (rat)

Marine water 0.04 mg/l (rat)

Marine sediment 0.15 mg/kg dry weight (rat)

Soil 0.06 mg/kg (rat)
Sewage treatment plant 6.6 mg/l (rat)
Sporadic release 2.4 mg/l (rat)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- $\cdot \ \text{Individual protection measures, such as personal protective equipment} \\$
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 4)

ΕU

www.bostik.it 3/9



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 25.07.2024 Version number 36 (replaces version 35) Printing date 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

(Contd. of page 3)

· Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves** 

Recommended thickness of the material: > 0,12 mm

Nitrile rubber. NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection Goggles recommended during refilling

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state

· Colour: According to product specification

· Odour: Characteristic · Odour threshold: Not determined. Undetermined.

• Melting point/freezing point: Boiling point or initial boiling point and

boiling range 2230 °C

· Flammability Not applicable.

Lower and upper explosion limit

Not determined. · Lower: · Upper: Not determined. Flash point: Not applicable.

· Decomposition temperature: Not determined. Not determined. Hq·

· Viscosity:

Kinematic viscosity Not determined. · Dvnamic: Not determined.

· Solubility

Not miscible or difficult to mix. · water:

· Partition coefficient n-octanol/water (log

Not determined. value) Not determined. · Vapour pressure:

Density and/or relative density

· Density: Not determined. Not determined. · Relative density · Vapour density Not determined.

· 9.2 Other information All relevant physical data were determined for the

> mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

(Contd. on page 5)

www.bostik.it



## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

(Contd. of page 4)

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Organic solvents: 0.0 % · Solids content: 94.6 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard

classes · Explosives Void Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void

Pyrophoric liquids
 Pyrophoric solids
 Self-heating substances and mixtures

Void
Void

· Substances and mixtures, which emit

flammable gases in contact with water
Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives
Void

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.
- Additional information: During curing methanol (CAS 67-56-1) is produced.

(Contd. on page 6)

=11-



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

(Contd. of page 5)

#### **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

<ul> <li>LD/LC50 values relevant for classific</li> </ul>	٠L	D/LC50	values	relevant t	for c	lassification:
---	----	--------	--------	------------	-------	----------------

# Oral LD50 6899 mg/kg (rat) Dermal LD50 3158 mg/kg (rat) Inhalative LC50/4 h 16.8 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 7)

www.bostik.it 6/9

ΕU



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

(Contd. of page 6)

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA	not regulated
· ADN	- not regulated
· 14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the abo specifications.
UN "Model Regulation":	not regulated

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 8)

о) ===

www.bostik.it 7/9



# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

(Contd. of page 7)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- Department issuing SDS: PSRA
- · Contact: PSRA
- Date of previous version: 21.12.2021Version number of previous version: 35
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3

(Contd. on page 9)

· EU

www.bostik.it 8/9



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 36 (replaces version 35) Revision: 25.07.2024

Trade name: BTK WOOD MAX TP 100G\*12 IT

(Contd. of page 8)

Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

www.bostik.it 9/9