

6312797 - BTK PM HIGH TACK EXP TR CQ 300G*12 IT

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025 Version number 15 (replaces version 14)

Revision: 21.03.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Adhesive

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

Bison and Griffon products: +31 88 3235700. Operating hours mo-fr 08:00h-17:00h (CET) UHU products: + 49 (0) 30/19240 (Notruf). Operating hours mo-fr 08:00h-17:00h (CET)

For detailed information contact the national Poison Centre @ https://poisoncentres.echa.europa.eu/appointed-bodies

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements
- H412 Harmful to aquatic life with long lasting effects.
- · Precautionary statements
- P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with national regulations.

• Additional information:

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

- · 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

(Contd. on page 2)



Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Adhesive

· Dangerous components: CAS: 2768-02-7 2.5-10% trimethoxyvinylsilane EINECS: 220-449-8 🚸 Flam. Liq. 3, H226; 🚸 Acute Tox. 4, H332; Index number: 014-049-00-0 Skin Sens. 1B, H317 Reg.nr.: 01-2119513215-52-XXXX CAS: 13822-56-5 3-(trimethoxysilyl)propylamine 1-2.5% EINECS: 237-511-5 Reg.nr.: 01-2119510159-45-XXXX CAS: 63843-89-0 Bis(1,2,2,6,6-pentamethyl-4-piperidyl)-[[3,5-≥0.025-<0.25% bis(1,1-dimethylethyl)-4-hydroxyphenyl]methyl] EINECS: 264-513-3 Reg.nr.: 01-2119978231-37butylmalonat XXXX 🚸 STOT RE 1, H372; 🚯 Aquatic Chronic 1, H410 (M=10); (Acute Tox. 4, H302

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- $^{\circ}$ 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)



Printing date 21.03.2025 V

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

|--|

Oral	Consumer, oral, longterm exposition	0.3 mg/kg bw/day
Dermal	Worker, dermal, longterm exposition	3.9 mg/kg bw/day (rat)
	Consumer, dermal, longterm exposition	7.8 mg/kg bw/day (rat)
Inhalative	Worker, inhalative, longterm exposition	27.6 mg/m³ (rat)
	Consumer, inhalative, longterm exposition	6.7 mg/m³ (rat)
		18.9 mg/m³ (rabbit)
13822-56-	5 3-(trimethoxysilyl)propylamine	
Dermal	Worker, dermal, longterm exposition	1 mg/kg bw/day
	Consumer, dermal, longterm exposition	0.5 mg/kg bw/day
Inhalative	Worker, inhalative, longterm exposition	7.1 mg/m³



Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

	Concumer in	holotivo longtorm ovnosition	1.7 mg/m^3	(Contd. of page
		halative, longterm exposition	v	(h) (a 4 1) 4
	hydroxyphe	enyl]methyl]butylmalonat	idyl)-[[3,5-bis(1,1-dime	(nyietnyi)-4
		al, longterm exposition	0.003 mg/kg bw/day	
		al, longterm exposition	0.07 mg/kg bw/day	
		ermal, longterm exposition	0.033 mg/kg bw/day	
Inhalative Worker, inhala		- ·	0.05 mg/m³	
Consumer, inhalative, longterm exposition		0.01 mg/m ³		
PNECs				
2768-02-7	trimethoxyvi	nylsilane		
Fresh wate	r	0.4 mg/l		
Fresh wate	er sediment	1.5 mg/kg dry weight		
Marine wat	er	0.04 mg/l		
Marine sed	liment	0.15 mg/kg dry weight		
Soil		0.06 mg/kg		
-	eatment plant	-		
Sporadic re		2.4 mg/l		
		xysilyl)propylamine		
Fresh wate		0.5 mg/l		
Fresh wate	er sediment	1.8 mg/kg dry weight		
Marine wat	er	0.05 mg/l		
Marine sed	liment	0.18 mg/kg dry weight		
Soil		0.069 mg/kg		
-	eatment plant	_		
63843-89-0		6,6-pentamethyl-4-piper enyl]methyl]butylmalonat	idyl)-[[3,5-bis(1,1-dime	thylethyl)-4
Fresh wate	r	0.00004 mg/l		
Fresh wate	er sediment	504.4 mg/kg dry weight		
Marine sediment		50.44 mg/kg dry weight		
Soil		1 mg/kg		
Sewage treatment plant		1 mg/l		
Sporadic release		0.61 mg/l		
Additional	information	The lists valid during the ma	king were used as basis.	
Appropria Individual General pr The usual	protection m rotective and precautionary	ng controls No further data; s neasures, such as personal hygienic measures: measures are to be adhered nks and at the end of work.	protective equipment to when handling chemicals.	
	ry protection	: Not necessary if room is wel	I-ventilated.	



Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

(Contd. of page 4)

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves** Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR
- **Penetration time of glove material** For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).
- · Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chen	nical properties
General Information	
[·] Physical state	Fluid
· Colour:	Clear
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
 Boiling point or initial boiling point and 	
boiling range	Undetermined.
· Flammability	Not applicable.
 Lower and upper explosion limit 	
Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
 Decomposition temperature: 	Not determined.
pH	Not determined.
· Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log	
value)	Not determined.
· Vapour pressure:	Not determined.
 Density and/or relative density 	
· Density at 20 °C:	1.05 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	All relevant physical data were determined for the
	mixture. All non-determined data are no
	measurable or not relevant for the characterization of the mixture.
	(Contd. on page



Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

	(Contd. of page
Appearance:	
Form:	Pasty
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Organic solvents:	0.0 %
Solids content:	63.0 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: Possible in traces.

• Additional information: During curing methanol (CAS 67-56-1) is produced.

(Contd. on page 7)

ΕU



Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

(Contd. of page 6)

			s as defined in Reg ata, the classification		
	LD/LC50 values relevant for classification:				
2768-02-7	rtrimethox	cyvinylsilane			
Oral	LD50	6899 mg/kg (ra	t)		
Dermal	LD50	3158 mg/kg (ra	bbit)		
Inhalative	LC50/4 h	16.8 mg/l (rat)			
13822-56	-5 3-(trime	thoxysilyl)prop	ylamine		
Oral	LD50	3030 mg/kg (ra	t)		
Dermal	LD50	10000 mg/kg (r	abbit)		
Serious e Compone 3-Aminop trimethoxy Respirato Germ cel Not applic Based on Carcinog	thoxysilane eye damag nt ropyl ysilane ory or skin I mutagen available c enicity Bas ctive toxic	e/irritation CAS No. 13822-56-5 sensitisation E icity lata, the classific sed on available ity Based on avai	cation criteria are not data, the classificati ailable data, the class	met. on criteria are no	
STOT-sin STOT-rep Aspiratio Additiona Acute eff Sensitisa Repeated 11.2 Infor	peated exp n hazard E al toxicolo ects (acute tion Not ap I dose toxi mation on	osure Based or Based on availab gical information toxicity, irrita pplicable. city Not applica other hazards	tion and corrosivity	ssification criteria classification crite ation criteria are	are not met. eria are not met. not met.
STOT-sin STOT-rep Aspiratio Additiona Acute eff Sensitisa Repeated 11.2 Infor	beated exp n hazard E al toxicolo ects (acuto tion Not ap I dose toxi mation on e disruptin	osure Based or Based on availab gical information toxicity, irrita oplicable. city Not applica other hazards ng properties	n available data, the oble data, the oble data, the classification: tion and corrosivity	ssification criteria classification crite ation criteria are	are not met. eria are not met. not met.
STOT-sin STOT-rep Aspiratio Additiona Acute eff Sensitisa Repeated 11.2 Infor Endocrin	beated exp n hazard E al toxicolo ects (acuto tion Not ap I dose toxi mation on e disruptin	osure Based or Based on availab gical information toxicity, irrita pplicable. city Not applica other hazards	n available data, the oble data, the oble data, the classification: tion and corrosivity	ssification criteria classification crite ation criteria are	are not met. eria are not met. not met.



6312797 - BTK PM HIGH TACK EXP TR CQ 300G*12 IT

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

· 12.6 Endocrine disrupting properties

(Contd. of page 7)

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Harmful to fish

· Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number	
· ADR/ADN, IMDG, IATA	not regulated
ADN	- not regulated
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the abo specifications.
· UN "Model Regulation":	not regulated

(Contd. on page 9)



Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

(Contd. of page 8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

- H318 Causes serious eye damage.
- H332 Harmful if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using
substance data according to Regulation (EC) No 1272/2008.

• Department issuing SDS: PSRA

Contact: PSRA

• Date of previous version: 25.07.2024

· Version number of previous version: 14

(Contd. on page 10)

FU



6312797 - BTK PM HIGH TACK EXP TR CQ 300G*12 IT

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.03.2025

Version number 15 (replaces version 14)

Revision: 21.03.2025

Trade name: BTK PM HIGH TACK EXP TR CQ 300G*12 IT

(Contd. of page 9) Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3