

Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

- · Trade name: GRF UNI-100 BO 250ML*24 ENDE
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Adhesive

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: Bison QESH

· 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS02 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

(Contd. of page 1) · Hazard pictograms GHS02 GHS05 GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: tetrahydrofuran cyclohexanone Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H318 Causes serious eye damage. H351 Suspected of causing cancer. H335 May cause respiratory irritation. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand, P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing vapours. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with national regulations. · Labelling of packages where the contents do not exceed 125 ml Hazard pictograms GHS02 GHS05 GHS07 GHS08 Signal word Danger · Hazard-determining components of labelling: tetrahydrofuran cyclohexanone Hazard statements H318 Causes serious eye damage. H351 Suspected of causing cancer. H335 May cause respiratory irritation. **Precautionary statements** If medical advice is needed, have product container or label at hand. P101 P102 Keep out of reach of children.

- P261 Avoid breathing vapours.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 3)



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

(Contd. of page 2)

List II

≥50-<80%

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 Dispose of contents/container in accordance with national regulations.

- P501
- · 2.3 Other hazards
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Determination of endocrine-disrupting properties

78-93-3 butanone

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Adhesive

Dangerous components: CAS: 109-99-9 tetrahydrofuran ♦ Flam. Liq. 2, H225; ♦ Carc. 2, H351; ♦ Eye Irrit. 2, H319; STOT SE 3, H335, EUH019 EINECS: 203-726-8 Index number: 603-025-00-0 Reg.nr.: 01-2119444314-46 Specific concentration limits: Eye Irrit. 2; H319: C ≥25 % STOT SE 3. H335. C > 25 %

		STOT SE 3, H335: $C \ge 25 \%$ Self-react. A; H240: $C \ge 80 \%$	
Index n	08-94-1 S: 203-631-1 umber: 606-010-00-7 : 01-2119453616-35	cyclohexanone ♦ Flam. Liq. 3, H226; ♦ Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315	10-25%
Index n	S: 201-159-0	butanone ∲ Flam. Liq. 2, H225; ∲ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	≥2.5-<10%
EINEC	28-37-0 S: 204-881-4 : 01-2119565113-46 01-2119555270-46	Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≥0.025-<0.25%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation:
- Call a doctor immediately.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 4)



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

(Contd. of page 3)

Trade name: GRF UNI-100 BO 250ML*24 ENDE

• After swallowing: Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents:

Water haze

Alcohol resistant foam Fire-extinguishing powder Carbon dioxide

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

\cdot Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 5)



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

(Contd. of page 4)

• 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

- · Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Storage class: 3

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Ingredien	ts w	ith limit values that require monitoring	ng at the workplace:	
		hydrofuran		
OEL (Ireland)		Short-term value: 300 mg/m³, 100 ppm Long-term value: 150 mg/m³, 50 ppm Sk, IOELV		
		Short-term value: 300 mg/m³, 100 ppm Long-term value: 150 mg/m³, 50 ppm Skin		
108-94-1 (cycl	ohexanone		
OEL (Ireland)		Short-term value: 81.6 mg/m³, 20 ppm Long-term value: 40.8 mg/m³, 10 ppm Sk, IOELV		
IOELV (EU)		Short-term value: 81.6 mg/m³, 20 ppm Long-term value: 40.8 mg/m³, 10 ppm Skin		
78-93-3 bi	utan	one		
OEL (Ireland)		Short-term value: 900 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, IOELV		
IOELV (EU)		Short-term value: 900 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm		
DNELs				
78-93-3 bi	utan	one		
Oral	Cor	nsumer, oral, longterm exposition	31 mg/kg bw/day	
Dermal		onsumer, dermal, longterm exposition 412 mg/kg bw/day		
Inhalative	Cor	onsumer, inhalation, longterm exposition 106 mg/m³		
PNECs				
78-93-3 bi	utan	one		
Fresh wate	er	55.8 mg/l		
Marine water		55.8 mg/l		
Soil 22.5 mg/kg				



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

(Contd. of page 5) • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data; see item 7. · Individual protection measures, such as personal protective equipment General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the skin. Avoid contact with the eyes and skin. **Respiratory protection:** Suitable respiratory protective device recommended. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Use suitable respiratory protective device in case of insufficient ventilation. Recommended filter device for short term use: Filter A Hand protection Solvent resistant gloves Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves Recommended thickness of the material: > 0,12 mm Butyl rubber, BR Nitrile rubber. NBR Recommended thickness of the material: > 0,7 mm Penetration time of glove material For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1). For the mixture of chemicals mentioned below the penetration time has to be at least 120 minutes (Permeation according to EN 374 Part 3: Level 4). Eye/face protection Tightly sealed goggles Goggles recommended during refilling Body protection: Use protective suit. (Contd. on page 7)



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

(Contd. of page 6)

Trade name: GRF UNI-100 BO 250ML*24 ENDE

Solvent resistant protective clothing

SECTION 9: Physical and chemical properties • 9.1 Information on basic physical and chemical properties · General Information · Physical state Fluid · Colour: According to product specification Characteristic · Odour: · Odour threshold: Not determined. · Melting point/freezing point: Undetermined. · Boiling point or initial boiling point and boiling range 65.5 °C · Flammability Highly flammable. · Lower and upper explosion limit 1.3 Vol % · Lower: · Upper: 12 Vol % -21 °C · Flash point: 230 °C · Ignition temperature: · Decomposition temperature: Not determined. · pH Not determined. · Viscosity: · Kinematic viscosity Not determined. · Dynamic at 20 °C: 1450 mPas · Solubility Not miscible or difficult to mix. · water: · Partition coefficient n-octanol/water (log Not determined. value) · Vapour pressure at 20 °C: 200 hPa · Density and/or relative density Density at 20 °C: 1.023 g/cm3 Not determined. · Relative density · Vapour density Not determined. · 9.2 Other information All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture. · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. • Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Solvent content: 78.8 % · Organic solvents: · Water: 0.0 % 21.0 % · Solids content: (Contd. on page 8) IE-EN



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

	(Contd. of page
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Corrosive action on metals.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
109-99-9 t	etrahydro	furan	
Oral	LD50	2500 mg/kg (rat)	
108-94-1 0	cyclohexa	none	
Oral	LD50	1535 mg/kg (rat)	
Dermal	LD50	948 mg/kg (rabbit)	
Inhalative	LC50/4 h	8000 mg/l (rat)	
		(Contd. on page 9)	



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

		(Contd. of page 8
78-93-3 b		
Oral	LD50	3300 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)
128-37-0	Butylated	d hydroxytoluene
Oral	LD50	890 mg/kg (rat)
· Skin corr	rosion/irr	itation
Causes s	kin irritatio	on.
· Serious e	eye dama	ge/irritation
Causes s	erious eye	e damage.
		in sensitisation Based on available data, the classification criteria are not met.
· Germ cel	I mutage	nicity
Not applicable.		
i tot uppit	Japle.	
		data, the classification criteria are not met.
Based on • Carcinog	available J enicity S	uspected of causing cancer.
Based on Carcinog	available jenicity S ctive toxi	uspected of causing cancer. city Based on available data, the classification criteria are not met.
Based on Carcinog	available jenicity S ctive toxi	uspected of causing cancer.
Based on Carcinog Reproduct STOT-sir STOT-rep	available jenicity S ctive toxi ngle expo peated ex	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation. posure Based on available data, the classification criteria are not met.
Based on Carcinog Reproduct STOT-sir STOT-rep	available jenicity S ctive toxi ngle expo peated ex	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation.
Based on Carcinog Reprodu STOT-sir STOT-rep Aspiratio	available jenicity S ctive toxi ngle expo peated ex on hazard al toxicol	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation. cposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. ogical information:
Based on Carcinog Reprodu STOT-sir STOT-rep Aspiratio	available jenicity S ctive toxi ngle expo peated ex on hazard al toxicol	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation. sposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Based on Carcinog Reprodu STOT-sir STOT-rep Aspiratio Additiona Acute eff	available penicity S ctive toxi ngle expo peated ex on hazard al toxicol fects (acu	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation. cposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. ogical information:
Based on Carcinog Reprodu STOT-sir STOT-rep Aspiratio Additiona Acute eff Sensitisa	available penicity S ctive toxi ngle expo peated ex on hazard al toxicol fects (acu ation Not	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. ogical information: ite toxicity, irritation and corrosivity) Not applicable.
Based on Carcinog Reproduct STOT-sin STOT-rep Aspiratio Additiona Acute eff Sensitisa Repeated	available jenicity S ctive toxi ngle expo peated ex on hazard al toxicol fects (acu ation Not d dose to	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation. cposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. ogical information: ite toxicity, irritation and corrosivity) Not applicable. applicable.
Based on Carcinog Reproduct STOT-sir STOT-rep Aspiratio Additiona Acute eff Sensitisa Repeated 11.2 Infor	available penicity S ctive toxi ngle expo peated ex on hazard al toxicol fects (acu ation Not d dose to rmation c	uspected of causing cancer. city Based on available data, the classification criteria are not met. sure May cause respiratory irritation. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. ogical information: ite toxicity, irritation and corrosivity) Not applicable. applicable. xicity Not applicable.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 10)

- IE-EN



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

(Contd. of page 9)

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number	
ADR/ADN, IMDG, IATA	UN1133
14.2 UN proper shipping name	
ADR/ADN IMDG, IATA	1133 ADHESIVES ADHESIVES
•	ADILEGIVEG
14.3 Transport hazard class(es)	
ADR/ADN	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR/ADN, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	
EMS Number: Stowage Category	F-E,S-D A
	/\
14.7 Maritime transport in bulk according to	



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

	(Contd. of page 10
 Transport/Additional information: Quantity limitations 	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
 ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 3 E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1
· Remarks:	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Under certain conditions substances in Class 3 (flammable liquids) can be classified ir packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
· UN "Model Regulation":	UN 1133 ADHESIVES, 3, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors
- 78-93-3 butanone
 - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors 3
- 78-93-3 butanone

(Contd. on page 12) IE-EN

3



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

(Contd. of page 11) • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H225 Highly flammable liquid and vapour. Flammable liquid and vapour. H226 Harmful if swallowed. H302 H312 Harmful in contact with skin. H315 Causes skin irritation. Causes serious eye damage. H318 Causes serious eye irritation. H319 Harmful if inhaled. H332 H335 May cause respiratory irritation. May cause drowsiness or dizziness. H336 Suspected of causing cancer. H351 H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. EUH019 May form explosive peroxides. EUH066 Repeated exposure may cause skin dryness or cracking. Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Flammable liquids Bridging principles The classification of the mixture is generally based Skin corrosion/irritation Serious eye damage/irritation on the calculation method using substance data Carcinogenicity according to Regulation (EC) No 1272/2008. Specific target organ toxicity (single exposure)

- · Department issuing SDS: Bison QESH
- · Contact: Reach coordinator
- Date of previous version: 24.01.2022
- Version number of previous version: 5
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids Category 2
- Flam. Liq. 3: Flammable liquids Category 3
- Acute Tox. 4: Acute toxicity Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 13)



Printing date 15.02.2023

Version number 6 (replaces version 5)

Revision: 15.02.2023

Trade name: GRF UNI-100 BO 250ML*24 ENDE

(Contd. of page 12)

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.