

Printing date 05.12.2024 Version number 149 (replaces version 148) Revision: 05.12.2024

1.1 Produc	t identifier
CAS Numl 78-93-3 EC numbe 201-159-0 Index num 606-002-00 Registratio 1.2 Releva No further	r: ber:
1.3 Details Manufactu Bison Inter Dr.A.F.Phil NL-4462 E PO Box 16 NL-4460 A tel. +31 88 fax. +31 88	of the supplier of the safety data sheet rer/Supplier: national psstraat 9 W Goes 0 O Goes 3235700
1.4 Emerg National Po	ormation obtainable from: PSRA ency telephone number: isons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week Professionals: +353 (1) 809 2566 (24 hour service)
1.4 Emerg National Po Healthcare	e ncy telephone number: isons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week
1.4 Emerg National Po Healthcare SECTION 2.1 Classif Classificat	ency telephone number: isons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week Professionals: +353 (1) 809 2566 (24 hour service)
1.4 Emerg National Po Healthcare SECTION 2.1 Classif Classificat	ency telephone number: isons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week Professionals: +353 (1) 809 2566 (24 hour service) I 2: Hazards identification ication of the substance or mixture ion according to Regulation (EC) No 1272/2008
1.4 Emerg National Po Healthcare SECTION 2.1 Classificat Classificat Flam. Liq. 2	ency telephone number: isons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week Professionals: +353 (1) 809 2566 (24 hour service) I 2: Hazards identification ication of the substance or mixture ion according to Regulation (EC) No 1272/2008 HS02 flame
1.4 Emerg National Po Healthcare SECTION 2.1 Classificat Classificat Flam. Liq. 2 Eye Irrit. 2	ency telephone number: isons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week Professionals: +353 (1) 809 2566 (24 hour service) I 2: Hazards identification ication of the substance or mixture ion according to Regulation (EC) No 1272/2008 HS02 flame PH225 Highly flammable liquid and vapour.



Printing date 05.12.2024 Version number 149 (replaces version 148) Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 250ML*12 L1

· Hazard pictograms



- · Signal word Danger
- Hazard-determining components of labelling: Butanone
- · Hazard statements
- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.
- P280 Wear eye protection / face protection.
- P501 Dispose of contents/container in accordance with national regulations.
- · Additional information:
- EUH066 Repeated exposure may cause skin dryness or cracking.
- · Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Butanone
- · Hazard statements
- H336 May cause drowsiness or dizziness.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.
- P280 Wear eye protection / face protection.
- P501 Dispose of contents/container in accordance with national regulations.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 3)

(Contd. of page 1)



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 250ML*12 L1

· Determination of endocrine-disrupting properties

(Contd. of page 2)

List II

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
- 78-93-3 Butanone
- · Identification number(s)
- · EC number: 201-159-0
- · Index number: 606-002-00-3

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation:
- Supply fresh air; consult doctor in case of complaints. No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- A 2 Indication of any immediate medical at
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION	5:	Firefighting	measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Water haze
- Alcohol resistant foam

Fire-extinguishing powder

- Carbon dioxide
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information
- Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 250ML*12 L1

(Contd. of page 3)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
 Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).
 Ensure good ventilation/exhaustion at the workplace.

 Prevent formation of aerosols.
 Information about fire - and explosion protection:

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

8.1 Control			
Ingredients	with limit values that require monito	ring at the workplace:	
78-93-3 Buta	none		
OEL (Ireland	Short-term value: 900 mg/m³, 300 pp Long-term value: 600 mg/m³, 200 pp Skin, IOELV		
IOELV (EU)	Short-term value: 900 mg/m³, 300 pp Long-term value: 600 mg/m³, 200 pp		
DNELs			
78-93-3 Buta	none		
Oral Co	onsumer, oral, longterm exposition	31 mg/kg bw/day	
	- ,		(Contd. on pag



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 250ML*12 L1

Dama					(Contd. of page 4)
Derm	iai	Worker, dermal, lor	•	1161 mg/kg bw/day	
Inhalative			longterm exposition	412 mg/kg bw/day 900 mg/m³	
		Worker, inhalative, shortterm exposition		600 mg/m ³	
		Worker, inhalative, longterm exposition		450 mg/m ³	
		Consumer DNEL, acute inhalation Consumer, inhalative, longterm exposition		, , , , , , , , , , , , , , , , , , ,	
DNE	0			100 mg/m	
· PNE		utanone			
78-93-3 Butanone Oral Secondary Poisoning			1000 mg/kg		
Orai		h water	55.8 mg/l		
		h water sediment	284.7 mg/kg dry weigh	t	
		ne water	55.8 mg/l	L	
		ne sediment	284.7 mg/kg dry weigh	t	
	Soil	le sediment	22.5 mg/kg	t .	
		age treatment plant			
		adic release	55.8 mg/l		
٨ddi	•		u u u	king were used as basis.	
Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid contact with the eyes and skin. • Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation. • Recommended filter device for short term use: Filter A • Hand protection Solvent resistant gloves					
Protective gloves					
The glove material has to be in preparation. Selection of the glove material of degradation • Material of gloves Recommended thickness of the m Butyl rubber, BR		n. of the glove materia on f gloves nded thickness of th	I on consideration of th		
		ber, NBR			
Reco	mme	nded thickness of th	ne material: > 0,7 mm		(Contd. on page 6)
					(Solita. on page 0)

IF



Printing date 05.12.2024 Version number 149 (replaces version 148) Re

Revision: 05.12.2024


(Contd. of page 5)

Trade name: GRF CLEANER PVC TI 250ML*12 L1

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

For the mixture of chemicals mentioned below the penetration time has to be at least 120 minutes (Permeation according to EN 374 Part 3: Level 4).





Tightly sealed goggles

Goggles recommended during refilling

Body protection: Solvent resistant protective clothing

· 9.1 Information on basic physical and chem	ical properties
· General Information	
· Physical state	Fluid
· Colour:	Colourless
· Odour:	Like ketone
· Odour threshold:	Not determined.
· Melting point/freezing point:	-86.3 °C
Boiling point or initial boiling point and	00.0 0
boiling range	79-80.5 °C (78-93-3 Butanone)
	Highly flammable.
· Lower and upper explosion limit	
· Lower:	1.8 \/ol % (78.03.3 Butanone)
	1.8 Vol % (78-93-3 Butanone)
· Upper:	11.5 Vol % (78-93-3 Butanone) -9 °C
· Flash point:	
Auto-ignition temperature:	514 °C (78-93-3 Butanone)
• Decomposition temperature:	Not determined.
рН	Not determined.
· Viscosity:	
Kinematic viscosity	Not determined.
· Dynamic at 20 °C:	0.4 mPas
· Solubility	
water at 20 °C:	290 g/l
· Partition coefficient n-octanol/water (log	-
value)	Not determined.
· Vapour pressure at 20 °C:	105 hPa (78-93-3 Butanone)
 Density and/or relative density 	
Density at 20 °C:	0.804-0.807 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· ·	
· 9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are not measurable or not relevant for the characterization of the mixture.
	(Contd. on page 7



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 250ML*12 L1

	(Contd. of page
· Appearance:	
· Form:	Fluid
 Important information on protection of heat 	alth
and environment, and on safety.	
· Ignition temperature:	Not determined.
· Explosive properties:	Product is not explosive. However, formation o
	explosive air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	100.0 %
· VOC (EC)	100.00 %
Solids content:	0.0 %
· Molecular weight	72.11 g/mol
· Change in condition	
· Evaporation rate	Not determined.
· Explosives · Flammable gases	Void Void
Aerosols	Void
[.] Oxidising gases	Void
· Gases under pressure	Void
[·] Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
 Pyrophoric solids 	Void
 Self-heating substances and mixtures 	Void
 Substances and mixtures, which emit 	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

• **10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

(Contd. on page 8)

IF



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 250ML*12 L1

(Contd. of page 7)

	Formation on hazard classes as defined in Regulation (EC) No 1272/2008 oxicity Based on available data, the classification criteria are not met.
LD/LC5	0 values relevant for classification:
78-93-3	Butanone
Oral	LD50 >2193 mg/kg (rat)
Dermal	LD50 >8050 mg/kg (rat)
	y irritant effect:
	prrosion/irritation Based on available data, the classification criteria are not met.
	s eye damage/irritation
	serious eye irritation. atory or skin sensitisation Based on available data, the classification criteria are not m
	ell mutagenicity
Not app	
	on available data, the classification criteria are not met.
· Carcino	ogenicity Based on available data, the classification criteria are not met.
	luctive toxicity Based on available data, the classification criteria are not met.
	single exposure May cause drowsiness or dizziness.
	epeated exposure Based on available data, the classification criteria are not met.
	ion hazard Based on available data, the classification criteria are not met.
	nal toxicological information: affects (acute toxicity, irritation and corrosivity) Not applicable.
	sation Not applicable.
	ed dose toxicity Not applicable.
	formation on other hazards
Endocr	ine disrupting properties
	Li

• Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 9)



Printing date 05.12.2024 Version number 149 (replaces version 148) Revision

Revision: 05.12.2024

(Contd. of page 8)

Trade name: GRF CLEANER PVC TI 250ML*12 L1

12.7 Other adverse effects

· Additional ecological information:

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14.1 UN number or ID number ADR/ADN, IMDG, IATA	UN1193
14.2 UN proper shipping name ADR/ADN	1193 ETHYL METHYL KETONE (METHY
IMDG, IATA	ETHYL KETONE) ETHYL METHYL KETONE (METHYL ETHY KETONE)
14.3 Transport hazard class(es)	
ADR/ADN	
Class Label	3 (F1) Flammable liquids. 3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR/ADN, IMDG, IATA	II
	(Contd. on page 1



Printing date 05.12.2024 Version number 149 (replaces version 148)

Revision: 05.12.2024

Trade name: GRF CLEANER PVC TI 250ML*12 L1

	(Contd. of page 9
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. : 33 F-E,S-D B
 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
 Transport/Additional information: Quantity limitations 	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR/ADN Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500
 Transport category Tunnel restriction code 	ml 2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 50 ml
UN "Model Regulation":	UN 1193 ETHYL METHYL KETONE (METHY ETHYL KETONE), 3, II

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t

- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

Substance is not listed.

(Contd. on page 11)



Printing date 05.12.2024 Version number 149 (replaces version 148) Revision: 05.12.2024

(Contd. of page 10)

3

3

Trade name: GRF CLEANER PVC TI 250ML*12 L1

· REGULATION (EU) 2019/1148

· Regulation (EC) No 273/2004 on drug precursors

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. · Department issuing SDS: PSRA
- Contact: PSRA
- Date of previous version: 23.01.2022
- · Version number of previous version: 148

Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3