

Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

• Trade name: GRF RAPID CEMENT JR 1KG*12 L222

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Sealant

1.3 Details of the supplier of the safety data sheet
Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: Bison QESH

· 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

(Contd. on page 2)



Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

Cement, portla	nining components of labelling:
· Hazard statem	
H315 Causes s	
H318 Causes s	serious eye damage.
	se an allergic skin reaction.
	se respiratory irritation.
Precautionary	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261	Avoid breathing vapours.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contac lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with national regulations.
· 2.3 Other haza	irds
· Results of PB	T and vPvB assessment

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Sealant

· Dangerous components:		
	Cement, portland, chemicals	25-50%
EINECS: 266-043-4	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315; Skin Sens. 1B, H317; STOT SE 3, H335	
CAS: 14808-60-7	Quartz (SiO2)	2.5-10%
EINECS: 238-878-4	Specific concentration limits: STOT RE 1; H372: C ≥ 99 %	
Reg.nr.: Exempt	STOT RE 2; H373: 99 % ≤ C < 99 %	
	substance with a Community workplace exposure limit	

Additional information:

The hazard of CAS No. 14808-60-7 is only applicable for respirable dust. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

· After inhalation:

- Call a doctor immediately.
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)



Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

(Contd. of page 2)

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

• After swallowing: Rinse out mouth and then drink plenty of water.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 13
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

IE-EN



Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

(Contd. of page 3)

8.1 Control pa		
Ingredients with limit values that require monitoring at the workplace:		
	ement, portland, chemicals	
OEL (Ireland)	Long-term value: 1 mg/m³ respirable fraction	
14808-60-7 Q	uartz (SiO2)	
OEL (Ireland)	Long-term value: 0.1 mg/m³	
BOELV (EU)	Long-term value: 0.1* mg/m³ *respirable fraction	
Additional inf	ormation: The lists valid during the making were used as basis.	
Individual prot General prote The usual pred Keep away fro Immediately re Wash hands b Do not inhale Avoid contact Avoid contact	with the eyes and skin. rotection: Suitable respiratory protective device recommended.	
	ective gloves	
preparation.	aterial has to be impermeable and resistant to the product/ the substance/ th	
	e glove material on consideration of the penetration times, rates of diffusion and th	
Recommende Nitrile rubber,	d thickness of the material: > 0,12 mm NBR	
For the mixtur	me of glove material te of chemicals mentioned below the penetration time has to be at least 10 minute ccording to EN 374 Part 3: Level 1). ection	
Tigh	tly sealed goggles	



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

(Contd. of page 4)

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties			
· 9.1 Information on basic physical and chemical properties			
· General Information			
· Physical state	Solid		
· Colour:	According to product specification		
· Odour:	Characteristic		
· Odour threshold:	Not determined.		
 Melting point/freezing point: 	Undetermined.		
 Boiling point or initial boiling point and 			
boiling range	2230 °C		
· Flammability	Not determined.		
Lower and upper explosion limit			
· Lower:	Not determined.		
· Upper:	Not determined.		
Flash point:	Not applicable.		
• Decomposition temperature:	Not determined.		
· pH	Not applicable.		
Viscosity:			
Kinematic viscosity	Not applicable.		
Dynamic:	Not applicable.		
Solubility			
· water:	Insoluble.		
Partition coefficient n-octanol/water (log			
value)	Not determined.		
· Vapour pressure at 1732 °C:	13.5 hPa		
· Density and/or relative density	10.0 11 4		
· Density at 20 °C:	2.47 g/cm ³		
· Relative density	Not determined.		
· Vapour density	Not applicable.		
· Particle characteristics	See item 3.		
	-		
• 9.2 Other information	All relevant physical data were determined for the		
	mixture. All non-determined data are not		
	measurable or not relevant for the		
	characterization of the mixture.		
· Appearance:			
· Form:	Solid		
 Important information on protection of health 	th		
and environment, and on safety.			
 Auto-ignition temperature: 	Product is not selfigniting.		
 Explosive properties: 	Product does not present an explosion hazard.		
· Solvent content:			
· Solids content:	100.0 %		
Change in condition			
· Evaporation rate	Not applicable.		
-	(Contd. on page 6)		

IE-EN



Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

		(Contd. of page
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Corrosive action on metals.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity
- Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.

(Contd. on page 7)

IE-EN



Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

(Contd. of page 6)

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

 \cdot Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

· Sensitisation Not applicable.

· Repeated dose toxicity Not applicable.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR/ADN, IMDG, IATA

not regulated

(Contd. on page 8)



Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

	(Contd. of page 7)
ADN	not regulated
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated
 14.3 Transport hazard class(es) 	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
 14.4 Packing group ADR/ADN, IMDG, IATA 	not regulated
 14.5 Environmental hazards: Marine pollutant: 	No
 14.6 Special precautions for user 	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	g to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· IMDG · Remarks:	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors
- None of the ingredients is listed.
 - Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

IE-EN



Printing date 12.02.2023

Version number 59 (replaces version 58)

Revision: 12.02.2023

Trade name: GRF RAPID CEMENT JR 1KG*12 L222

(Contd. of page 8)

	wledge. However, this shall not constitute a guarantee ot establish a legally valid contractual relationship.
 Relevant phrases H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. Classification according to Regulation (EC The classification of the mixture is generally according to Regulation (EC) No 1272/2008. 	based on the calculation method using substance data
Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Specific target organ toxicity (single exposure	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. e)
 Department issuing SDS: Bison QESH Contact: Reach coordinator Date of previous version: 24.01.2022 Version number of previous version: 58 Abbreviations and acronyms: ADR: Accord relatif au transport international des marce the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Good IMTA: International Air Transport Association GHS: Globally Harmonised System of Classification and EINECS: European Inventory of Existing Commercial CI ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the Americ PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Categor Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 18 STOT SE 3: Specific target organ toxicity (single exposution and the previous version and the previous ver	ýs I Labelling of Chemicals hemical Substances s can Chemical Society) ory 1 ure) – Category 3