

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 10 (replaces version 9) Printing date 30.01.2024 Revision: 30.01.2024

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: BIS GLASS BD 2ML\*12 L136
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

UHU GmbH & Co.KG

Herrmannstraße 7

D-77815 Bühl (Baden)

E-mail: sds@boltonadhesives.com

Tel.:0049-(0)7223-284-0 Fax: 0049-(0)7223-284-245

- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact

National Poisons Information Centre, Beaumont Hospital, Dublin 9. Tel 01 8092566

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms** 



GHS07

- · Signal word Warning
- · Hazard-determining components of labelling:

2-hydroxyethyl methacrylate

2-hydroxypropyl methacrylate

4-(1,1-dimethylethyl)cyclohexyl methacrylate

**Hazard statements** 

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

1/10 www.bison.net



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

· Precautionary statements

(Contd. of page 1)

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.
P261 Avoid breathing vapours.
P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

• 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description: Adhesive

· Dangerous components:	Dangerous components:		
CAS: 868-77-9 EINECS: 212-782-2 Index number: 607-124-00-X Reg.nr.: 01-2119490169-29	2-hydroxyethyl methacrylate  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%	
CAS: 27813-02-1 EINECS: 248-666-3 Index number: 607-125-00-5 Reg.nr.: 01-2119490226-37	2-hydroxypropyl methacrylate ♦ Eye Irrit. 2, H319; Skin Sens. 1, H317	10-25%	
CAS: 46729-07-1	4-(1,1-dimethylethyl)cyclohexyl methacrylate  ♦ Skin Sens. 1, H317	2.5-10%	
Polymer	110/270 Aliphatic urethane acrylate resin  ♦ Eye Irrit. 2, H319	≥2.5-<10%	
CAS: 2530-83-8 EINECS: 219-784-2 Reg.nr.: 01-2119513212-58	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane ♦ Eye Dam. 1, H318; Aquatic Chronic 3, H412	≥1-<2.5%	
CAS: 84170-74-1 EC number: 617-546-6 Reg.nr.: 01-2119970213-43	Poly[oxy(methyl-1,2-ethanediyl)], α,α'-(2,2-dimethyl-1,3-propanediyl)bis[ω-[(1-oxo-2-propen-1-yl)oxy]- Acute Tox. 3, H331; Aquatic Chronic 2, H411; Skin Sens. 1A, H317	≥0.25-<1%	
CAS: 162881-26-7 ELINCS: 423-340-5 Index number: 015-189-00-5 Reg.nr.: 01-2119489401-38	phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide  Skin Sens. 1A, H317; Aquatic Chronic 4, H413	≥0.1-<1% ontd. on page 3	

www.bison.net 2/10

ΙE



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

	(C	ontd. of page 2)
CAS: 1187441-10-6 EC number: 810-703-1	2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester, reaction products with phosphorus oxide	≥0.1-<1%
Reg.nr.: 01-2120140608-57	📀 Eye Dam. 1, H318; 🕠 Skin Sens. 1B, H317	
CAS: 79-10-7 EINECS: 201-177-9 Index number: 607-061-00-8 Reg.nr.: 01-2119452449-31	acrylic acid  Flam. Liq. 3, H226; Skin Corr. 1A, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: C ≥ 1 %	<0.25%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

- IE

www.bison.net 3/10



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

See Section 13 for disposal information.

(Contd. of page 3)

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

## 79-10-7 acrylic acid

IOELV (EU)

OEL (Ireland) Short-term value: 59\* mg/m³, 20\* ppm

Long-term value: 29 mg/m³, 10 ppm IOELV, \*1-minute reference period Short-term value: 59\* mg/m³, 20\* ppm

Long-term value: 29 mg/m³, 10 ppm

\*reference period of 1 minute

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves

(Contd. on page 5)

- IE

www.bison.net 4/10



# Safety data sheet according to 1907/2006/EC, Article 31

Version number 10 (replaces version 9) Revision: 30.01.2024 Printing date 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0.12 mm

Nitrile rubber, NBR

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Colourless · Odour: Characteristic · Odour threshold: Not determined. • Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

205 °C boiling range

· Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. Not determined. · Upper:

95 °C · Flash point:

 Decomposition temperature: Not determined. Not determined.

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic at 20 °C: 6500 mPas

Solubility Not miscible or difficult to mix. · water:

Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 68 °C: 1.3 hPa

Density and/or relative density

Density at 20 °C: 1.1 g/cm<sup>3</sup> Relative density Not determined.

(Contd. on page 6)

5/10 www.bison.net



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

	(Contd. of page
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th mixture. All non-determined data are no measurable or not relevant for th characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
Solids content:	50.1 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.

(Contd. on page 7)

ÍΕ

www.bison.net 6/10



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

(Contd. of page 6)

· Additional information: During curing methanol (CAS 67-56-1) is produced.

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

# LD/LC50 values relevant for classification: 868-77-9 2-hydroxyethyl methacrylate Oral LD50 5050 mg/kg (rat) 79-10-7 acrylic acid Oral LD50 250 mg/kg (rat) Dermal LD50 280 mg/kg (rabbit)

#### Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards

#### · Endocrine disrupting properties

None of the ingredients is listed.

# **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

iE •

www.bison.net 7/10



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

(Contd. of page 7)

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion
· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA	not regulated
ADN	- not regulated
· 14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR/ADN, ADN, IMDG, IATA Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	not regulated

(Contd. on page 9)

www.bison.net 8/10



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

(Contd. of page 8)

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

### Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation	The classification of the mixture is generally based on the
Serious eye damage/irritation	calculation method using substance data according to Regulation
Skin sensitisation	(EC) No 1272/2008.

(Contd. on page 10)

\_\_\_\_

www.bison.net 9/10



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024 Version number 10 (replaces version 9) Revision: 30.01.2024

Trade name: BIS GLASS BD 2ML\*12 L136

(Contd. of page 9)

· Department issuing SDS: UHU QESH

· Contact: UHU QESH

Date of previous version: 06.08.2021
 Version number of previous version: 9

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

\* Data compared to the previous version altered.

- IF

www.bison.net 10/10