

Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: BIS CLEANER SPRAY AE 400ML*12 L255
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com Further information obtainable from: Bison QESH

• 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

)2 flame	o Regulation (EC) No 1272/2008
Aerosol 1	H222-H2	229 Extremely flammable aerosol. Pressurised container: May burst heated.
GHS0)9 environme	ent
Aquatic Chroni	c2 H411	Toxic to aquatic life with long lasting effects.
Aquatic Chroni		Toxic to aquatic life with long lasting effects.
GHS)7	
GHS0 Skin Irrit. 2		Causes skin irritation.
GHS	07 H315	



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

(Contd. of page 1) · Hazard pictograms GHS02 GHS07 GHS09 · Signal word Danger · Hazard-determining components of labelling: pentane propan-2-ol Hydrocarbons, C6, isoalkanes, <5% n-hexane Naphtha (petroleum), hydrotreated light **Hazard statements** H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated. H315 Causes skin irritation. H319 Causes serious eve irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokina. P211 Do not spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing spray. P273 Avoid release to the environment. P391 Collect spillage. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Dispose of contents/container in accordance with national regulations. P501 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Cleansing agent

	 Dangerous components: 		
	CAS: 67-63-0	propan-2-ol	25-50%
	EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT	
	Index number: 603-117-00-0	SE 3, H336	
	Reg.nr.: 01-2119457558-25-		
	XXXX		
- [CAS: 74-98-6	propane	10-25%
	EINECS: 200-827-9	🚸 Flam. Gas 1A, H220; Press. Gas (Comp.), H280	
	Index number: 601-003-00-5	•	
	Reg.nr.: 01-2119486944-21		
		(Cd	ontd. on page 3)
			GB-EN



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

		ontd. of page 2
CAS: 109-66-0 EINECS: 203-692-4 Index number: 601-006-00-1	pentane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	≥10-<25%
CAS: 109-87-5 EINECS: 203-714-2 Reg.nr.: 01-2119664781-31	dimethoxymethane	10-25%
CAS: 64742-49-0 EC number: 931-254-9 Index number: 649-328-00-1 Reg.nr.: 01-2119484651-34	Hydrocarbons, C6, isoalkanes, <5% n-hexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥10-<25%
CAS: 64742-49-0 EC number: 926-605-8 Index number: 649-328-00-1 Reg.nr.: 01-2119486291-36	Naphtha (petroleum), hydrotreated light Flam. Liq. 2, H225; S Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	≥2.5-<10%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide substance with a Community workplace exposure limit	1-2.5%
CAS: 110-54-3 EINECS: 203-777-6 Index number: 601-037-00-0 Reg.nr.: 01-2119480412-44	n-hexane	≥1-<2.5%
CAS: 110-82-7 EINECS: 203-806-2 Index number: 601-017-00-1 Reg.nr.: 01-2119463273-41	cyclohexane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; STOT SE 3, H336	≥1-<2.5%

Propellant: CO2

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

- GB-EN

(Contd. on page 4)



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

(Contd. of page 3)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 5)

GB-EN



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

(Contd. of page 4)

0.10	8.1 Control parameters		
Ingre	edients with limit values that require monitoring at the workplace:		
	3-0 propan-2-ol		
WEL	Short-term value: 1250 mg/m³, 500 ppm		
	Long-term value: 999 mg/m³, 400 ppm		
	66-0 pentane		
	Long-term value: 1800 mg/m³, 600 ppm		
	37-5 dimethoxymethane		
WEL	Short-term value: 3950 mg/m³, 1250 ppm		
	Long-term value: 3160 mg/m³, 1000 ppm		
	38-9 carbon dioxide		
WEL	Short-term value: 27400 mg/m³, 15000 ppm		
	Long-term value: 9150 mg/m³, 5000 ppm		
	54-3 n-hexane		
	Long-term value: 72 mg/m³, 20 ppm		
	32-7 cyclohexane		
WEL	Short-term value: 1050 mg/m³, 300 ppm		
	Long-term value: 350 mg/m³, 100 ppm		
Appr Indiv	xposure controls opriate engineering controls No further data; see item 7. idual protection measures, such as personal protective equipment aral protective and hygionic measures:		
Appr Indiv Gene The u Keep Imme Wash Do no Avoic Resp Use s Reco	opriate engineering controls No further data; see item 7.		
Appr Indiv Gene The u Keep Imme Wash Do no Avoid Resp Use s Reco Hand	A protective and hygienic measures: ausual protective and hygienic measures: ausual precautionary measures are to be adhered to when handling chemicals. away from foodstuffs, beverages and feed. away from foodstuffs, beverages and contaminated clothing hands before breaks and at the end of work. binatory protection: binatory protection: binatory protective device in case of insufficient ventilation. binatory protection: binatory protective for short term use: Filter AX binatory protective gloves binatory gloves		
Appr Indiv Gene The u Keep Imme Wash Do no Avoid Resp Use s Reco Hand The u prepa Selec degra Mate	or priate engineering controls No further data; see item 7. idual protection measures, such as personal protective equipment aral protective and hygienic measures: usual precautionary measures are to be adhered to when handling chemicals. away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing hands before breaks and at the end of work. to inhale gases / fumes / aerosols. d contact with the eyes and skin. bratery protection: suitable respiratory protective device in case of insufficient ventilation. ormended filter device for short term use: Filter AX brotective gloves glove material has to be impermeable and resistant to the product/ the substance/ that for a filter of the glove material on consideration of the penetration times, rates of diffusion and the dation rial of gloves		
Appr Indiv Gene The u Keep Imme Wash Do no Avoid Resp Use s Reco Hand Selec degra Mate Reco	or priate engineering controls No further data; see item 7. idual protection measures, such as personal protective equipment aral protective and hygienic measures: usual precautionary measures are to be adhered to when handling chemicals. away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing in hands before breaks and at the end of work. to inhale gases / fumes / aerosols. d contact with the eyes and skin. bratery protection: suitable respiratory protective device in case of insufficient ventilation. ormended filter device for short term use: Filter AX a protection b Protective gloves glove material has to be impermeable and resistant to the product/ the substance/ the aration. ction of the glove material on consideration of the penetration times, rates of diffusion and the dation		

(Contd. on page 6)



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

· Penetration time of glove material

(Contd. of page 5)

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

• Eye/face protection Safety glasses



Tightly sealed goggles

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chem 	nical properties
· General Information	
· Physical state	Aerosol
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
· Boiling point or initial boiling point and	
boiling range	36.1 °C
· Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	1.4 Vol %
· Upper:	12 Vol %
Flash point:	-97 °C
Ignition temperature:	235 °C
Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
Solubility	
· water:	Not miscible or difficult to mix.
 Partition coefficient n-octanol/water (log 	
value)	Not determined.
Vapour pressure at 20 °C:	8300 hPa
Density and/or relative density	
· Density at 20 °C:	0.679 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the
	mixture. All non-determined data are not
	measurable or not relevant for the
	characterization of the mixture.
· Appearance:	
· Form:	Aerosol
	(Contd. on page 7)



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

	(Contd. of page
Important information on protection of hea	alth
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	86.3 %
Solids content:	0.0 %
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Extremely flammable aerosol. Pressurise
	container: May burst if heated.
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

GB-EN



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

· LD/LC50 v	alues rel	(Contd. of page evant for classification:
67-63-0 pr	opan-2-o	I
Oral	LD50	5045 mg/kg (rat)
Dermal LD50 12800 mg/kg (rabbit)		
Inhalative	LC50/4 h	30 mg/l (rat)
109-87-5 d	imethoxy	ymethane
Oral	LD50	5708 mg/kg (rabbit)
110-82-7 c	yclohexa	ne
Oral	LD50	12705 mg/kg (rat)
Carcinoge Reproduct STOT-sing STOT-repe Aspiration Additional Acute effe Sensitisati Repeated 11.2 Inform	ble. nicity Ba tive toxic gle expose ated exp hazard f toxicolo cts (acut ion Not a dose tox nation or disruption	data, the classification criteria are not met. sed on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. ure May cause drowsiness or dizziness. posure Based on available data, the classification criteria are not met. May be fatal if swallowed and enters airways. gical information: e toxicity, irritation and corrosivity) Not applicable.
none of the	e ingreale	
SECTION	N 12: Ec	ological information
· 12.1 Toxic		o further relevant information available.

• **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

(Contd. on page 9) GB-EN



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

(Contd. of page 8)

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

· 14.1 UN number or ID number · ADR/ADN, IMDG, IATA	UN1950
 14.2 UN proper shipping name ADR/ADN IMDG IATA 	1950 AEROSOLS AEROSOLS, MARINE POLLUTANT AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
· Class	2 5F Gases.
·Label	2.1
· IMDG	
· Class	2.1 Gases.
Label	2.1
· Class	2.1 Gases.



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

	(Contd. of page
Label	2.1
14.4 Packing group ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards:	Product contains environmentally hazardou substances: Naphtha (petroleum), hydrotreate light
Marine pollutant: Special marking (ADR/ADN):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler cod EMS Number: Stowage Code Segregation Code	 F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacit of 1 litre: Category A. For AEROSOLS with capacity above 1 litre: Category B. For WAST AEROSOLS: Category C, Clear of living quarters SG69 For AEROSOLS with a maximum capacit of 1 litre: Segregation as for class 9. Stow "separated from class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
ADR/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category	1L Code: E0 Not permitted as Excepted Quantity 2
Tunnel restriction code	D
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified i packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

(Contd. of page 10)

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category
- P3a FLAMMABLE AEROSOLS
- E2 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements $150\ t$
- Qualifying quantity (tonnes) for the application of upper-tier requirements $500\ t$
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 57

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 12) GB-EN



Printing date 11.02.2023

Version number 8 (replaces version 7)

Revision: 28.11.2022

Trade name: BIS CLEANER SPRAY AE 400ML*12 L255

Aerosols, Section 2.3.1	Bridging principles
Skin corrosion/irritation Serious eye damage/irritation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is genera based on the calculation method usin substance data according to Regulation (EC) I 1272/2008.
Aspiration hazard	Expert judgement
 Contact: Reach coordinator Date of previous version: 28.06.2022 Version number of previous version: 7 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchan the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Lal EINECS: European Inventory of Existing Commercial Chem ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) STOT RE 2: Specific target organ toxicity (single exposure) STOT RE 2: Specific target organ toxicity (repeated exposure) Aquatic Acute 1: Hazardous to the aquatic environment - ac Aquatic Chronic 1: Hazardous to the aquatic environment - ac Aquatic Chronic 2: Hazardous to the aquatic environment - ac 	ical Substances Chemical Society) gas – Category 3 re) – Category 2 ute aquatic hazard – Category 1 long-term aquatic hazard – Category 1 long-term aquatic hazard – Category 2