

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: Bison QESH
- · 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

IE-EN -

www.griffon.eu 1/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 1)

### Hazard pictograms







GHS02 GHS07 GHS09

### · Signal word Danger

### · Hazard-determining components of labelling:

Naphtha (petroleum), hydrotreated light

pentane

acetone

#### · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H410 Very toxic to aquatic life with long lasting effects.

### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing spray.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with national regulations.

### · 2.3 Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Adhesive

· Dangerous components:		
CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37	dimethyl ether      Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25-50%
CAS: 64742-49-0 EC number: 926-605-8 Index number: 649-328-00-1 Reg.nr.: 01-2119486291-36	Naphtha (petroleum), hydrotreated light Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336, EUH066	25-50%
CAS: 109-66-0 EINECS: 203-692-4 Index number: 601-006-00-1	pentane Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336	≥10-<25%
	· (C	ontd. on page 3)

www.griffon.eu 2/11

IE-EN



### Safety data sheet according to 1907/2006/EC, Article 31

Revision: 04.08.2023 Version number 34 (replaces version 33) Printing date 21.11.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 2) CAS: 67-64-1 acetone ≥2.5-<10% ♠ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066 EINECS: 200-662-2

Index number: 606-001-00-8

Reg.nr.: 01-2119471330-49-XXXX

· Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

3/11 www.griffon.eu



### Safety data sheet according to 1907/2006/EC, Article 31

Version number 34 (replaces version 33) Revision: 04.08.2023 Printing date 21.11.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 3)

### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:		
115-10-6 dimethyl ether		
OEL (Ireland)	Long-term value: 1920 mg/m³, 1000 ppm IOELV	
IOELV (EU)	Long-term value: 1920 mg/m³, 1000 ppm	
109-66-0 pentane		
OEL (Ireland) Long-term value: 3000 mg/m³, 1000 ppm IOELV		
IOELV (EU)	Long-term value: 3000 mg/m³, 1000 ppm	
67-64-1 acetone		
OEL (Ireland) Long-term value: 1210 mg/m³, 500 ppm IOELV		
IOELV (EU)	Long-term value: 1210 mg/m³, 500 ppm	
· DNFI e		

#### DNELS

### 67-64-1 acetone

Oral	Consumer, oral, longterm exposition	62 mg/kg bw/day
Dermal	Consumer, dermal, longterm exposition	62 mg/kg bw/day
Inhalative	Consumer, inhalation, longterm exposition	200 mg/m³

### · PNECs

### 67-64-1 acetone

Fresh water	10.6 mg/l
Marine water	1.06 mg/l
Soil	29.5 mg/kg

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

IE-EN

www.griffon.eu



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 4)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Hand protection



### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection Not required.

### **SECTION 9: Physical and chemical properties**

### · 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Aerosol

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range -24.9 °C Flammability Not applicable.

· Lower and upper explosion limit

 · Lower:
 1.4 Vol %

 · Upper:
 18.6 Vol %

 · Flash point:
 -42 °C

 · Ignition temperature:
 235 °C

Decomposition temperature: Not determined.pH Not determined.

(Contd. on page 6)

IE-EN

www.griffon.eu 5/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 5)

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

· Solubility

· water:

Partition coefficient n-octanol/water (log value)

value) Not determined.
• Vapour pressure at 20 °C: 5200 hPa

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

• 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

Not miscible or difficult to mix.

· Appearance:

· Form: Aerosol

· Important information on protection of health

and environment, and on safety.

· **Auto-ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· Organic solvents: 83.0 % · Solids content: 6.1 %

· Change in condition

• Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

Explosives VoidFlammable gases Void

· Aerosols Extremely flammable aerosol. Pressurised

container: May burst if heated.

· Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void

· Substances and mixtures, which emit

flammable gases in contact with water
Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Void
Void

(Contd. on page 7)

IE-EN

www.griffon.eu 6/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 6)

· Desensitised explosives

Void

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
	115-10-6 dimethyl ether		
Inhalative	Inhalative LC50/4 h 308 mg/l (rat)		
67-64-1 ad	67-64-1 acetone		
Oral	LD50	5800 mg/kg (rat)	
Dermal	LD50	20000 mg/kg (rabbit)	

### Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

IE-EN

(Contd. on page 8)

www.griffon.eu 7/11



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 7)

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

· 14.1 UN number or ID number	
· ADR/ADN, IMDG, IATA	UN3501
· 14.2 UN proper shipping name	
· ADR/ADN	3501 CHEMICAL UNDER PRESSURE FLAMMABLE, N.O.S. (DIMETHYL ETHEF PENTANES)
· IMDG	CHEMICAL UNDER PRESSURE, FLAMMABLE N.O.S. (DIMETHYL ETHER, PENTANES MARINE POLLUTANT
·IATA	CHEMICAL UNDER PRESSURE, FLAMMABLE N.O.S. (DIMETHYL ETHER, PENTANES)

www.griffon.eu 8/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR/ADN





· Class 2 5F Gases.

· Label 2.1

·IMDG





· Class 2.1 Gases.

· Label 2.1

·IATA



· Class 2.1 Gases.

· Label 2.1

14.4 Packing group

· ADR/ADN, IMDG, IATA not regulated

• 14.5 Environmental hazards: Product contains environmentally hazardous

substances: Naphtha (petroleum), hydrotreated

light

· Marine pollutant: No

Symbol (fish and tree)

Warning: Gases.

· Special marking (ADR/ADN): Symbol (fish and tree)

· 14.6 Special precautions for user

Hazard identification number (Kemler code): -Stowage Category

• Stowage Code SW2 Clear of living quarters.

 $\cdot$  14.7 Maritime transport in bulk according to

**IMO instruments** Not applicable.

· Transport/Additional information:

· **Quantity limitations** On passenger aircraft/rail: 75 kg

On cargo aircraft only: 150 kg

· ADR/ADN

· Limited quantities (LQ) 0

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

(Contd. on page 10)

IE-EN

www.griffon.eu 9/11



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.11.2023 Version number 34 (replaces version 33) Revision: 04.08.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

	(Contd. of page 9
Transport category	2
Tunnel restriction code	D
·IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified it packinggroup III.  See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
UN "Model Regulation":	UN 3501 CHEMICAL UNDER PRESSURE FLAMMABLE, N.O.S. (DIMETHYL ETHER PENTANES), 2.1, ENVIRONMENTALLY HAZARDOUS

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E1 Hazardous to the Aquatic Environment

P3a FLAMMABLE AEROSOLS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

3

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

(Contd. on page 11)

- IE-EN

www.griffon.eu 10/11



## Safety data sheet according to 1907/2006/EC, Article 31

Version number 34 (replaces version 33) Revision: 04.08.2023 Printing date 21.11.2023

Trade name: GRF SPRAY ADHESIVE CS570 CS 13KG\*1 NLFR

		(Contd. of page 10)
H280	Contains gas under pressure; may explode if heated.	, , ,
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
EUH066 Repeated exposure may cause skin dryness or cracking.		

· Classification according to Regulation (EC) No 1272/2008		
Aerosols, Section 2.3.1	Bridging principles	
Skin corrosion/irritation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - short- term (acute) aquatic hazard Hazardous to the aquatic environment - long- term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.	
Aspiration hazard	Expert judgement	

· Department issuing SDS: Bison QESH

· Contact: Reach coordinator

· Date of previous version: 19.06.2021 · Version number of previous version: 33

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols – Category 1

Press. Gas (Comp.): Gases under pressure – Compressed gas Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

IF-FN

11/11 www.griffon.eu