

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Biocide
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS09

(Contd. on page 2)

-, ·IF

www.bison.net 1/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 1)

· Signal word Danger

· Hazard-determining components of labelling:

sodium hypochlorite, solution

Sulfuric acid, mono-C8-10-alkyl esters, sodium salts

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage. H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe spray.

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with national regulations.

· Additional information:

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

Contains biocidal products: sodium hypochlorite, solution

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Biocide

CAS: 7681-52-9	sodium hypochlorite, solution	≥3-<5%
EINECS: 231-668-3	📀 Skin Corr. 1B, H314; Eye Dam. 1, H318; 🚱 Aquatic	
Index number: 017-011-00-1	Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1),	
Reg.nr.: 01-2119488154-34	EUH031	
Ç	Specific concentration limit:	
	EUH031: C ≥ 5 %	
CAS: 497-19-8	sodium carbonate	≥2.5-<10%
EINECS: 207-838-8	(1) Eye Irrit. 2, H319	
Index number: 011-005-00-2	v , ,	

www.bison.net 2/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

		Contd. of page 2)
CAS: 85338-42-7	Sulfuric acid, mono-C8-10-alkyl esters, sodium salts	≥3-<10%
EC number: 939-332-4	♦ Eye Dam. 1, H318; ♦ Skin Irrit. 2, H315	-
CAS: 1310-73-2	sodium hydroxide	≥0.5-<1%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	-
Index number: 011-002-00-6	-	
Reg.nr.: 01-2119457892-27	Skin Corr. 1A; H314: C ≥5 %	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	
· Regulation (EC) No 648/200	4 on detergents / Labelling for contents	
chlorine-based bleaching age	ents, anionic surfactants, phosphonates	<5%
· Additional information: For	the wording of the listed hazard phrases refer to section	16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Call a doctor immediately.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

, - IF

www.bison.net 3/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 3)

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 8 B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

OEL (Ireland) Short-term value: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

(Contd. on page 5)

IE -

www.bison.net 4/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 4)

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Melting point/freezing point:Boiling point or initial boiling point and

boiling range 100 °C

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Decomposition temperature: Not determined.

· pH at 20 °C 13

· Viscosity:

Kinematic viscosity Dynamic: Not determined. Not determined.

· Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

(Contd. on page 6)

- IE

www.bison.net 5/11



Safety data sheet according to 1907/2006/EC, Article 31

Version number 42 (replaces version 41) Revision: 26.03.2024 Printing date 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 5)

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C: 1.09 g/cm³ · Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Solvent content:

· Water: 88.1 % · Solids content: 6.5 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

 Explosives Void · Flammable gases Void **Aerosols** Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void **Pyrophoric solids** Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water Void Oxidising liquids Void · Oxidising solids Void Organic peroxides Void

· Corrosive to metals May be corrosive to metals.

Desensitised explosives

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Corrosive action on metals.

(Contd. on page 7)

www.bison.net 6/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 6)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Warning! Do not use together with other products. May release dangerous gases (chlorine).

• 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

7681-52-9 sodium hypochlorite, solution

Oral LD50 5800 mg/kg (mouse)

497-19-8 sodium carbonate

Oral LD50 4090 mg/kg (rat)

1310-73-2 sodium hydroxide

Oral LD50 2000 mg/kg (rat)

· Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 8)

- IE

www.bison.net 7/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 7)

- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1	UN	numbe	r or ID	number

· ADR/ADN, IMDG, IATA

UN1719

14.2 UN proper shipping name

· ADR/ADN

1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, sodium hypochlorite, solution)

· IMDG, IATA CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, sodium hypochlorite, solution)

· 14.3 Transport hazard class(es)

· ADR/ADN





Class 8 (C5) Corrosive substances.

(Contd. on page 9)

IF -

www.bison.net 8/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

	(Contd. of page 8
Label	8
IMDG, IATA	
Class Label	8 Corrosive substances.
· 14.4 Packing group · ADR/ADN, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant: Special marking (ADR/ADN):	Product contains environmentally hazardous substances: sodium hypochlorite, solution Yes Symbol (fish and tree)
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR/ADN · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000
· Remarks:	ml Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
· UN "Model Regulation":	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S (SODIUM HYDROXIDE, SODIUM
	(Contd. on page 10

www.bison.net 9/11



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.03.2024 Version number 42 (replaces version 41) Revision: 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 9)

HYPOCHLORITE, SOLUTION), 8, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH031 Contact with acids liberates toxic gas.

(Contd. on page 11)

·/

www.bison.net 10/11



Safety data sheet according to 1907/2006/EC, Article 31

Version number 42 (replaces version 41) Revision: 26.03.2024 Printing date 26.03.2024

Trade name: BIS MILDEW REMOVER BO 500ML*12 ROBG

(Contd. of page 10)

Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Corrosive to metals Expert judgement	
Expert judgement	
Skin corrosion/irritation Serious eye damage/irritation Hazardous to the aquatic environment - short-term (acute) aquatic hazard Hazardous to the aquatic environment - longterm (chronic) aquatic hazard The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) Not 1272/2008.	9

Department issuing SDS: PSRA

Contact: PSRA

Date of previous version: 20.01.2022 Version number of previous version: 41

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

www.bison.net 11/11