

6311046 - UH PM EXP WH CRT 425G*12 L194

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

• Trade name: UH PM EXP WH CRT 425G*12 L194

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· Application of the substance / the mixture Adhesive

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: Bison QESH

· 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Adhesive

· Dangerous components:

-	•
CAS: 2768	-02-7
EINECS: 2	20-449-8
Reg nr · 01	-2119513215-52

trimethoxyvinylsilane 🚸 Flam. Liq. 3, H226; 🚸 Acute Tox. 4, H332

(Contd. on page 2)

2.5-10%

IE-EN



Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

Trade name: UH PM EXP WH CRT 425G*12 L194

CAS: 13822-56-5 EINECS: 237-511-5 Reg.nr.: 01-2119510159-45	(Co 3-(trimethoxysilyl)propylamine Eye Dam. 1, H318;	ntd. of page 1) 1-2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17	titanium dioxide � Carc. 2, H351, EUH212	≥0.1-<1%
CAS: 2768-02-7 EINECS: 220-449-8 Index number: 014-049-00-0 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane 🚸 Flam. Liq. 2, H225; 🐠 Skin Sens. 1B, H317	≥0.1-<1%
CAS: 52829-07-9 EINECS: 258-207-9 Reg.nr.: 01-2119537297-32	bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate Repr. 2, H361f; O Eye Dam. 1, H318; O Aquatic Acute 1, H400; Aquatic Chronic 2, H411	<0.25%
• Additional information:	thanal (CAS 67 56 1) is produced	

As the product vulcanises methanol (CAS 67-56-1) is produced.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

(Contd. of page 2)

Trade name: UH PM EXP WH CRT 425G*12 L194

• 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

(Contd. on page 4)



Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

Trade name: UH PM EXP WH CRT 425G*12 L194

• Eye/face protection Goggles recommended during refilling

(Contd. of page 3)

9.1 Information on basic physical and o General Information	chemical properties			
· Physical state Fluid				
Colour:				
	White			
Odour:	Recognisable			
Odour threshold:	Not determined.			
Melting point/freezing point:	Undetermined.			
Boiling point or initial boiling point and				
Doiling range Undetermined.				
Flammability	Not applicable.			
Lower and upper explosion limit				
Lower:	Not determined.			
Upper:	Not determined.			
Flash point:	Not applicable.			
Decomposition temperature:	Not determined.			
pH	Not determined.			
Viscosity:				
Kinematic viscosity	Not determined.			
Dynamic:	Not determined.			
Solubility				
water:	Not miscible or difficult to mix.			
Partition coefficient n-octanol/water (lo				
value)	Not determined.			
Vapour pressure:	Not determined.			
Density and/or relative density				
Density:	Not determined.			
Relative density	Not determined.			
Vapour density	Not determined.			
9.2 Other information	All relevant physical data were determined for th			
	mixture. All non-determined data are no			
	measurable or not relevant for th			
	characterization of the mixture.			
Appearance:				
Form:	Pasty			
Important information on protection of	health			
and environment, and on safety.				
Auto-ignition temperature:	Product is not selfigniting.			
Explosive properties:	Product does not present an explosion hazard.			
Solvent content:	· · ·			
Organic solvents:	0.0 %			
Solids content:	75.8 %			
Change in condition				
Evaporation rate	Not determined.			

IE-EN



Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

Trade name: UH PM EXP WH CRT 425G*12 L194

		(Contd. of page
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

			s as defined in Reg ata, the classificatio		
· LD/LC50	values rele	evant for classi	fication:		
13463-67-	7 titanium	dioxide			
Oral	LD50	>20000 mg/kg	(rat)		
Dermal	LD50	>10000 mg/kg (rabbit)			
Inhalative	LC50/4 h	>6.82 mg/l (rat)	1		
Skin corre	osion/irrita	ation			
Componer	nt	CAS No.	Method	Species	Conclusion
Vinyltrimet	thoxysilane	2768-02-7	OECD No. 429	mouse, dermal	no sensitisation (Contd. on page



Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

Trade name: UH PM EXP WH CRT 425G*12 L194

	_				(Contd. of page 5)		
	s eye damag						
Compo	onent	CAS No.	Method	Species	Conclusion		
3-Amin	lopropyl	13822-56-5	BCOP OECD 437	cattle, eye	no ocular irritation		
trimeth	oxysilane						
· Respir	atory or skin	sensitisation I	Based on available da	ita, the classifi	cation criteria are not met.		
	cell mutagen						
	Not applicable.						
	Based on available data, the classification criteria are not met.						
			e data, the classification		not met		
			ailable data, the class				
			vailable data, the clas				
	STOT-repeated exposure Based on available data, the classification criteria are not met.						
	Aspiration hazard Based on available data, the classification criteria are not met.						
		gical information					
	• Acute effects (acute toxicity, irritation and corrosivity) Not applicable.						
	· Sensitisation Not applicable.						
	· Repeated dose toxicity Not applicable.						
· 11.2 In	11.2 Information on other hazards						
·Endoc	rine disrupti	ng properties					
None o	None of the ingredients is listed.						
SECT		cological info	rmation				
		cological init	mation				
· 12.1 Te	oxicity						
		o further relevan	t information available	-			
					vilabla		
	12.2 Persistence and degradability No further relevant information available.						
	• 12.3 Bioaccumulative potential No further relevant information available.						
12.4 M	• 12.4 Mobility in soil No further relevant information available.						

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

(Contd. on page 7)



Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

(Contd. of page 6)

Trade name: UH PM EXP WH CRT 425G*12 L194

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport informat	ion
 14.1 UN number or ID number ADR/ADN, IMDG, IATA 	not regulated
ADN	not regulated
 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
 14.4 Packing group ADR/ADN, IMDG, IATA 	not regulated
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	ng to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· IMDG · Remarks:	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 8)

IE-EN



Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

(Contd. of page 7)

Trade name: UH PM EXP WH CRT 425G*12 L194

· REGULATION (EU) 2019/1148

- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

- Department issuing SDS: Bison QESH
- · Contact: Reach coordinator
- Date of previous version: 30.07.2021
- · Version number of previous version: 34
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. on page 9)

IE-EN



6311046 - UH PM EXP WH CRT 425G*12 L194

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 35 (replaces version 34)

Revision: 15.03.2023

Trade name: UH PM EXP WH CRT 425G*12 L194

(Contd. of page 8)

Skin Sens. 1B: Skin sensitisation - Category 1B

Caregory 15 Caregory 2 Repr. 2: Reproductive toxicity – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

* Data compared to the previous version altered.

IE-EN