

Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### · 1.1 Product identifier

· Trade name: BIS MR POWER BD 8G\*6 L297

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Adhesive

# 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com Further information obtainable from: Bison QESH

• **1.4 Emergency telephone number:** Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

#### · 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.
- Labelling of packages where the contents do not exceed 125 ml
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Adhesive

(Contd. on page 2)



Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

#### Trade name: BIS MR POWER BD 8G\*6 L297

		(Contd. of page 1	
· Dangerous components:			
CAS: 13822-56-5 EINECS: 237-511-5 Reg.nr.: 01-2119510159-45	3-(trimethoxysilyl)propylamine	≥3-<10%	
CAS: 78-08-0 EINECS: 201-081-7	triethoxy(vinyl)silane 🚸 Flam. Liq. 3, H226	2.5-10%	
CAS: 2768-02-7 EINECS: 220-449-8 Index number: 014-049-00-0 Reg.nr.: 01-2119513215-52	trimethoxyvinylsilane Flam. Liq. 2, H225;   Skin Sens. 1B, H317	≥0.1-<1%	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information: No special measures required.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

GB-EN



Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

(Contd. of page 2)

#### Trade name: BIS MR POWER BD 8G\*6 L297

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• **7.1 Precautions for safe handling** No special precautions are necessary if used correctly. • **Information about fire - and explosion protection:** No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class: 10

• 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.
- Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection Goggles recommended during refilling

#### **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- General Information
   Physical state

Fluid

(Contd. on page 4) GB-EN

GD-EIN



Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

#### Trade name: BIS MR POWER BD 8G\*6 L297

	(Contd. of page
Colour:	Clear
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and	
boiling range	194 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	102 °C
Ignition temperature:	400 °C
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	Not dotominod.
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	10000 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	Not determined
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	~1.11 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of hea	
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
LAUIUSIVE ULUUELIES	
Solvent content:	
Solvent content: Organic solvents:	0.0 %
Solvent content: Organic solvents: Solids content:	
Solvent content: Organic solvents: Solids content: Change in condition	0.0 % 47.5 %
Solvent content: Organic solvents: Solids content: Change in condition	0.0 %
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz	0.0 % 47.5 % Not determined.
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate	0.0 % 47.5 % Not determined.
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz classes	0.0 % 47.5 % Not determined.
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz classes Explosives	0.0 % 47.5 % Not determined.
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz classes Explosives Flammable gases	0.0 % 47.5 % Not determined. <b>:ard</b> Void Void
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz classes Explosives Flammable gases Aerosols	0.0 % 47.5 % Not determined. card Void Void Void Void
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz classes Explosives Flammable gases Aerosols Oxidising gases	0.0 % 47.5 % Not determined. card Void Void Void Void Void Void
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	0.0 % 47.5 % Not determined. sard Void Void Void Void Void Void Void
Solvent content: Organic solvents: Solids content: Change in condition Evaporation rate Information with regard to physical haz classes Explosives Flammable gases Aerosols Oxidising gases	0.0 % 47.5 % Not determined. card Void Void Void Void Void Void



Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

#### Trade name: BIS MR POWER BD 8G\*6 L297

		(Contd. of page 4)
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

#### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information** 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 · Acute toxicity Based on available data, the classification criteria are not met. · LD/LC50 values relevant for classification: 78-08-0 triethoxy(vinyl)silane LD50 23000 mg/kg (rat) Oral Dermal LD50 10000 mg/kg (rabbit) • Skin corrosion/irritation Based on available data, the classification criteria are not met. · Serious eye damage/irritation Component CAS No. Method Species Conclusion 3-Aminopropyl 13822-56-5 BCOP OECD 437 cattle, eye no ocular irritation trimethoxysilane Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Not applicable. Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. • STOT-repeated exposure Based on available data, the classification criteria are not met. · Aspiration hazard Based on available data, the classification criteria are not met. (Contd. on page 6)

GB-EN

GD-EN



Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

(Contd. of page 5)

### Trade name: BIS MR POWER BD 8G\*6 L297

· Additional toxicological information:

• Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

· Sensitisation Not applicable.

· Repeated dose toxicity Not applicable.

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

#### · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

## **SECTION 14: Transport information**

14.1 UN number or ID number
 ADR/ADN, IMDG, IATA

not regulated

· ADN

not regulated

(Contd. on page 7)



Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

Trade name: BIS MR POWER BD 8G\*6 L297

	(Contd. of page 6)
<ul> <li>14.2 UN proper shipping name</li> <li>ADR/ADN, ADN, IMDG, IATA</li> </ul>	not regulated
· 14.3 Transport hazard class(es)	
· ADR/ADN, ADN, IMDG, IATA · Class	not regulated
<ul> <li>14.4 Packing group</li> <li>ADR/ADN, IMDG, IATA</li> </ul>	not regulated
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
· 14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk accordi IMO instruments</li> </ul>	<b>ng to</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· IMDG · Remarks:	Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
UN "Model Regulation":	not regulated

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### • Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 8) GB-EN



Printing date 12.04.2023

Version number 40 (replaces version 39)

Revision: 12.04.2023

(Contd. of page 7)

#### Trade name: BIS MR POWER BD 8G\*6 L297

#### • **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. · Department issuing SDS: Bison QESH · Contact: Reach coordinator Date of previous version: 11.04.2023 · Version number of previous version: 39 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B \* \* Data compared to the previous version altered. GB-EN