

Printing date 25.07.2024 Version number 31 (replaces version 30) Re

Revision: 25.07.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

• Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Adhesive

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes

PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

GHS08 health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 2 H351 Suspected of causing cancer. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. GHS07 Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Version number 31 (replaces version 30) Printing date 25.07.2024 Revision: 25.07.2024 Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197 (Contd. of page 1) · Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: Isocyanates, reaction product of polyol with methylenediphenyl diisocyanate methylenediphenyl diisocyanate **Hazard statements** H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P260 Do not breathe vapours. Wear protective gloves/protective clothing/eye protection/face protection. P280 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with national regulations. Additional information: EUH204 Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use. Labelling of packages where the contents do not exceed 125 ml Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: Isocyanates, reaction product of polyol with methylenediphenyl diisocyanate methylenediphenyl diisocyanate **Hazard statements** H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. (Contd. on page 3)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

(Contd. of page 2)

Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

- P102 Keep out of reach of children.
- P260 Do not breathe vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with national regulations.

2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Adhesive

Dangerous components:		
NLP: 500-040-3 Reg.nr.: 01-21194570013-49	Isocyanates, reaction product of polyol with methylenediphenyl diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ % Eye Irrit. 2; H319: $C \ge 5$ % Resp. Sens. 1; H334: $C \ge 0.1$ % STOT SE 3; H335: $C \ge 5$ %	50-100%
CAS: 26447-40-5 EINECS: 247-714-0 Index number: 615-005-00-9	methylenediphenyl diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ % Eye Irrit. 2; H319: $C \ge 5$ % Resp. Sens. 1; H334: $C \ge 0.1$ % STOT SE 3; H335: $C \ge 5$ % the wording of the licted bazard phrases refer to section 16	25-50%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 4)

IF



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

(Contd. of page 3)

Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions. • 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- **Protective equipment:** Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions: Keep container tightly sealed.
- Storage class: 12

(Contd. on page 5)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

26447-40-5 methylenediphenyl diisocyanate

OEL (Ireland) Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ as -NCO; Sens.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment

· General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

• Eye/face protection



Tightly sealed goggles

Goggles recommended during refilling

(Contd. on page 6)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

(Contd. of page 5)

Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

· Body protection: Use protective suit.

SECTION 9: Physical and chemical properties			
9.1 Information on basic physical and chemi	cal properties		
General Information			
Physical state	Fluid		
· Colour:	According to product specification		
· Odour:	Characteristic		
Odour threshold:	Not determined.		
Melting point/freezing point:	<0 °C		
· Boiling point or initial boiling point and			
boiling range	Undetermined.		
	Not applicable.		
· Lower and upper explosion limit			
	Not determined		
Lower:	Not determined. Not determined.		
· Upper:			
Flash point:	Not applicable.		
Auto-ignition temperature:	400 °C		
Decomposition temperature:	Not determined.		
рН	Not determined.		
· Viscosity:			
Kinematic viscosity	Not determined.		
· Dynamic at 20 °C:	15000 mPas		
· Solubility			
water:	Not miscible or difficult to mix.		
Partition coefficient n-octanol/water (log			
value)	Not determined.		
· Vapour pressure:	Not determined.		
Density and/or relative density			
Density at 20 °C:	1.132 g/cm³		
Relative density	Not determined.		
· Vapour density	Not determined.		
• •			
9.2 Other information	All relevant physical data were determined for th		
	mixture. All non-determined data are no		
	measurable or not relevant for th		
_	characterization of the mixture.		
Appearance:			
Form:	Fluid		
 Important information on protection of healt 	h		
and environment, and on safety.			
Ignition temperature:	Product is not selfigniting.		
Explosive properties:	Product does not present an explosion hazard.		
Solvent content:	· ·		
	60.8 %		
Solids content:			
· Solids content: · Change in condition · Evaporation rate	Not determined.		



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

		(Contd. of page
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- May cause an allergic skin reaction.
- · Germ cell mutagenicity
- Not applicable.
- Based on available data, the classification criteria are not met.
- · Carcinogenicity Suspected of causing cancer.

(Contd. on page 8)

IE



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

(Contd. of page 7)

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• STOT-single exposure May cause respiratory irritation.

• STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

• Aspiration hazard Based on available data, the classification criteria are not met.

- · Additional toxicological information:
- Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 9)



Printing date 25.07.2024

Version number 31 (replaces version 30)

Revision: 25.07.2024

Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197

(Contd. of page 8)

14.1 UN number or ID number ADR/ADN, IMDG, IATA	not regulated
	-
14.2 UN proper shipping name ADR/ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR/ADN, ADN, IMDG, IATA Class	not regulated
14.4 Packing group ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordin IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the abo specifications.
UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 10)



Version number 31 (replaces version 30) Revision: 25.07.2024 Printing date 25.07.2024 Trade name: GRF PU ADHESIVE FIBER BO 750G*6 L197 (Contd. of page 9) • 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. **Relevant phrases** H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. EUH204 Contains isocyanates. May produce an allergic reaction. Classification according to Regulation (EC) No 1272/2008 Acute toxicity - inhalation The classification of the mixture is generally Skin corrosion/irritation based on the calculation method using Serious eye damage/irritation substance data according to Regulation (EC) No Respiratory sensitisation 1272/2008. Skin sensitisation Carcinogenicity Specific target organ toxicity (single exposure) Specific target organ toxicity (repeated exposure) · Department issuing SDS: PSRA Contact: PSRA Date of previous version: 02.06.2021 · Version number of previous version: 30 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2