

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2023 Version number 20 (replaces version 19) Revision: 10.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: Bison QESH
- · 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

EUH208 Contains 3-aminopropyltriethoxysilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Sealant

CAS: 64742-46-7

Dangerous components:

EINECS: 265-148-2

Index number: 649-221-00-X Reg.nr.: 01-2119827000-58 Distillates (petroleum), hydtrotreated middle

2.5-10%

🕸 Asp. Tox. 1, H304

(Contd. on page 2)

IE-EN

www.griffon.eu 1/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2023 Version number 20 (replaces version 19) Revision: 10.02.2023

Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001

			ontd. of page 1)		
	CAS: 128446-60-6	3-Aminopropyl(methyl) silsesquioxanes, ethoxy-	≥2.5-<10%		
	EC number: 603-274-5	terminated			
		♦ Flam. Liq. 3, H226; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319			
	CAS: 919-30-2	3-aminopropyltriethoxysilane	≥0.1-<1%		
	EINECS: 213-048-4 Index number: 612-108-00-0	Skin Corr. 1B, H314; () Acute Tox. 4, H302; Skin Sens. 1, H317			
	CAS: 13463-67-7	titanium dioxide	≥0.1-<1%		
	EINECS: 236-675-5	🗞 Carc. 2, H351, EUH212			
	Index number: 022-006-00-2				
L	Reg.nr.: 01-2119489379-17				
	 Additional information: For the wording of the listed hazard phrases refer to section 16. 				

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment neededNo further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

- IE-EN

www.griffon.eu 2/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2023 Version number 20 (replaces version 19) Revision: 10.02.2023

Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide

OEL (Ireland) Long-term value: 10* 4** mg/m³ *total inhalable **respirable dust

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection Not required.

IE-EN

(Contd. on page 4)

www.griffon.eu 3/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2023 Version number 20 (replaces version 19) Revision: 10.02.2023

Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001

(Contd. of page 3)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Solid

· Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Melting point/freezing point:
 Boiling point or initial boiling point and

boiling range 2230 °C

• Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: >370 °C

• Decomposition temperature: Not determined.

• pH Not applicable.

· Viscosity:

Kinematic viscosityDynamic:SolubilityNot applicable.

wotor

water: Insoluble.

· Partition coefficient n-octanol/water (log

value) Not determined.

Vapour pressure: Not applicable.

Density and/or relative density

Density: Not determined.
 Relative density Not determined.
 Vapour density Not applicable.
 Particle characteristics See item 3.

• **9.2 Other information** All relevant physical data were determined for the

mixture. All non-determined data are not measurable or not relevant for the

characterization of the mixture.

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• **Auto-ignition temperature:** Product is not selfigniting.

• **Explosive properties:** Product does not present an explosion hazard.

· Solvent content:

· Solids content: 100.0 %

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

· Explosives Void

(Contd. on page 5)

IE-EN

www.griffon.eu 4/8



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2023 Version number 20 (replaces version 19) Revision: 10.02.2023

Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001

(Contd. of page 4)

		(Contd. of page 4)
· Flammable gases	Void	
· Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
 Self-heating substances and mixtures 	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 valu	· LD/LC50 values relevant for classification:			
919-30-2 3-aminopropyltriethoxysilane				
Oral LD	50	1780 mg/kg (rat)		
Dermal LD	50	4000 mg/kg (rabbit)		
13463-67-7 titanium dioxide				
Oral LD	50	>20000 mg/kg (rat)		
Dermal LD	50	>10000 mg/kg (rabbit)		
		>6.82 mg/l (rat)		

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not applicable.

(Contd. on page 6)

- IE-EN

www.griffon.eu 5/8



Safety data sheet according to 1907/2006/EC, Article 31

Version number 20 (replaces version 19) Revision: 10.02.2023 Printing date 10.02.2023

Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001

(Contd. of page 5)

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

(Contd. on page 7)

6/8 www.griffon.eu



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.02.2023 Version number 20 (replaces version 19) Revision: 10.02.2023

Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001

(Contd. of page 6)

SECTION 14: Transport information	
14.1 UN number or ID number ADR/ADN, IMDG, IATA	not regulated
ADN	not regulated
14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA	not regulated
14.3 Transport hazard class(es)	
ADR/ADN, ADN, IMDG, IATA Class	not regulated
· 14.4 Packing group · ADR/ADN, IMDG, IATA	not regulated
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according	g to Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
· IMDG · Remarks:	Under certain conditions substances in Class (flammable liquids) can be classified i packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2
UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 8)

IE-EN

www.griffon.eu 7/8



Safety data sheet according to 1907/2006/EC, Article 31

Version number 20 (replaces version 19) Revision: 10.02.2023 Printing date 10.02.2023

Trade name: GRF SILICONE S-200 SG CQ 300ML*12 L001

(Contd. of page 7)

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

Flammable liquid and vapour. H226

Harmful if swallowed. H302

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

May cause an allergic skin reaction. H317

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Department issuing SDS: Bison QESH

· Contact: Reach coordinator

 Date of previous version: 21.01.2022 · Version number of previous version: 19

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

* Data compared to the previous version altered.

IE-EN

8/8 www.griffon.eu