

63661 - UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

Tel.:0049-(0)7223-284-0

E-mail: sds@boltonadhesives.com

· Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: UHU GmbH & Co.KG Herrmannstraße 7 D-77815 Bühl (Baden)

Fax: 0049-(0)7223-284-245

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number: Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9. Tel 01 8092566

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



GHS02 GHS07

Signal word Danger

- · Hazard-determining components of labelling: methyl acetate acetone
- Hazard statements

H225 Highly flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

(Contd. on page 2)



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

(Contd. of page 1)

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours.

P501 Dispose of contents/container in accordance with national regulations.

• Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Adhesive

 Dangerous components: 		
CAS: 79-20-9 EINECS: 201-185-2 Index number: 607-021-00-X Reg.nr.: 01-2119459211-47- XXXX	methyl acetate Flam. Liq. 2, H225;	50-100%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol	≥2.5-<10%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49- XXXX	acetone Flam. Liq. 2, H225;	≥2.5-<10%

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

IF



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

(Contd. of page 2)

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Storage class: 3

(Contd. on page 4)



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

(Contd. of page 3)

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

• 7.3 Specific end use(s) No further relevant information available.

8.1 Contro	ol parameters	
-	ts with limit values that require mo	nitoring at the workplace:
	ethyl acetate	
OEL (Irela	nd) Short-term value: 760 mg/m³, 25	
	Long-term value: 610 mg/m³, 20	0 ppm
64-17-5 et		
•	nd) Short-term value: 1000 ppm	
67-64-1 ac		00
OEL (Irela	nd) Long-term value: 1210 mg/m³, 5 IOELV	uu ppm
IOELV (EL		mag 00
DNELs		
	ethyl acetate	
Oral	Consumer, oral, longterm exposition	44 mg/kg bw/day
Dermal	Consumer, dermal, longterm exposition	3 3 7
	Consumer DNEL, acute inhalation	mg/m ³ (rat)
	······································	mg/m³ (rabbit)
	Consumer, inhalative, longterm expo	- · · · · ·
64-17-5 et		
Oral	Consumer, oral, longterm exposition	87 mg/kg bw/day
Dermal	Consumer, dermal, longterm exposi	
Inhalative	Consumer, inhalative, longterm expo	osition 950 mg/m ³
67-64-1 ad	cetone	
Oral	Consumer, oral, longterm exposition	62 mg/kg bw/day
Dermal	Consumer, dermal, longterm exposi	tion 62 mg/kg bw/day
Inhalative	Consumer, inhalative, longterm expo	osition 200 mg/m³
PNECs		·
79-20-9 m	ethyl acetate	
Fresh wate	er 0.12 mg/l	
Marine wa	ter 0.012 mg/l	
Soil 0.0416 mg/kg		
64-17-5 et	hanol	
Fresh wate	er 0.96 mg/l	
Marine wa	ter 0.79 mg/l	
Soil	0.63 mg/kg	
67-64-1 ad	etone	



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

		(Contd. of page 4
Marine wat	ter 1.06 mg/l	
Soil	29.5 mg/kg	
Additional	information: The lists valid du	uring the making were used as basis.
8.2 Expos	ure controls	
	te engineering controls No fu	rther data; see section 7.
Individual	protection measures, such a	s personal protective equipment
	rotective and hygienic measu	
		be adhered to when handling chemicals.
	is before breaks and at the end	d of work.
	ale gases / fumes / aerosols.	
	ry protection: Not required.	
Hand prot		
		able and resistant to the product/ the substance/ th
preparation		
		eration of the penetration times, rates of diffusion and th
degradatio		
	nded thickness of the material:	> 0.12 mm
Nitrile rubb		• 0, 12 mm
	n time of glove material	
		below the penetration time has to be at least 10 minute
	n according to EN 374 Part 3: I	
· Eye/face p		
	Fightly sealed goggles	
SECTIO	N 9: Physical and chemic	cal properties
	ation on basic physical and c	chemical properties
· General In		
· Physical s	tate	Fluid
· Colour: · Odour:		Colourless
· Odour:	abald	Characteristic
	bint/freezing point:	Not determined. Undetermined.
	int or initial boiling point and	-
boiling rar		55.8-56.6 °C
· Flammabil		Highly flammable.
	l upper explosion limit	
· Lower:		3.1 Vol %
· Upper:		16 Vol %

-13 °C 425 °C

Not determined.

- Upper:
 Flash point:
- Auto-ignition temperature:
- Decomposition temperature:

(Contd. on page 6)



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

	(Contd. of page
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	4400 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	220 hPa
Vapour pressure at 50 °C:	800 hPa
Density and/or relative density	
Density at 20 °C:	0.987 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
• •	
9.2 Other information	All relevant physical data were determined for th
	mixture. All non-determined data are no
	measurable or not relevant for th
•	characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of hea	lth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	65.8 %
Water:	0.4 %
VOC (EC)	65.79 %
Solids content:	33.8 %
Change in condition	
Evaporation rate	Not determined.
•	
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
	Void
flammable gases in contact with water	
	Void
flammable gases in contact with water Oxidising liquids Oxidising solids	Void Void

IF



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

		(Contd. of page 6)
· Organic peroxides	Void	
 Corrosive to metals 	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Infor	mation or	hazard classes as defined in Regulation (EC) No 1272/2008
		d on available data, the classification criteria are not met.
· LD/LC50	values rel	evant for classification:
79-20-9 m	nethyl acet	ate
Oral	LD50	3705 mg/kg (rabbit)
64-17-5 e	thanol	
Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
67-64-1 a	cetone	
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)
 Serious e Respirato Germ cell Not applic Based on Carcinog Reproduct STOT-sin STOT-rep Aspiratio Additiona Acute effettion 	ye damag ory or skin I mutagen able. available o enicity Ba ctive toxic gle expos peated exp n hazard E al toxicolo ects (acute tion Not ap	data, the classification criteria are not met. sed on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. ure May cause drowsiness or dizziness. posure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. gical information: e toxicity, irritation and corrosivity) Not applicable.

(Contd. on page 8)



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

(Contd. of page 7)

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

· 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR/ADN, IMDG, IATA	UN1133	
14.2 UN proper shipping name		
ADR/ADN	1133 ADHESIVES	
IMDG, IATA	ADHESIVES	



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

	(Contd. of page
14.3 Transport hazard class(es)	
· Class · Label	3 (F1) Flammable liquids. 3
· IMDG, IATA	
Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group · ADR/ADN, IMDG, IATA	III
[·] 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
 Hazard identification number (Kemler co EMS Number: 	ode): - F-E,S-D
· Stowage Category	A
14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.
 Transport/Additional information: Quantity limitations 	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· ADR/ADN	
 Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
· Transport category	ml 3
Tunnel restriction code	Ē
·IMDG	
 Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1
Excopied quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100 ml
	(Contd. on page 1



Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

· UN "Model Regulation":

UN 1133 ADHESIVES, 3, III

(Contd. of page 9)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

67-64-1 acetone

· Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

• Classification according to Regulation (EC) No 1272/2008 Flammable liquids Bridging principles Specific target organ toxicity (single exposure) The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

• Department issuing SDS: UHU QESH

(Contd. on page 11)

3

3



63661 - UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 26.02.2024

Version number 17 (replaces version 16)

Revision: 26.01.2024

Trade name: UHU All Purpose AD.35ml EN/ID/PRC/TW/TH

	(Contd. of page 10
Contact: UHU QESH	
Date of previous version: 15.01.2022	
Version number of previous version: 16	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European A	greement Concernin
the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	