

63857 - UHU T&G TR 35ML*12 ENIS

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

Trade name: UHU T&G TR 35ML*12 ENIS

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: UHU GmbH & Co.KG Herrmannstraße 7

D-77815 Bühl (Baden) Tel.:0049-(0)7223-284-0 E-mail: sds@boltonadhesives.com

Fax: 0049-(0)7223-284-245

· Further information obtainable from: PSRA

· 1.4 Emergency telephone number: Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9. Tel 01 8092566

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.

GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.

(Contd. on page 2)



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

(Contd. of page 1)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with national regulations.

Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

2.3 Other hazards

P501

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Adhesive

Dangerous components:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol 🚸 Flam. Liq. 2, H225; 🐠 Eye Irrit. 2, H319	25-50%
CAS: 141-78-6 EINECS: 205-500-4 Index number: 607-022-00-5 Reg.nr.: 01-2119475103-46	ethyl acetate	≥2.5-<10%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49- XXXX	acetone	≥2.5-<10%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

- No special measures required.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

(Contd. on page 3)



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

(Contd. of page 2)

Trade name: UHU T&G TR 35ML*12 ENIS

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- Storage class: 3
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

(Contd. of page 3)

8.1 Contro	ol parameters			
	s with limit values that require mo	onitoring at the workplace:		
64-17-5 et	hanol			
OEL (Irela	nd) Short-term value: 1000 ppm			
	ethyl acetate			
OEL (Irela	Long-term value: 734 mg/m³, 20 IOELV			
		Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm		
67-64-1 ac				
OEL (Irela	EL (Ireland) Long-term value: 1210 mg/m³, 500 ppm IOELV			
IOELV (EL	J) Long-term value: 1210 mg/m³, 5	500 ppm		
DNELs				
64-17-5 et	hanol			
Oral	Consumer, oral, longterm exposition	n 87 mg/kg bw/day		
Dermal	Consumer, dermal, longterm exposi-	ition 343 mg/kg bw/day		
Inhalative	Consumer, inhalative, longterm exp	osition 950 mg/m³		
	ethyl acetate			
Oral	Consumer, oral, longterm exposition	nsumer, oral, longterm exposition 4.5 mg/kg bw/day		
Dermal	. .	nsumer, dermal, longterm exposition 37 mg/kg bw/day		
Inhalative	Consumer DNEL, acute inhalation	734 mg/m ³		
	Consumer, inhalative, longterm exp	osition 367 mg/m ³		
67-64-1 ad				
Oral	- .	onsumer, oral, longterm exposition 62 mg/kg bw/day		
Dermal	Consumer, dermal, longterm expos			
Inhalative	Consumer, inhalative, longterm exp	osition 200 mg/m³		
PNECs				
64-17-5 et				
	er 0.96 mg/l			
	ter 0.79 mg/l			
Soil		0.63 mg/kg		
	ethyl acetate			
Fresh wate	5			
	ter 0.026 mg/l	0		
Soil	0.22 mg/kg			
67-64-1 ac				
Fresh wate	er 10.6 mg/l ter 1.06 mg/l			



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

Soil	(Contd. of pa
	I information: The lists valid during the making were used as basis.
	sure controls
	ate engineering controls No further data; see section 7.
	I protection measures, such as personal protective equipment
	protective and hygienic measures:
	precautionary measures are to be adhered to when handling chemicals. y from foodstuffs, beverages and feed.
	ely remove all soiled and contaminated clothing
	ids before breaks and at the end of work.
	tact with the eyes.
	tact with the eyes and skin.
	pry protection: Not required.
Hand pro	tection
	e material has to be impermeable and resistant to the product/ the substance/
preparatio	
	of the glove material on consideration of the penetration times, rates of diffusion and
degradatio	
• Material o	or gloves ended thickness of the material: > 0,12 mm
Nitrile rub	
	on time of glove material
	ixture of chemicals mentioned below the penetration time has to be at least 10 min
(Permeatie	on according to EN 374 Part 3: Level 1).
	protection
	Tightly sealed goggles
	lightly sealed goggles
	l ightly sealed goggles ecommended during refilling
Goggles re	ecommended during refilling
Goggles ro SECTIO	ecommended during refilling N 9: Physical and chemical properties
Goggles ro SECTIO • 9.1 Inform	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties
Goggles ro SECTIO • 9.1 Inform • General In	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation
Goggles ro SECTIO • 9.1 Inform • General In • Physical s	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid
Goggles ro SECTIO • 9.1 Inform • General In • Physical s • Colour:	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless
Goggles ro SECTIO • 9.1 Inform • General In • Physical s • Colour: • Odour:	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic
Goggles ro SECTIO • 9.1 Inform • General In • Physical s • Colour: • Odour: • Odour thr	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined.
Goggles ro SECTIO • 9.1 Inform • General In • Physical s • Colour: • Odour: • Odour thr • Melting p	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined. oint/freezing point: Undetermined.
Goggles ro SECTIO 9.1 Inform General In Physical s Colour: Odour: Odour thr Melting po Boiling po	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined. oint/freezing point: Undetermined. oint or initial boiling point and
Goggles ro SECTIO 9.1 Inform General In Physical s Colour: Odour: Odour thr Melting po Boiling po boiling ra	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined. oint/freezing point: Undetermined. oint or initial boiling point and 55 °C
Goggles re SECTIO 9.1 Inform General II Physical s Colour: Odour: Odour thr Melting po boiling ra Flammab	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined. oint/freezing point: Undetermined. oint or initial boiling point and 55 °C
Goggles re SECTIO 9.1 Inform General II Physical s Colour: Odour: Odour thr Melting po boiling ra Flammab	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined. oint/freezing point: Undetermined. oint or initial boiling point and 55 °C ility Highly flammable.
Goggles ro SECTIO 9.1 Inform General In Physical s Colour: Odour: Odour thr Melting po boiling ra boiling ra Flammab	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined. oint/freezing point: Undetermined. oint or initial boiling point and inge 55 °C ility Highly flammable. d upper explosion limit 3.5 Vol %
Goggles re SECTIO 9.1 Inform General II Physical s Colour: Odour: Odour thr Melting po boiling ra Flammab Lower an Lower: Upper: Flash poi	ecommended during refilling N 9: Physical and chemical properties nation on basic physical and chemical properties nformation state Fluid Colourless Characteristic reshold: Not determined. oint/freezing point: Undetermined. oint or initial boiling point and inge 55 °C ility Highly flammable. d upper explosion limit 3.5 Vol %

(Contd. on page 6)

IE



63857 - UHU T&G TR 35ML*12 ENIS

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

	(Contd. of page
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic at 20 °C:	1400 mPas
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log	
value)	Not determined.
Vapour pressure at 20 °C:	59 hPa
Vapour pressure at 50 °C:	280 hPa
Density and/or relative density	
Density at 20 °C:	0.923 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for th
	mixture. All non-determined data are no
	measurable or not relevant for th
	characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	58.6 %
Water:	8.0 %
VOC (EC)	58.62 %
Solids content:	25.1 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
	Void
	Void
Self-reactive substances and mixtures	Void Void
Self-reactive substances and mixtures Pyrophoric liquids	
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void
Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Void Void



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

· Oxidising solids Void	
· Organic peroxides Void	
Corrosive to metals Void	
· Desensitised explosives Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:		
64-17-5 ethanol		
Oral	LD50	7060 mg/kg (rat)
Inhalative	LC50/4 h	20000 mg/l (rat)
141-78-6 ethyl acetate		
Oral	LD50	5620 mg/kg (rabbit)
Inhalative	LC50/4 h	1600 mg/l (rat)
67-64-1 acetone		
Oral	LD50	5800 mg/kg (rat)
Dermal	LD50	20000 mg/kg (rabbit)
• Skin corrosion/irritation Based on available data, the classification criteria are not met.		

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

· Sensitisation Not applicable.

(Contd. on page 8)

www.uhu.com



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

(Contd. of page 7)

Trade name: UHU T&G TR 35ML*12 ENIS

· Repeated dose toxicity Not applicable.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

· 14.1 UN number or ID number	
	UN1133
	1133 ADHESIVES ADHESIVES



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

	(Contd. of page
14.3 Transport hazard class(es)	
ADR/ADN	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids. 3
14.4 Packing group ADR/ADN, IMDG, IATA	111
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. - F-E,S-D A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
ADR/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
Transport category Tunnel restriction code	3 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 100 ml
	(Contd. on page 1



Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

· UN "Model Regulation":

UN 1133 ADHESIVES, 3, III

(Contd. of page 9)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements $5000\ t$
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

67-64-1 acetone

· Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008

Flammable liquids	Bridging principles
Serious eye damage/irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· Department issuing SDS: UHU QESH

(Contd. on page 11)

3

3



63857 - UHU T&G TR 35ML*12 ENIS

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.01.2024

Version number 13 (replaces version 12)

Revision: 30.01.2024

Trade name: UHU T&G TR 35ML*12 ENIS

(Contd. of page 10) · Contact: UHU QESH • Date of previous version: 15.01.2022 · Version number of previous version: 12 • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 ** Data compared to the previous version altered.