

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

UHU GmbH & Co.KG

Herrmannstraße 7

D-77815 Bühl (Baden)

Tel.:0049-(0)7223-284-0

E-mail: sds@boltonadhesives.com

- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

Emergency medical information: 8am-10pm (seven days) contact

National Poisons Information Centre, Beaumont Hospital, Dublin 9. Tel 01 8092566

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Lig. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS02 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl acetate Ethyl acetate

Acetone

(Contd. on page 2)

Fax: 0049-(0)7223-284-245

-*)* 

www.bison.net 1/13



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

(Contd. of page 1)

#### · Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

#### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P261 Avoid breathing vapours.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with national regulations.

#### · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

· 2.3 Other hazards

#### · Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Adhesive

<ul> <li>Dangerous components:</li> </ul>		
CAS: 79-20-9 EINECS: 201-185-2 Index number: 607-021-00-X Reg.nr.: 01-2119459211-47- XXXX	methyl acetate  Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	25-50%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43	ethanol	≥25-<50%
CAS: 141-78-6 EINECS: 205-500-4 Index number: 607-022-00-5 Reg.nr.: 01-2119475103-46- XXXX	Ethyl acetate  Flam. Liq. 2, H225;  Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	1-2.5%
CAS: 9004-70-0 EC number: 682-719-5	nitrocellulose solutions, with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose  Flam. Sol. 1, H228	1-2.5%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49- XXXX	Acetone      Flam. Liq. 2, H225;    Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	1-2.5%

www.bison.net 2/13



### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

<del>"</del>,

www.bison.net 3/13



### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

(Contd. of page 3)

(Contd. on page 5)

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

79-20-9 meth	vith limit values that require monitoring at the workplace:	
	Short-term value: 760 mg/m³, 250 ppm	
oll (moiaria)	Long-term value: 610 mg/m³, 200 ppm	
64-17-5 ethar	ol	
OEL (Ireland)	Short-term value: 1000 ppm	
141-78-6 Ethyl acetate		
OEL (Ireland)	Short-term value: 1468 mg/m³, 400 ppm	
	Long-term value: 734 mg/m³, 200 ppm IOELV	
IOELV (EU)	Short-term value: 1468 mg/m³, 400 ppm	
	Long-term value: 734 mg/m³, 200 ppm	
67-64-1 Acet	one	
OEL (Ireland)	Long-term value: 1210 mg/m³, 500 ppm IOELV	
IOELV (EU)	Long-term value: 1210 mg/m³, 500 ppm	
123-86-4 n-bւ	ityl acetate	
OEL (Ireland)	Short-term value: 723 mg/m³, 150 ppm Long-term value: 241 mg/m³, 50 ppm IOELV	
IOELV (EU)	Short-term value: 723 mg/m³, 150 ppm	

www.bison.net 4/13

Long-term value: 241 mg/m³, 50 ppm



# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

DNELs				(Contd. of p
	ethyl acetate			
Oral		atorm expedition	21 5 malka bulday	
	Consumer, oral, lon	•	21.5 mg/kg bw/day	
Dermal			43 mg/kg bw/day	
		shortterm exposition	203 mg/kg bw/day	
		longterm exposition	21.5 mg/kg bw/day	
Inhalative		shortterm exposition	3777 mg/m³	
	Worker, inhalative, l	•	300 mg/m³	
	Consumer DNEL, a		3777 mg/m³	
		e, longterm exposition	64 mg/m³	
64-17-5 et	hanol			
Oral	Consumer, oral, lon	gterm exposition	87 mg/kg bw/day	
Dermal	Worker, dermal, lon	gterm exposition	343 mg/kg bw/day (rat)	
	Consumer, dermal,	longterm exposition	206 mg/kg bw/day	
Inhalative	Worker, inhalative,	shortterm exposition	1900 mg/m³ (rat)	
	Worker, inhalative, l	longterm exposition	950 mg/m³ (rat)	
	Consumer DNEL, a	cute inhalation	950 mg/m³ (rat)	
	Consumer, inhalativ	e, longterm exposition	114 mg/m³	
141-78-6 E	Ethyl acetate		-	
Oral	Consumer, oral, lon	gterm exposition	4.5 mg/kg bw/day	
Dermal	Worker, dermal, lon	gterm exposition	63 mg/kg bw/day	
	Consumer, dermal,	longterm exposition	37 mg/kg bw/day	
Inhalative	Worker, inhalative,	shortterm exposition	1468 mg/m³	
	Worker, inhalative, l	·	734 mg/m³	
	Consumer DNEL, acute inhalation		734 mg/m³	
		e, longterm exposition	_	
67-64-1 A		, 0	<u> </u>	
Oral	Consumer, oral, lon	gterm exposition	62 mg/kg bw/day	
Dermal	Worker, dermal, lon	•	186 mg/kg bw/day	
		longterm exposition	62 mg/kg bw/day	
Inhalative	Worker, inhalative,	•	2420 mg/m³	
iiiiiaiaii v o			1210 mg/m³	
	Worker, inhalative, longterm exposition Consumer, inhalative, longterm exposition		~	
123-86-4 r	n-butyl acetate	e, longtorm exposition	200 mg/m	
Oral	Consumer, oral, lon	aterm exposition	3.4 mg/kg bw/day	
Dermal		•	3.4 mg/kg bw/day	
Dermal Consumer, dermal, longterm exposition  Inhalative Consumer, inhalative, longterm exposition				
	Concarnor, initiately	o, longtonn oxposition	102.01 mg/m	
PNECs	othyl godtata			
	ethyl acetate	20.4 mg/kg		
Oral Seco	ndary Poisoning	20.4 mg/kg		

www.bison.net 5/13



## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

	(Contd. of p	
Fresh water sediment	0.128 mg/kg dry weight	
Marine water	0.012 mg/l	
Marine sediment	0.013 mg/kg dry weight	
Soil	0.0416 mg/kg	
Sewage treatment plant	600 mg/l	
64-17-5 ethanol		
Fresh water	0.96 mg/l	
Fresh water sediment	3.6 mg/kg dry weight (rat)	
Marine water	0.79 mg/l	
Marine sediment	2.9 mg/kg dry weight (rat)	
Soil	0.63 mg/kg	
Sewage treatment plant	580 mg/l (rat)	
Sporadic release	2.75 mg/l (rat)	
141-78-6 Ethyl acetate		
Fresh water	0.24 mg/l	
Fresh water sediment	1.15 mg/kg dry weight	
Marine water	0.024 mg/l	
Marine sediment	0.115 mg/kg dry weight	
Soil	0.148 mg/kg	
Sewage treatment plant	650 mg/l	
67-64-1 Acetone	-	
Fresh water	10.6 mg/l	
Fresh water sediment	30.4 mg/kg dry weight	
Marine water	1.06 mg/l	
Marine sediment	3.04 mg/kg dry weight	
Soil	29.5 mg/kg	
Sewage treatment plant		
Sporadic release	21 mg/l	
123-86-4 n-butyl acetate	-	
Fresh water	0.18 mg/l	
Marine water	0.018 mg/l	
Soil	0.0903 mg/kg	

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

(Contd. on page 7)

íF.

www.bison.net 6/13



#### Safety data sheet

#### according to Regulation (EC) No 1907/2006, Article 31

Version number 3 (replaces version 2) Revision: 15.08.2024 Printing date 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

(Contd. of page 6)

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber. NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

**Eye/face protection** 



Tightly sealed goggles

Goggles recommended during refilling

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Colourless · Odour: Characteristic · Odour threshold: Not determined. Undetermined. Melting point/freezing point:

Boiling point or initial boiling point and

boiling range 57 °C (79-20-9 methyl acetate)

· Flammability Highly flammable.

· Lower and upper explosion limit · Lower: 3.1 Vol % (79-20-9 methyl acetate) · Upper: 16 Vol % (79-20-9 methyl acetate)

· Flash point: -13 °C

**Auto-ignition temperature:** 425 °C (64-17-5 ethanol)

· Decomposition temperature: Not determined.

Mixture is non-soluble (in water).

· Viscosity:

Kinematic viscosity Not determined. · Dynamic at 20 °C: 4000-9000 mPas

· Solubility · water:

· Partition coefficient n-octanol/water (log

Not determined. value)

· Vapour pressure at 20 °C: 220 hPa (79-20-9 methyl acetate)

· Vapour pressure at 50 °C: 800 hPa

(Contd. on page 8)

7/13 www.bison.net

Fully miscible.



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

	(Contd. of page
Density and/or relative density	
Density at 20 °C:	~0.968 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	All relevant physical data were determined for the mixture. All non-determined data are no measurable or not relevant for the characterization of the mixture.
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product is not explosive. However, formation of
	explosive air/vapour mixtures are possible.
Solvent content:	
Organic solvents:	65.0 %
Water:	0.3 %
VOC (EC)	64.96 %
Solids content:	34.7 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haz	ard
classes	u. u
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Highly flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	VOIG
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Oxidiality solids	voiu

Void Void

Void

#### **SECTION 10: Stability and reactivity**

· Organic peroxides

· Corrosive to metals

· Desensitised explosives

· 10.1 Reactivity No further relevant information available.

(Contd. on page 9)

8/13 www.bison.net



### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

(Contd. of page 8)

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
79-20-9 m	79-20-9 methyl acetate		
Oral	LD50	3705 mg/kg (rabbit)	
64-17-5 et	64-17-5 ethanol		
Oral	LD50	10470 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	120 mg/l (rat)	
141-78-6 E	141-78-6 Ethyl acetate		
Oral	LD50	4934 mg/kg (rabbit)	
Dermal	LD50	>20000 mg/kg (rabbit)	
Inhalative	LC50/4 h	29.3 mg/l (rat)	
67-64-1 A	67-64-1 Acetone		
Oral	LD50	5800 mg/kg (rat)	
Dermal	LD50	>15800 mg/kg (rat)	
Inhalative	LC50/4 h	76 mg/l (rat)	
123-86-4 n-butyl acetate			
Oral	LD50	13100 mg/kg (rat)	
Dermal	LD50	>5000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>21 mg/l (rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.

(Contd. on page 10)

· IF

www.bison.net 9/13



### Safety data sheet

#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

(Contd. of page 9)

- · Sensitisation Not applicable.
- Repeated dose toxicity Not applicable.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

#### · European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information**

- · 14.1 UN number or ID number
- · ADR/ADN, IMDG, IATA UN1133
- · 14.2 UN proper shipping name
- · ADR/ADN 1133 ADHESIVES

(Contd. on page 11)

ıF-

www.bison.net 10/13



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 3 (replaces version 2) Printing date 15.08.2024 Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

	(Contd. of page 10)
· IMDG, IATA	ADHESIVES
· 14.3 Transport hazard class(es)	
ADR/ADN	
· Class · Label	3 (F1) Flammable liquids.
· IMDG, IATA	
Class Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR/ADN, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Flammable liquids. - F-E,S-D B
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information: Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
ADR/ADN Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	3 E
· IMDG	
· Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Remarks:	For substances with class 3 according to IMDG-Code chapter 2.3.2.2 packing group is classified in packing group III, as viscosity is in accordance

www.bison.net 11/13

(Contd. on page 12)



#### Safety data sheet

#### according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

(Contd. of page 11)

	, , , ,
·	with requirements (flow time $t > 100s$ ).
UN "Model Regulation":	UN 1133 ADHESIVES, 3, III

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Regulation (EC) No 273/2004 on drug precursors

67-64-1 Acetone

3

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 Acetone

3

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H228 Flammable solid.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Classification according to Regulation (EC) No 1272/2008		
Flammable liquids	Bridging principles	
	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.	

· Department issuing SDS: PSRA

· Contact: PSRA

Date of previous version: 15.08.2024Version number of previous version: 2

(Contd. on page 13)

ίΕ·

www.bison.net 12/13



#### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.08.2024 Version number 3 (replaces version 2) Revision: 15.08.2024

Trade name: BIS UNIVERSAL ADHESIVE BD 25ML\*12 L653

(Contd. of page 12)

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Flam. Sol. 1: Flammable solids – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

13/13 www.bison.net