

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Adhesive
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Bison International

Dr.A.F.Philipsstraat 9

NL-4462 EW Goes

PO Box 160

NL-4460 AD Goes

tel. +31 88 3235700

fax. +31 88 3235800

e mail: sds@boltonadhesives.com

- · Further information obtainable from: PSRA
- · 1.4 Emergency telephone number:

National Poisons Information Centre: +353 (1) 809 2166 (8.00 a.m. to 10.00 p.m. 7 days a week) Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard-determining components of labelling:

trimethoxyvinylsilane

- · Hazard statements Void
- · Additional information:

EUH208 Contains trimethoxyvinylsilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

- 2.3 Other hazards During curing methanol (CAS 67-56-1) is produced.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Adhesive

(Contd. on page 2)

- IE

www.griffon.eu 1/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

| | (Conto | d. of page 1 |
|---|---|--------------|
| · Dangerous components: | | |
| CAS: 2768-02-7 EINECS: 220-449-8 Index number: 014-049-00-0 Reg.nr.: 01-2119513215-52 | trimethoxyvinylsilane Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317 | 1-2.5% |
| CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17 | titanium dioxide © Carc. 2, H351, EUH212 | <1% |
| CAS: 52829-07-9 EINECS: 258-207-9 Reg.nr.: 01-2119537297-32 | bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate ③ Repr. 2, H361f; ◇ Eye Dam. 1, H318; ◇ Aquatic Acute 1, H400; Aquatic Chronic 2, H411 | <0.25% |
| · Additional information: For | the wording of the listed hazard phrases refer to section 16. | • |

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

No special measures required.

- · After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

No dangerous substances are released.

(Contd. on page 3)

· IF

www.griffon.eu 2/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

(Contd. of page 2)

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

| · DNELs | | | | | |
|---------------------------------|---|------------------------|--|--|--|
| 2768-02-7 trimethoxyvinylsilane | | | | | |
| Oral | Consumer, oral, longterm exposition | 0.3 mg/kg bw/day (rat) | | | |
| Dermal | Worker, dermal, longterm exposition | 3.9 mg/kg bw/day (rat) | | | |
| | Consumer, dermal, longterm exposition | 7.8 mg/kg bw/day (rat) | | | |
| Inhalative | Worker, inhalative, longterm exposition | 27.6 mg/m³ (rat) | | | |
| | Consumer, inhalative, longterm exposition | 6.7 mg/m³ (rat) | | | |
| | | 18.9 mg/m³ (rabbit) | | | |

· PNECs

2768-02-7 trimethoxyvinylsilane

Fresh water 0.4 mg/l (rat)

Fresh water sediment 1.5 mg/kg dry weight (rat)

Marine water 0.04 mg/l (rat)

Marine sediment 0.15 mg/kg dry weight (rat)

Soil 0.06 mg/kg (rat)
Sewage treatment plant 6.6 mg/l (rat)
Sporadic release 2.4 mg/l (rat)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.

(Contd. on page 4)

- ÍE

www.griffon.eu 3/9



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

(Contd. of page 3)

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

- · **Respiratory protection**: Not necessary if room is well-ventilated.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Recommended thickness of the material: > 0,12 mm

Nitrile rubber, NBR

· Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 10 minutes (Permeation according to EN 374 Part 3: Level 1).

· Eye/face protection Goggles recommended during refilling

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidWhite

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range Undetermined.
Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: 237 °C

Decomposition temperature:

• pH

Not determined.

Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value) Not determined.

• Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C: ~2.066 g/cm³
 Relative density Not determined.

(Contd. on page 5)

É.

www.griffon.eu 4/9



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

| | (Contd. of page |
|--|---|
| Vapour density | Not determined. |
| 9.2 Other information | All relevant physical data were determined for th mixture. All non-determined data are no measurable or not relevant for th characterization of the mixture. |
| Appearance: | |
| Form: | Pasty |
| Important information on protection of hea | |
| and environment, and on safety. | |
| Ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Solvent content: | |
| Organic solvents: | 0.0 % |
| Solids content: | 72.3 % |
| Change in condition | |
| Evaporation rate | Not determined. |
| Information with regard to physical haz | ard |
| classes | |
| Explosives | Void |
| Flammable gases | Void |
| Aerosols | Void |
| Oxidising gases | Void |
| Gases under pressure | Void |
| Flammable liquids | Void |
| Flammable solids | Void |
| Self-reactive substances and mixtures | Void |
| Pyrophoric liquids | Void |
| Pyrophoric solids | Void |
| Self-heating substances and mixtures | Void |
| Substances and mixtures, which emit | |
| flammable gases in contact with water | Void |
| Oxidising liquids | Void |
| Oxidising solids | Void |
| Organic peroxides | Void |
| Corrosive to metals | Void |
| Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.

(Contd. on page 6)

- - / -- II

www.griffon.eu 5/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

(Contd. of page 5)

· Additional information: During curing methanol (CAS 67-56-1) is produced.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification: 2768-02-7 trimethoxyvinylsilane LD50 6899 mg/kg (rat) Oral LD50 Dermal 3158 mg/kg (rat) Inhalative LC50/4 h 16.8 mg/l (rat) 13463-67-7 titanium dioxide >20000 mg/kg (rat) LD50 Oral LD50 Dermal >10000 mg/kg (rabbit) Inhalative LC50/4 h >6.82 mg/l (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity

Not applicable.

Based on available data, the classification criteria are not met.

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · Acute effects (acute toxicity, irritation and corrosivity) Not applicable.
- · Sensitisation Not applicable.
- · Repeated dose toxicity Not applicable.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

iE ·

www.griffon.eu 6/9



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

(Contd. of page 6)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

| 14.1 UN number or ID number | |
|--|---|
| ADR/ADN, IMDG, IATA | not regulated |
| ADN | not regulated |
| 14.2 UN proper shipping name ADR/ADN, ADN, IMDG, IATA | not regulated |
| 14.3 Transport hazard class(es) | |
| ADR/ADN, ADN, IMDG, IATA Class | not regulated |
| · 14.4 Packing group · ADR/ADN, IMDG, IATA | not regulated |
| · 14.5 Environmental hazards: · Marine pollutant: | No |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Maritime transport in bulk accordi | ng to Not applicable. |
| Transport/Additional information: | Not dangerous according to the abov specifications. |
| UN "Model Regulation": | not regulated |

(Contd. on page 8)

www.griffon.eu 7/9



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.07.2024 Version number 27 (replaces version 26) Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H226 Flammable liquid and vapour.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
- Department issuing SDS: PSRA
- Contact: PSRA
- Date of previous version: 30.07.2021
- Version number of previous version: 26
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

- IE

www.griffon.eu 8/9



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 27 (replaces version 26) Printing date 25.07.2024 Revision: 25.07.2024

Trade name: GRF PANEL MAX FULL S WH CQ 465G*12 L221

(Contd. of page 8)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Carc. 2: Carcinogenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

www.griffon.eu